



PMA Ethiopia 2021 Cross-sectional Survey Female Questionnaire

IDENTIFICATION	
A. Are you in the correct household?	○ Yes ○ No
EA - \${EA}	
Structure number - \${structure}	
Household number - \${household}	
B. RETURN TO INTERVIEW THE CORRECT HOUSEHOLD.	
C. Your name	
Is this your name ?	○ Yes○ No
D. Enter your name below. Please record your name	
E. Current date	Day: Month: Year:
Is this date and time correct?	○ Yes○ No
F. Record the correct date and time	Day: Month: Year:
G. The following information is from the Household Questionnaire. Plea correct respondent.	se review to make sure you are interviewing the
Region	
Zone	
District	
Locality	
EA	
Structure number	
Household number	



Is the above information correct?	○ Yes ○ No	
H. GO TO THE RIGHT HOUSEHOLD OR UPDATE THE HOUSEHOLD RO	STER IF NEEDED	
I. You should be attempting to interview \${firstname} . Is that correct? If misspelled, select "yes" here and update the name in question "011." If this is the wrong person, you have two options: (1) exit and ignore changes to this form. Open the correct form. Or (2) find and interview the person whose name appears above.		
J. Is the respondent present and available to be interviewed today?	○ Yes ○ No	
K. How well acquainted are you with the respondent?	Very well acquaintedWell acquaintedNot well acquaintedNot acquainted	
CROSS-SECTION INFORMED CO	MISENT	
Find the woman between the ages of 15-49 associated with this Fem auditory privacy. Read the following	ale Questionnaire. The interview must have	
Hello. My name is \${re_name} and I am working for the Addis Ababa University, and Federal Ministry of Health. We are conducting a local survey that asks women about various reproductive health issues, including family planning and pregnancy using a smartphone. The survey helps monitor the state of public health and questions will be used for research purposes. We would very much appreciate your participation in this survey. This information will help us inform the government to better plan health services. The survey usually takes between 30 and 40 minutes to complete. Whatever information you provide will be kept strictly confidential. Your data will not be linked to your identity when conducting analyses, presenting results, or sharing data.		
Participation in this survey is entirely voluntary. If we should come to any question you don't want to answer, just let me know and I will go on to the next question; or you can stop the interview at any time. However, we hope that you will participate in this survey since your views are important. If you choose to participate in the survey, you will receive 50 birr airtime credit.		
At this time, do you want to ask me anything about the survey?		
M. May I begin the interview now?	○ Yes ○ No	
O. Interviewer's name: \${re_name}	0	
Mark your name as a witness to the consent process.		
P. Respondent's first name You may correct the spelling here if it is not correct, but you must be interviewing the person whose name appears below.		





Section 1 – Respondent's Background, Marital Status, and Household Characteristics Now I would like to ask about your background and socioeconomic conditions. FFQ001. In what month and year were you born? The age in the Day: household roster is \${age}. If respondent knows the year, but not month select the 'Does not know Month: month checkbox Select the 'Do not know' checkbox for month and Year: '2030' for year to indicate 'No Response'. Does not know month \bigcirc FFQ002. How old were you at your last birthday? Must be more than 14 and less than 50. Must agree with FFQ001. Yes, currently married FFQ003a. Are you currently married or living together with a man as if Yes, living with a man married? O Divorced / separated Probe: If no, ask whether the respondent is divorced, separated, O Not currently in union: Widow widowed, or never in union/never married. No, never in union No response Only once FFQ003b. Have you been married or lived with a man only once or more More than once than once? O No response FFQ004a. In what month and year did you start living with your FIRST husband / partner? Dav: If respondent knows the year, but not month select the 'Does Month: not know month' checkbox. Select the 'Do not know' checkbox Year: for month and '2030' for year to indicate 'No Response'. Does not know month \bigcirc FFQ004b. CHECK: Based on the response you entered in FFQ004a, the Yes respondent was possibly 10 years old or younger at the time of her first O No marriage. Did you enter FFQ004a correctly? FFQ005a. Now I would like to ask about when you started living with your CURRENT or MOST RECENT husband / Day: partner. In what month and year was that? Month: Select 'Do not know' for month and '2030' for year to Year: indicate 'No Response' Does not know month \bigcirc FFQ005b. CHECK: Based on the response you entered in FFQ005a, the ○ Yes respondent was possibly 10 years old or younger at the beginning of her \bigcirc No marriage or cohabitation. Did you enter FFQ005a correctly? FFQ006. Does your husband / partner have other wives or does he live O Yes with other women as if married? \bigcirc No



	Do not knowNo response
FFQ006a. What is the highest level of school your husband/part attended? Only record formal schooling. Do not record bible or koranic sch short courses	C Technical & vocational
FFQ006b. How old is your husband/partner? Age(years) If respondent is unsure, she can estimate his age. Do not know -88. No response -99.	
FFQ007. What is your religion?	 ○ Protestant ○ Orthodox ○ Muslim ○ Catholic ○ Traditional ○ Wakefeta ○ Non-believers ○ Other ○ No response
FFQ008. What is the highest level of school YOU attended? Only record formal schooling. Do not record bible or koranic sch short courses.	 Never attended ○ Primary ○ Secondary ○ Technical & vocational ○ Higher ○ No response
FFQ009. Can you read or write in any language?	○ Yes○ No○ No response
Section 2 – Reproduction Now I would like to ask about all the bi	
FFQ018. Now I would like to ask about all the pregnancies you having your life. Have you ever been pregnant?	have had
FFQ019. How many times have you given birth to a baby that w alive? Enter -99 for no response.	vas born
FFQ020. When was your FIRST birth?	Day: Month:



Please record the date of the first live birth. Date should be found by calculating forward or backward from memorable events if needed. If respondent knows the year, but not month select the 'Does not know month' checkbox. Select the 'Do not know' checkbox for month and '2030' for year to indicate 'No Response'	Year:
Do not know month	0
FFQ021. When was your MOST RECENT birth? Please record the date of the MOST RECENT live birth. The date should be found by calculating backwards from memorable events if needed. Select 'Do not know' for month and '2030' for year to indicate 'No Response'. Note to RE: use visual aid to record dates of most recent birth	Day: Month: Year:
Do not know month	0
FFQ025. Are you pregnant now?	○ Yes○ No○ Unsure○ No response
FFQ029a. How many months pregnant are you? The most recent birth was: \${recent_birth_date_lab} Please record the number of completed months. Do not know -88. No response -99.	
FFQ026. When did your last menstrual period start? Help the respondent to remember the approximate date by asking her usual menstrual cycle pattern and by using local languages which are equivalent to LMP. Enter 0 days for today.	 ○ Days ago ○ Weeks ago ○ Months ago ○ Years ago ○ Before last birth ○ Never menstruated ○ In menopause/has had hysterectomy ○ No response
Enter the number of \${last_period_lab} Enter 0 days for today.	
You entered that the respondent is \${months_pregnant} months pregnant, but she said her last menstrual period started \${last_period_val} (\${last_period_lab}) ago. Is that what she said?	○ Yes ○ No
FFQ029b. At the time you became pregnant, did you want to become pregnant then, did you want to wait until later, or did you not want to have any / any more children at all? Remind the postpartum respondent that we are asking about her most recent pregnancy; or if currently pregnant respondent about the current pregnancy	○ Then○ Later○ Not at all○ No response
FFQ172. When you found out you were pregnant, how did you feel? Read the response options. Remind the postpartum respondent that we are asking about her most recent pregnancy, or if currently pregnant respondent about the current pregnancy.	○ Very happy○ Sort of happy○ Mixed happy and unhappy○ Sort of unhappy



	○ Very unhappy○ No response
FFQ173. When your partner found out you were pregnant, how did he feel? Read the response options. Remind the postpartum respondent that we are asking about her most recent pregnancy, or if currently pregnant respondent about the current pregnancy.	 Very happy Sort of happy Mixed happy and unhappy Sort of unhappy Very unhappy Have not told partner No partner Do not know No response
FFQ22A. Is the respondent a usual household member or staying at her parental home temporarily?	○ Yes○ No○ No response
FFQ035. Where did you see the HEW? Select multiple	 ☐ Home ☐ Government health post ☐ Other health facility ☐ Other ☐ No response
FFQ036a. How many times have you received antenatal care during this pregnancy from a health extension worker, either at a health post or at home? Do not know -88. No response -99.	
FFQ036b. How many times did you receive antenatal care during this pregnancy from a health extension worker, either at a health post or at home? Do not know -88. No response -99.	
FFQ037. How many months pregnant were you when you first talked to a health extension worker about your pregnancy? Do not know -88. No response -99.	
FFQ038a. Have you seen a professional healthcare provider, other than an HEW, for antenatal care during this pregnancy?	○ Yes○ No○ No response
FFQ038b. Did you see a professional healthcare provider, other than an HEW, for antenatal care during this pregnancy?	○ Yes○ No○ No response
FFQ039. Whom did you see, not including an HEW? Anyone else? (Select all that apply) Probe to identify each type of person and record all mentioned.	 □ Doctor □ Health officer □ Nurse/midwife □ Professional health provider, can't distinguish □ Other □ No response
FFQ040a. How many times have you received antenatal care during this pregnancy from a professional healthcare provider, other than an HEW?	



JOHNS HOPKINS BLOOMBERG SCHOOL	Bill & Melinda Gates Institute for Population and Reproductive Health
of PUBLIC HEALTH	•

Do not know -88. No response -99.	
FFQ040b. How many times did you receive antenatal care during this pregnancy from a professional healthcare provider, other than an HEW? <i>Do not know -88. No response -99.</i>	
FFQ041. How many months pregnant were you when you first received antenatal from a professional healthcare provider other than an HEW for this pregnancy? Do not know -88. No response -99.	
FFQ042. Where did you receive antenatal care for this pregnancy, not including from the HEW? Anywhere else? Select all that apply Probe to identify the type of source and record all mentioned	 ☐ Her home ☐ Other home ☐ Government hospital ☐ Government health center ☐ Government health post ☐ Other public sector ☐ Private hospital/clinic ☐ Other private medical sector ☐ NGO/Faith-based health facility ☐ Traditional healer/medicine ☐ Other ☐ Nowhere, no treatment sought ☐ No response
FFQ043. As part of your antenatal care during this pregnancy were any of This includes any ANC from any provider	of the following measured at least once:
A) Was your blood pressure measured?	○ Yes○ No○ Do not know○ No response
B) Was your weight taken?	○ Yes○ No○ Do not know○ No response
C) Did you give a urine sample that was not for a pregnancy test?	○ Yes○ No○ Do not know○ No response
D) Did you give a blood sample?	○ Yes○ No○ Do not know○ No response
E) Did you give a stool sample?	○ Yes○ No○ Do not know○ No response

FFQ044. I don't want to know the results, but as part of your antenatal care were you:





This includes any ANC from any provider	
A) Tested for syphilis?	○ Yes○ No○ Do not know○ No response
B) Did you receive the results of your test?	○ Yes○ No○ Do not know○ No response
C) Did someone discuss the results with you after you were tested?	○ Yes○ No○ Do not know○ No response
FFQ045. I don't want to know the results, but as part of your antenatal car. This includes any ANC from any provider	e were you:
A) Tested for HIV?	○ Yes○ No○ Do not know○ No response
B) Did you receive the results of your test?	○ Yes○ No○ Do not know○ No response
C) Did someone discuss the results with you after you were tested?	○ Yes○ No○ Do not know○ No response
FFQ046a. During your antenatal care visit, did your provider discuss breastfeeding as a method to prevent pregnancy? This includes any ANC from any provider	○ Yes○ No○ Do not know○ No response
FFQ046b. During your antenatal care visit, did your provider talk with you about postpartum family planning? This includes any ANC from any provider	○ Yes○ No○ Do not know○ No response
FFQ047. Which family planning method or methods did you discuss with the provider? Select all that apply Note: breastfeeding was included previously and is not part of this list	□ Female Sterilization □ Male Sterilization □ Implant □ IUD □ Injectables □ Pill □ Emergency Contraception □ Male Condom □ Female Condom □ Std. Days/Cycle beads □ Rhythm method



	☐ Withdrawal☐ Other traditional methods☐ No response
FFQ048. Are you planning to breastfeed?	○ Yes○ No○ Not sure yet○ No response
FFQ049. Are you planning to use breastfeeding to delay or avoid getting pregnant?	○ Yes○ No○ Not sure yet○ No response
FFQ052. Do you plan to use a method of family planning, other than breastfeeding, within a year of giving birth?	○ Yes○ No○ Do not know○ No response
FFQ053a. When do you plan to start using the method?	 ○ Immediately (at facility) ○ At first postpartum visit ○ Weeks ○ Months ○ After return of menses ○ Not sure yet ○ No response
FFQ053b. Enter number of \${when_start_fpm_lab} If weeks or months	
FFQ054. What method do you plan to use? This does not include LAM/breastfeeding	 ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std. Days/Cycle beads ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Not sure ○ No response
FFQ055. During this pregnancy, were you given an injection in the arm to prevent the baby from getting tetanus, that is convulsions (locked jaw) after birth?	○ Yes○ No○ Do not know○ No response
FFQ056. During this pregnancy, how many times have you gotten a tetanus injection?	
Do not know -88. No response -99.	





CHECK: You entered that the respondent received \${number_tetn_injection} tetanus injections in question FFQ056. Confirm that these were received only during this pregnancy. ○ Yes FFQ057. During this pregnancy have you consumed any multivitamins that contain iron, iron tablets, iron syrup, or folic acid/iron co-packs? O No A photo of iron tablets/syrup will appear on the screen O Do not know O No response [iron_tablets_syrup.png] ○ Yes FFQ058. During this pregnancy, have you taken any drug for intestinal worms? O No A photo of intestinal worms tablets will appear on the screen O Do not know O No response [albendazole.png] FFQ059a. Have you experienced any of the following problems during this pregnancy: Yes O No A) Severe headache with blurred vision? O Do not know O No response ○ Yes O No B) High blood pressure? O Do not know No response ○ Yes \bigcirc No C) Edema (swelling) face/feet/body? O Do not know O No response Yes O No D) Convulsion/fits? O Do not know No response O Yes O No E) Vaginal bleeding before delivery? O Do not know O No response Yes ○ No F) High fever? O Do not know No response O Yes \bigcirc No G) Abnormal vaginal discharge (foul smelling/dark)? O Do not know O No response ○ Yes O No H) Lower abdominal pain? O Do not know No response



I) Worsening vision, particularly at night?	YesNoDo not knowNo response
FFOOE0h Did you awarianse any of the following problems during the	is prognancy
FFQ059b. Did you experience any of the following problems during th	
A) Severe headache with blurred vision?	○ Yes○ No○ Do not know○ No response
B) High blood pressure?	○ Yes○ No○ Do not know○ No response
C) Edema (swelling) face/feet/body?	○ Yes○ No○ Do not know○ No response
D) Convulsion/fits?	○ Yes○ No○ Do not know○ No response
E) Vaginal bleeding before delivery?	○ Yes○ No○ Do not know○ No response
F) High fever?	○ Yes○ No○ Do not know○ No response
G) Abnormal vaginal discharge (foul smelling/dark)?	○ Yes○ No○ Do not know○ No response
H) Lower abdominal pain?	○ Yes○ No○ Do not know○ No response
I) Worsening vision, particularly at night?	○ Yes○ No○ Do not know○ No response
FEO060. Did you seek treatment at a health facility for	



A) Severe headache with blurred vision?	○ Yes○ No○ No response
B) High blood pressure?	○ Yes○ No○ No response
C) Edema (swelling) face/feet/body?	○ Yes○ No○ No response
D) Convulsion/fits?	○ Yes○ No○ No response
E) Vaginal bleeding before delivery?	○ Yes○ No○ No response
F) High fever?	○ Yes○ No○ No response
G) Abnormal vaginal discharge (foul smelling/dark)?	○ Yes○ No○ No response
H) Lower abdominal pain?	○ Yes○ No○ No response
I) Worsening vision, particularly at night?	○ Yes○ No○ No response
FFQ060. Did you seek treatment at a health facility for	
A) Severe headache with blurred vision?	○ Yes○ No○ No response
B) High blood pressure?	○ Yes○ No○ No response
C) Edema (swelling) face/feet/body?	○ Yes○ No○ No response
D) Convulsion/fits?	○ Yes○ No○ No response



E) Vaginal bleeding before delivery?	○ Yes○ No○ No response
F) High fever?	○ Yes○ No○ No response
G) Abnormal vaginal discharge (foul smelling/dark)?	○ Yes○ No○ No response
H) Lower abdominal pain?	○ Yes○ No○ No response
I) Worsening vision, particularly at night?	○ Yes○ No○ No response
FFQ061. During your antenatal care visit(s) was there any discussion	about the following:
A) Place of delivery?	○ Yes○ No○ Do not know○ No response
B) Delivery by a skilled attendant?	○ Yes○ No○ Do not know○ No response
C) Arrangement for transport for delivery?	○ Yes○ No○ Do not know○ No response
D) Where to go if experience of pregnancy danger signs?	○ Yes○ No○ Do not know○ No response
E) Severe headaches with blurred vision as a danger sign in pregnancy?	○ Yes○ No○ Do not know○ No response
F) High blood pressure as a danger sign in pregnancy?	○ Yes○ No○ Do not know○ No response
G) Edema/swelling of the face/feet/body as a danger sign in pregnancy?	○ Yes ○ No



	○ Do not know○ No response
H) Convulsions/fits as a danger sign in pregnancy?	YesNoDo not knowNo response
I) Bleeding before delivery as a danger sign in pregnancy?	○ Yes○ No○ Do not know○ No response
FFQ062. Did you receive any tablets that should be taken to prevent bleeding after delivery?	YesNoDo not knowNo response
FFQ063. As part of your antenatal care visits, did a healthcare worker of HEW talk with you about your nutrition or diet?	Yes No Do not know No response
FFQ064. What information or messages did you receive during your pregnancy about nutrition or diet? Probe: From either a health provider at a facility or an HEW? Select all that apply. Read all responses aloud.	□ Eat more (quantity) □ Eat a variety of foods / foods rich with iron (quality) □ Take iron-containing tablets (IFAS) □ Take preventive malaria treatment □ Take deworming tablet □ How much weight to gain □ Regularly exercise □ How to manage nausea/vomiting □ Reduce salt intake □ Do not eat raw meat □ None of the above □ No response
FFQ066. Do you know how to contact the HEW if you go into labor?	○ Yes○ No○ No HEW○ No response
FFQ067a. Has your partner encouraged you to go to the clinic for antenatal care?	 Yes, encouraged No, did not encourage No, actively discouraged No partner Do not know No response
FFQ067b. Did your partner encourage you to go to the clinic for antenatal care?	○ Yes, encouraged○ No, did not encourage○ No, actively discouraged○ No partner



	O Do not know No response
FFQ068. Have you and your partner discussed where you are planning to deliver?	○ Yes○ No○ Partner not involved○ No partner○ Do not know○ No response
FFQ069. While you were pregnant, did you and your partner discuss where you planned to deliver?	YesNoPartner not involvedNo partnerDo not knowNo response
FFQ177. If you got pregnant now, how would you feel?	 Very happy Sort of happy Mixed happy and unhappy Sort of unhappy Very unhappy Do not know No response
Section 3 – COVID Related The next series of questions are about COVID-19	
COV4. How concerned are you about the spread of Coronavirus (COVID-19) in your community? Read all options	 Very concerned Concerned A little concerned Not concerned Do not know No response
COV5. How concerned are you about getting infected yourself? Read all options	 ○ Very concerned ○ Concerned ○ A little concerned ○ Not concerned ○ I was infected with COVID-19 ○ Do not know ○ No response
COV5a. Will you take vaccination against Coronavirus (COVID-19) if it is offered to you?	 Yes, I will take No, I won't Already vaccinated Not decided Do not know No response
	O No response



COV9. Since the Coronavirus (COVID-19) restrictions began, how much of a loss of income have you personally experienced? COV9. Since the Coronavirus (COVID-19) restrictions began, how much of a loss of income have you personally experienced? Read all options Section 4 - Contraception Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy. An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FPQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Momen an have an operation to avoid having any more children. No INAGE FFQ178c. Have you ever heard of the contraceptive implant? FROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Implant.png] FFQ178d. Have you ever heard of the (birth control) pill? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178g. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [ImGe OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	0 1 11 11	
COV9. Since the Coronavirus (COVID-19) restrictions began, how much of a loss of income have you personally experienced? Section 4 - Contraception Section 4 - Contraception Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy. An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Implant.png] FFQ178c. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Implant.png] FFQ178c. Have you ever heard of injectables? PROBE: Women can have a nijection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.nng] FFQ178c. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [Implant.] PROBE: Women can take a pill every day to avoid becoming pregnant. [Implant.] No No response FFQ178g. Have you ever heard of emergency contraception: Yes No No No response	Read all options	○ Complete
COV9. Since the Coronavirus (COVID-19) restrictions began, how much of a loss of income have you personally experienced? Read all options Section 4 - Contraception Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy. An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have on or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [ImDpant_eng] FFQ178e. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more morths. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IIDI] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IIDI] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take a pill every thin five days to prevent		O Do not know
COV9. Since the Coronavirus (COVID-19) restrictions began, how much of a loss of income have you personally experienced? Read all options Section 4 - Contraception Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy. An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of the contraceptive implant? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Implant.npg] FFQ178e. Have you ever heard of the IUD? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more more morths. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178e. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injell.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injell.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after upprotected sexual intercourse women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injell.png] FFQ178g. Have you ever heard of emergency contraception?		○ No response
COV9. Since the Coronavirus (COVID-19) restrictions began, how much of a loss of income have you personally experienced? Read all options Section 4 - Contraception Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy. An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of the contraceptive implant? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Implant.npg] FFQ178e. Have you ever heard of the IUD? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more more morths. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178e. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injell.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injell.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after upprotected sexual intercourse women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injell.png] FFQ178g. Have you ever heard of emergency contraception?		○ Large
COVP. Since the Coronavirus (COVID-19) restrictions began, how much of a loss of income have you personally experienced? Read all options Section 4 - Contraception Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy. An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper amb y a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Implant.png] FFQ178b. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [III] FFQ178e. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178g. Have you ever heard of emergency contraception?		_
of a loss of income have you personally experienced? Read all options Section 4 - Contraception Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy. An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [No IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. [No IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Implant.png] FFQ178f. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Ipill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Ipill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL AP	COV9. Since the Coronavirus (COVID-19) restrictions began, how much	_
Has no income Do not know No response		○ No change
Section 4 - Contraception Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy. An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. INO IMAGE! FFQ178b. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	Read all options	
Section 4 - Contraception Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy. An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper amb y a doct or or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IND.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178g. Have you ever heard of emergency ontraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	·	_ =
Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy. An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178b. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent		○ No response
An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Ipill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Ipill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	Section 4 - Contracep	otion
An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Injectable.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Ipill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [Ipill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent		
she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF No No No response linjectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of emergency contraception? PROBE: So an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	· · · · · · · · · · · · · · · · · · ·	or methods that a couple can use to delay or
she hesitates to answer, read the probe aloud and show her the image, if available FFQ178a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF No No No response linjectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of emergency contraception? PROBE: So an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	An image will appear on the screen for some methods. If the respondent sa	ays that she has not heard of the method or if
PROBE: Women can have an operation to avoid having any more children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	she hesitates to answer, read the probe aloud and show her the image, if a	vailable
children. [NO IMAGE] FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injell.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	FFQ178a. Have you ever heard of female sterilization?	○Yes
FFQ178b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	PROBE: Women can have an operation to avoid having any more	○ No
PROBE: Men can have an operation to avoid having any more children. [NO IMAGE] FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injell.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	children. [NO IMAGE]	○ No response
FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] No response	FFQ178b. Have you ever heard of male sterilization?	○Yes
FFQ178c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	PROBE: Men can have an operation to avoid having any more children.	○ No
PROBE: Women can have one or several small rods placed in their upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	[NO IMAGE]	○ No response
arm by a doctor or nurse, which can prevent pregnancy for one or more years. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	FFQ178c. Have you ever heard of the contraceptive implant?	
years. [IMAGE OF METHOD WILL APPEAR ON SCRÉEN] [implant.png] FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent No response	PROBE: Women can have one or several small rods placed in their upper	○ Yes
FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] No No response IUD.png		○ No
FFQ178d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	years. [IMAGE OF METHOD WILL APPEAR ON SCREEN]	○ No response
PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF No No response [injectable.png]] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [ipill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	[implant.png]	
PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF No No response [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent	FFQ178d. Have you ever heard of the IUD?	○ Ves
a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [IUD.png] FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent No response Yes No Yes No No No No No No No No No N	PROBE: Women can have a loop or coil placed inside them by a doctor or	_
FFQ178e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent O Yes O Yes O No	a nurse. [IMAGE OF METHOD WILL APPEAR ON SCREEN]	_
PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent ○ Yes ○ No ○ No ○ No response ○ Yes ○ No ○ No ○ No	[IUD.png]	O No response
them from becoming pregnant for one or more months. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent No Yes No Yes No No No No No No No No No N	·	
METHOD WILL APPEAR ON SCREEN] ○ No response [injectable.png] ○ Yes FFQ178f. Have you ever heard of the (birth control) pill? ○ Yes PROBE: Women can take a pill every day to avoid becoming pregnant. ○ No [IMAGE OF METHOD WILL APPEAR ON SCREEN] ○ No response [pill.png] ○ Yes FFQ178g. Have you ever heard of emergency contraception? ○ Yes PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent ○ No		
[injectable.png] FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent Yes No No No No No No No No No N		
FFQ178f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent O Yes O Yes O No O O No O N		○ No response
PROBE: Women can take a pill every day to avoid becoming pregnant. [IMAGE OF METHOD WILL APPEAR ON SCREEN] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent O Yes O No		
[image of Method Will Appear on Screen] [pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent O No No response		○Yes
[pill.png] FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent O No response O Yes O No No response	, , ,	-
FFQ178g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent O No response		○ No response
PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent		
PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent		○Yes
	e ,	_
pregnancy. (NO IMAGE)	pregnancy. [NO IMAGE]	○ No response



FFQ178h. Have you ever heard of condoms?	○ Yes
PROBE: Men can put a rubber sheath on their penis before sexual	○ No
intercourse. [IMAGE OF METHOD WILL APPEAR ON SCREEN]	○ No response
[male_condom.png]	
FFQ178i. Have you ever heard of female condoms?	○Yes
PROBE: Women can put a sheath in their vagina before sexual	○ No
intercourse. [IMAGE OF METHOD WILL APPEAR ON SCREEN]	○ No response
[female_condom.png]	
FFQ178j. Have you ever heard of the standard days method or Cycle Beads?	
PROBE: A Woman can use a string of colored beads to know the days she	○ Yes
can get pregnant. On the days she can get pregnant, she and her partner	○ No
use a condom or do not have sexual intercourse. [IMAGE OF METHOD WILL APPEAR ON SCREEN]	○ No response
[SDM-Beads_only.png]	
FFQ178k. Have you ever heard of the Lactational Amenorrhea Method or LAM?	○Yes
PROBE: Up to six months after childbirth, before the menstrual period	○ No
has returned, women use a method requiring frequent breastfeeding day	○ No response
and night.	
FFQ178I. Have you ever heard of the rhythm method?	○Yes
PROBE: Women can avoid pregnancy by not having sexual intercourse on	○ No
the days of the month they think they can get pregnant. [NO IMAGE]	○ No response
	_
FFQ178m. Have you ever heard of the withdrawal method?	○ Yes ○ No
PROBE: Men can be careful and pull out before climax. [NO IMAGE]	○ No response
	-
FFQ178n. Have you ever heard of any other ways or methods that	Yes
women or men can use to avoid pregnancy?	○ No
	○ No response
FFQ179a. Are you or your partner currently doing something or using any	○ Yes
method to delay or avoid getting pregnant?	○ No
	○ No response
FFQ179aa. Just to check, are you or your partner doing any of the	○Yes
following to avoid pregnancy: deliberately avoiding sex on certain days,	○ No
using a condom, using withdrawal or using emergency contraception?	○ No response
	☐ Female sterilization
	☐ Male sterilization
	☐ Implant
	□IUD
FFQ179b. Which method or methods are you using?	☐ Injectables
Probe: Anything else? Select all methods mentioned. Be sure to scroll to	□ Pill
bottom to see all choices.	☐ Emergency Contraception
	☐ Male Condom
	☐ Female Condom ☐ Std Days/Cycle beads
	☐ LAM
	☐ Rhythm method



	☐ Withdrawal☐ Other traditional methods☐ No response
FFQ180. Since what month and year have you been using \${curr_mthd_calc_lab} without stopping? Most Recent Birth: \${recent_birth_date_lab} Current Marriage: \${living_start_cmy_lab} Calculate backwards from memorable events if needed. Must be before today. Respondent must be at least 10 years old. Select 'Do not know' for month and '2030' for year to indicate 'No Response'. For RE: Mark start date and all months until now as current use on the visual aid	Day: Month: Year:
Do not know month	0
FFQ181. Did you or your partner use any other methods between November 2019 and when you started using \${curr_mthd_calc_lab} which was \${curr_mthd_my_lab}? Interviewer notes: [Since November 2019]. Probe to see if she has used the same method at a previous time. FFQ182. Have you or your partner done anything or used a method to delay or avoid getting pregnant in the last 2 years (since November 2019)?	YesNoNo response YesNoNoNo response
CS2. Which method did you use just before \${curr_mthd_calc_lab}?"	
CS2. Which method did you use?	
Do not include the current method of use. Only select the current method if the woman used it continuously, stopped and restarted during the two year period.	 ○ Male sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std. Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional ○ No response
Cal001. Have you completed the paper Calendar Visual aid form?	○ Yes○ No○ No response
FFQ 182a. What Method Were You using in Feb 2022	○ No Method○ Female Sterilization○ Male Sterilization○ Implant○ IUD



	 ☐ Injectables ☐ Pill ☐ Emergency Contraception ☐ Male Condom ☐ Female Condom ☐ Std Days/Cycle beads ☐ LAM ☐ Rhythm method ☐ Withdrawal ☐ Other traditional methods ☐ Birth ☐ Pregnancy ☐ Termination ☐ No response
FFQ 182a. What Method Were You using in Jan 2022	 No Method Female Sterilization Male Sterilization Implant IUD Injectables Pill Emergency Contraception Male Condom Female Condom Std Days/Cycle beads LAM Rhythm method Withdrawal Other traditional methods Birth Pregnancy Termination No response
FFQ 182a. What Method Were You using in Dec 2021	 No Method Female Sterilization Male Sterilization Implant IUD Injectables Pill Emergency Contraception Male Condom Female Condom Std Days/Cycle beads LAM Rhythm method Withdrawal Other traditional methods Birth Pregnancy



	○ Termination
	○ No response
FFQ 182a. What Method Were You using in Nov 2021	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Oct 2021	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Sept 2021	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom



	 ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Aug 2021	 No Method Female Sterilization Male Sterilization Implant IUD Injectables Pill Emergency Contraception Male Condom Female Condom Std Days/Cycle beads LAM Rhythm method Withdrawal Other traditional methods Birth Pregnancy Termination No response
FFQ 182a. What Method Were You using in Jul 2021	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response



FFQ 182a. What Method Were You using in Jun 2021	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in May 2021	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Apr 2021	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads



	 □ LAM □ Rhythm method □ Withdrawal □ Other traditional methods □ Birth □ Pregnancy □ Termination □ No response
FFQ 182a. What Method Were You using in Mar 2021	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Feb 2021	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Jan 2021	○ No Method○ Female Sterilization○ Male Sterilization



	 ☐ Implant ☐ IUD ☐ Injectables ☐ Pill ☐ Emergency Contraception ☐ Male Condom ☐ Female Condom ☐ Std Days/Cycle beads ☐ LAM ☐ Rhythm method ☐ Withdrawal ☐ Other traditional methods ☐ Birth ☐ Pregnancy ☐ Termination ☐ No response
FFQ 182a. What Method Were You using in Dec 2020	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Nov 2020	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods



	○ Birth○ Pregnancy○ Termination○ No response
FFQ 182a. What Method Were You using in Oct 2020	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Sep 2020	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Aug 2020	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill



	 ☐ Emergency Contraception ☐ Male Condom ☐ Female Condom ☐ Std Days/Cycle beads ☐ LAM ☐ Rhythm method ☐ Withdrawal ☐ Other traditional methods ☐ Birth ☐ Pregnancy ☐ Termination ☐ No response
FFQ 182a. What Method Were You using in Jul 2020	 No Method Female Sterilization Male Sterilization Implant IUD Injectables Pill Emergency Contraception Male Condom Female Condom Std Days/Cycle beads LAM Rhythm method Withdrawal Other traditional methods Birth Pregnancy Termination No response
FFQ 182a. What Method Were You using in Jun 2020	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy



	○ Termination
	○ No response
FFQ 182a. What Method Were You using in May 2020	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Apr 2020	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Mar 2020	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom



	 ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Feb 2020	 No Method Female Sterilization Male Sterilization Implant IUD Injectables Pill Emergency Contraception Male Condom Female Condom Std Days/Cycle beads LAM Rhythm method Withdrawal Other traditional methods Birth Pregnancy Termination No response
FFQ 182a. What Method Were You using in Jan 2020	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response



FFQ 182a. What Method Were You using in Dec 2019	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response
FFQ 182a. What Method Were You using in Nov 2019 There are more than three(3) births (B) recorded in the contraceptive calen	 ○ No Method ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ Birth ○ Pregnancy ○ Termination ○ No response

births is three(3).

Go back and correct the number of births.

CURRENT USER ERROR - What you replied for FFQ179a or FFQ179aa and the method response you gave in the method calendar for the current month, \${today_my_lab} is not the same.

NON CURRENT USER ERROR - What you replied for FFQ179a or FFQ179aa and the method response you gave in the method calendar for the current month, \${today_my_lab} is not the same.

RECENT USE ERROR -You replied 'Yes' for FFQ181 or FFQ182 and what you have recorded in the contraceptive calendar (FFQ182a) is not similar.

Please go back to either FFQ181(FFQ182) or 182a and correct it.





NON RCENT USER ERROR - You replied 'No' to FFQ181 or FFQ182 and what you have recorded in the contraceptive calendar (FFQ182a) is not similar.

Please go back to either FFQ181(FFQ182) or 182a and correct it. Healthcare facility or doctor's office closed or services not available O Became pregnant while using Infrequent sex/husband/partner away Wanted to become pregnant O Side effects you experienced Side effects you were worried about, but did not experience O Advised not to take method Menstrual cycle has not returned Husband did not approve Other person did not approve FFQ182b. Why did you stop using \${jan_2022_m_lab} in Feb 2022 Wanted more effective method O Preferred method not available Lack of access / too far O Costs too much Inconvenient to use ○ Fatalistic O Difficult to get pregnant/menopausal Fear of getting or spreading COVID-19 ○ Other O Do not know O No response Healthcare facility or doctor's office closed or services not available O Became pregnant while using O Infrequent sex/husband/partner away Wanted to become pregnant O Side effects you experienced Side effects you were worried about, but did not experience Advised not to take method O Menstrual cycle has not returned Husband did not approve Other person did not approve FFQ182b. Why did you stop using \${dec 2021 m lab} in Jan 2022 O Wanted more effective method O Preferred method not available ○ Lack of access / too far O Costs too much O Inconvenient to use ○ Fatalistic O Difficult to get pregnant/menopausal O Fear of getting or spreading COVID-19 Other O Do not know No response



FFQ182b. Why did you stop using \${nov_2021_m_lab} in Dec 2021	 ◯ Healthcare facility or doctor's office closed or services not available ◯ Became pregnant while using ◯ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${oct_2021_m_lab} in Nov 2021	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${sept_2021_m_lab} in Oct 2021	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away



	 ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${aug_2021_m_lab} in Sept 2021	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${jul_2021_m_lab} in Aug 2021	 Healthcare facility or doctor's office closed or services not available Became pregnant while using Infrequent sex/husband/partner away Wanted to become pregnant Side effects you experienced Side effects you were worried about, but did not experience



	 ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${jun_2021_m_lab} in Jul 2021	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${may_2021_m_lab} in Jun 2021	 ◯ Healthcare facility or doctor's office closed or services not available ◯ Became pregnant while using ◯ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve



	 ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${apr_2021_m_lab} in May 2021	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${mar_2021_m_lab} in Apr 2021	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much



	 ☐ Inconvenient to use ☐ Fatalistic ☐ Difficult to get pregnant/menopausal ☐ Fear of getting or spreading COVID-19 ☐ Other ☐ Do not know ☐ No response
FFQ182b. Why did you stop using \${feb_2021_m_lab} in Mar 2021	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${jan_2021_m_lab} in Feb 2021	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19



	○ Other○ Do not know○ No response
FFQ182b. Why did you stop using \${dec_2020_m_lab} in Jan 2021	 ◯ Healthcare facility or doctor's office closed or services not available ◯ Became pregnant while using ◯ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${nov_2020_m_lab} in Dec 2020	 ◯ Healthcare facility or doctor's office closed or services not available ◯ Became pregnant while using ◯ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response



FFQ182b. Why did you stop using \${oct_2020_m_lab} in Nov 2020	 ◯ Healthcare facility or doctor's office closed or services not available ◯ Became pregnant while using ◯ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${sep_2020_m_lab} in Oct 2020	 ◯ Healthcare facility or doctor's office closed or services not available ◯ Became pregnant while using ◯ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${aug_2020_m_lab} in Sep 2020	 Healthcare facility or doctor's office closed or services not available Became pregnant while using Infrequent sex/husband/partner away



	 ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${jul_2020_m_lab} in Aug 2020	 ◯ Healthcare facility or doctor's office closed or services not available ◯ Became pregnant while using ◯ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${jun_2020_m_lab} in Jul 2020	 ◯ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience



	 ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${may_2020_m_lab} in Jun 2020	 ◯ Healthcare facility or doctor's office closed or services not available ◯ Became pregnant while using ◯ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${apr_2020_m_lab} in May 2020	 ◯ Healthcare facility or doctor's office closed or services not available ◯ Became pregnant while using ◯ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve



	 ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${mar_2020_m_lab} in Apr 2020	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${feb_2020_m_lab} in Mar 2020	 ◯ Healthcare facility or doctor's office closed or services not available ◯ Became pregnant while using ◯ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much



	 ☐ Inconvenient to use ☐ Fatalistic ☐ Difficult to get pregnant/menopausal ☐ Fear of getting or spreading COVID-19 ☐ Other ☐ Do not know ☐ No response
FFQ182b. Why did you stop using \${jan_2020_m_lab} in Feb 2020	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19 ○ Other ○ Do not know ○ No response
FFQ182b. Why did you stop using \${dec_2019_m_lab} in Jan 2020	 ○ Healthcare facility or doctor's office closed or services not available ○ Became pregnant while using ○ Infrequent sex/husband/partner away ○ Wanted to become pregnant ○ Side effects you experienced ○ Side effects you were worried about, but did not experience ○ Advised not to take method ○ Menstrual cycle has not returned ○ Husband did not approve ○ Other person did not approve ○ Wanted more effective method ○ Preferred method not available ○ Lack of access / too far ○ Costs too much ○ Inconvenient to use ○ Fatalistic ○ Difficult to get pregnant/menopausal ○ Fear of getting or spreading COVID-19



JOHNS HOPKINS BLOOMBERG SCHOOL OF PUBLIC HEALTH	Bill & Melinda Gates Institute for Population and Reproductive Health
---	--

	○ Other○ Do not know○ No response
	 Healthcare facility or doctor's office closed or services not available Became pregnant while using
FFQ182b. Why did you stop using \${nov_2019_m_lab} in Dec 2019	 ☐ Infrequent sex/husband/partner away ☐ Wanted to become pregnant ☐ Side effects you experienced ☐ Side effects you were worried about, but did not experience ☐ Advised not to take method ☐ Menstrual cycle has not returned ☐ Husband did not approve ☐ Other person did not approve ☐ Wanted more effective method ☐ Preferred method not available ☐ Lack of access / too far ☐ Costs too much ☐ Inconvenient to use ☐ Fatalistic ☐ Difficult to get pregnant/menopausal ☐ Fear of getting or spreading COVID-19 ☐ Other ☐ Do not know ☐ No response
CURRENT/RECENT USERS I will ask you a few more questions on the method that you are currently	
FFQ186. Did the provider tell you or your partner that this method was permanent?	○ Yes○ No○ No response
FFQ187. You first started using \${rec_cur_method_lab} in \${rec_cur_method_my_lab}. Where did you or your partner get it at that time? Scroll to bottom to see all choices.	 GOVT HOSPITAL GOVT HEALTH CENTER GOVT HEALTH POST/HEW HEALTH DEVELOPMENT ARMY PUBLIC PHARMACY OTHER PUBLIC NGO HEALTH FACILITY OTHER NGO PRIVATE HOSPITAL PRIVATE CLINIC PRIVATE PHARMACY OTHER PRIVATE MEDICAL DRUG VENDORS/STORE SHOP FRIEND/RELATIVE SELF OTHER



	○ DO NOT KNOW○ NO RESPONSE
FFQ188. When you obtained your \${rec_cur_method_lab}, did the provider ask you about your prior experience with contraception?	○ Yes○ No○ Do not know○ No response
Now I am going to ask you some questions about the family planning consuMOST RECENT/CURRENT METHOD. Please tell me how much you agree WHEN YOU RECEIVED YOUR MOST RECENT/CURRENT METHOD.	
QCC001. During the family planning visit, I felt encouraged to ask questions and express my concerns Read all options	○ Completely agree○ Agree○ Disagree○ Completely disagree○ Do not know○ No response
QCC002. During the family planning visit, the provider made efforts to ensure there were no interruptions during our session Read all options	○ Completely agree○ Agree○ Disagree○ Completely disagree○ Do not know○ No response
QCC003. During the family planning visit, the provider asked me questions in order to provide counseling that fit me personally <i>Read all options</i>	○ Completely agree○ Agree○ Disagree○ Completely disagree○ Do not know○ No response
QCC004. During the family planning visit, I received all of the information I wanted to know about my options for contraceptive methods Read all options	○ Completely agree○ Agree○ Disagree○ Completely disagree○ Do not know○ No response
QCC005. During the family planning visit, the provider gave me the time I needed to consider the contraceptive options we discussed Read all options	○ Completely agree○ Agree○ Disagree○ Completely disagree○ Do not know○ No response
QCC006. After the family planning visit, I could understand how my body might react to using contraception Read all options	 ○ Completely agree ○ Agree ○ Disagree ○ Completely disagree ○ Do not know ○ No response



QCC007. After the family planning visit, I understood how to use the method(s) we talked about during the consultation Read all options	○ Completely agree○ Agree○ Disagree○ Completely disagree○ Do not know○ No response
QCC008. During the family planning visit, I was able to give my opinion about what I needed Read all options	○ Completely agree○ Agree○ Disagree○ Completely disagree○ Do not know○ No response
QCC009. During the family planning visit, I felt pressured by the healthcare provider to use the method they wanted me to use <i>Read all options</i>	○ Completely agree○ Agree○ Disagree○ Completely disagree○ Do not know○ No response
QCC010. During the family planning visit, I felt scolded because of my marital status. Read all options	○ Completely agree○ Agree○ Disagree○ Completely disagree○ Do not know○ No response
FFQ189. When you obtained your \${rec_cur_method_lab}, did you obtain the method you wanted to delay or avoid getting pregnant?	○ Yes○ No○ No response
PNL 012. How satisfied are you with the method you are currently using?	 Very satisfied Satisfied Neither satisfied nor dissatisfied Dissatisfied Very dissatisfied No response
PNL012a. Would you prefer to be using a different method?	○ Yes○ No○ No response
PBL012b. What method would you prefer to use?	 ○ Female Sterilization ○ Male Sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std. Days/Cycle beads ○ LAM



	Rhythm methodWithdrawalOther traditional methodsNo response
FFQ190. Why did you choose the implant? Select multiple	 □ Long duration of protection □ Less need for follow-up □ Unavailability of other methods □ Provider recommended □ Other □ No response
FFQ191. At the visit when the implant was inserted, were you told for how long the implant would protect you from pregnancy?	○ Yes○ No○ No response
FFQ192. Were you told where you could go to have the implant removed?	○ Yes○ No○ No response
FFQ193. Were you told how much it would cost to get your implant removed?	○ Yes○ No○ No response
FFQ194. When you obtained your \${rec_cur_method_lab}, were you told by the provider about side effects or problems you might have with a method to delay or avoid pregnancy?	○ Yes○ No○ No response
FFQ196. Were you told what to do if you experienced these side effects or problems?	○ Yes○ No○ No response
FFQ197. At that time, were you told by a family planning provider about methods of family planning other than \${rec_cur_method_lab} that you could use?	○ Yes○ No○ No response
FFQ199. At that time, were you told that you could switch to a different method in the future?	○ Yes○ No○ No response
FFQ200. During that visit, who made the final decision about what method you got?	 ○ You alone ○ Provider ○ Partner ○ You and provider ○ You and partner ○ Other ○ Do not know ○ No response
FFQ201. Would you return to this provider? Provider: \${curr_mthd_src_lab}	○ Yes○ No○ Do not know
FFQ202. Would you refer your relative or friend to this provider / facility? Provider: \${curr_mthd_src_lab}	○ Yes○ No○ Do not know



FFQ205. Have you experienced any side effects while using this method?	○ Yes○ No○ No response
FFQ205. Did you experience any side effects while using this method?	○ Yes○ No○ No response
FFQ206. What side effects have you experienced? Do not read option choices aloud Multiple select	□ Less bleeding □ No bleeding □ Irregular bleeding/spotting □ Uterine cramping/lower abdominal pain □ Gained weight □ Lost weight □ Facial spotting □ Headaches □ Got infection □ Nausea/vomiting □ Increased menstrual cramping □ Lowered sex drive □ Decreased sexual pleasure □ Vaginal dryness □ General weakness/pain □ Diarrhea □ Partner feels during sex □ Pain at insertion site □ Mood swings □ Backache □ OTHER □ DO NOT KNOW □ NO RESPONSE
FFQ206. What were the side effects that you EXPERIENCED while using the method? Do not read option choices aloud Multiple select	 □ Less bleeding □ No bleeding □ Heavier bleeding/spotting □ Uterine cramping/lower abdominal pain □ Gained weight □ Lost weight □ Facial spotting □ Headaches □ Got infection □ Nausea/vomiting □ Increased menstrual cramping □ Lowered sex drive □ Decreased sexual pleasure □ Vaginal dryness □ General weakness/pain





	 □ Diarrhea □ Partner feels during sex □ Pain at insertion site □ Mood swings □ Backache □ OTHER □ DO NOT KNOW □ NO RESPONSE
PNL017. Did you talk with anyone about any of the side effects you experienced?	○ Yes○ No○ No response
PNL017b. Who have you talked to about any of the side effects you experienced? Anyone else? SELECT ALL THAT APPLY	 ☐ Friend ☐ Family ☐ Spouse ☐ Daughter ☐ Health extension worker ☐ Other professional health care worker ☐ Traditional healer ☐ OTHER ☐ DO NOT KNOW ☐ NO RESPONSE
FFQ209. The last time you received your \${rec_cur_method_lab}, did y	ou have to pay out of pocket for:
A) Medical card?	○ Yes○ No○ Do not know○ No response
B) Supplies (like gloves or syringes)	○ Yes○ No○ Do not know○ No response
C) The method itself?	○ Yes○ No○ Do not know○ No response
D) Transportation?	YesNoDo not knowNo response
FFQ210. Do you want to have your implant removed?	○ Yes○ No○ No response



FFQ211a. In the past 12 months, did you try to have your current implant removed?	○ Yes○ No○ No response
FFQ211b. Where did you go to try to have your implant removed?	 GOVT HOSPITAL GOVT HEALTH CENTER GOVT HEALTH POST/HEW HEALTH DEVELOPMENT ARMY PUBLIC PHARMACY OTHER PUBLIC NGO HEALTH FACILITY OTHER NGO PRIVATE HOSPITAL PRIVATE CLINIC PRIVATE PHARMACY OTHER PRIVATE MEDICAL DRUG VENDORS/STORE HOME (including friend/relative home) OTHER DO NOT KNOW NO RESPONSE
FFQ211c. Who tried to remove the implant?	 Self Friend/Relative Partner HEW Other professional healthcare provider, can't distinguish No one tried No response
FFQ212. Why were you not able to have your implant removed? Select all that apply	□ Facility not open □ Qualified provider not available □ Provider attempted but could not remove the implant □ Provider refused □ Cost of removal services □ Travel cost □ Provider counseled against removal □ Told to return on another day □ Referred elsewhere □ Other □ Do not know □ No response
FFQ213. When you stopped using the implant, where did you go to have your implant removed? Scroll to bottom to see all choices.	☐ GOVT HOSPITAL ☐ GOVT HEALTH CENTER ☐ GOVT HEALTH POST/HEW ☐ HEALTH DEVELOPMENT ARMY ☐ PUBLIC PHARMACY ☐ OTHER PUBLIC ☐ NGO HEALTH FACILITY



JOHNS HOPKINS BLOOMBERG SCHOOL OF PUBLIC HEALTH	Bill & Melinda Gates Institute for Population and Reproductive Health
---	--

☐ OTHER NGO ☐ PRIVATE HOSPITAL ☐ PRIVATE CLINIC ☐ PRIVATE PHARMACY ☐ OTHER PRIVATE MEDICAL ☐ DRUG VENDORS/STORE ☐ SHOP ☐ FRIEND/RELATIVE ☐ SELF ☐ OTHER ☐ DO NOT KNOW ☐ NO RESPONSE
 Self Friend/Relative Partner HEW Other professional healthcare provider, can't distinguish No one tried No response
○ Yes○ No○ No response
□ Not married □ Infrequent sex / not having sex □ Menopausal/Hysterectomy □ Subfecund / infecund □ Not menstruated since last birth □ Breastfeeding □ Husband/partner away □ Up to God / fatalistic □ Respondent opposed □ Husband / partner opposed □ Others opposed □ Religious reasons □ Does not know of a method □ Does not know where to get method □ Fear of side effects □ Health concerns □ Too far to get method □ Costs too much □ Preferred method not available □ No method available □ Inconvenient to use □ Interferes with body's processes □ Other



	☐ Do not know☐ No response
FFQ219. Would you say that NOT using contraception is mainly your decision, mainly your husband/partner's decision or do you both decide together?	Mainly respondentMainly husband/partnerJoint DecisionOtherNo response
FFQ220. Do you think you will use a contraceptive method to delay or avoid getting pregnant in the future?	○ Yes○ No○ No response
FFQ221. When do you think you will start using a method?	○ Months○ Years○ Soon/now○ After the birth of this child○ Do not know○ No response
Please enter the number of \${when_future_use_lab}	
FFQ222. How old were you when you first used a method to delay or avoid getting pregnant? The respondent said she was \${last_dob_age} years old at her last birthday. Enter the age in years. Enter -88 if respondent does not know. Enter -99 if there is no response. Cannot be younger than 9.	
FFQ223. How many living children did you have at that time, if any? Note: the respondent said that she gave birth \${no_live_birth} times in FFQ019. Enter -99 for no response	
FFQ224. Have you used emergency contraception at any time in the last 12 months? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within three to five days to prevent pregnancy.	○ Yes○ No○ No response
FFQ225. In the last 12 months, were you visited by a health extension worker who talked to you about family planning?	○ Yes○ No○ No response
FFQ226. In the last 12 months, have you attended a group family planning counseling session with a provider?	○ Yes○ No○ No response
FFQ227. In the last 12 months, have you visited a health facility for care for yourself or your children? For any health services	○ Yes○ No○ No response
FFQ228. Did any staff member at the health facility speak to you about family planning methods?	○ Yes○ No○ No response

FFQ229. In the last few months have you:



a. Heard about family planning on the radio?	○ Yes○ No○ No response
b. Seen anything about family planning on the television?	○ Yes○ No○ No response
c. Read about family planning in a newspaper or magazine?	○ Yes○ No○ No response
d. Received text message about family planning on a mobile phone?	○ Yes○ No○ No response
e. Seen anything on social media about family planning (Facebook, Viber, Twitter, WhatsApp etc)	○ Yes○ No○ No response
FFQ246. During your postpartum care, did you feel pressured by providers to use a method?	○ Yes○ No○ No response
FFQ248. During your postpartum care, did any of the health service providers pressure you to accept a SPECIFIC method?	○ Yes○ No○ No response
FFQ249. Which method did you feel pressured to use?	 ○ Female sterilization ○ Male sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male Condom ○ Female Condom ○ Std Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional methods ○ No response





Section 5 - Partner

Now I would like to ask you some questions about your husband/partner.

Now I would like to ask you some questions about your husband/partner.	
FFQ250. Before you started using \${rec_cur_method_lab}, had you discussed the decision to delay or avoid pregnancy with your husband/partner?	○ Yes○ No○ Do not know○ No response
FFQ252. Does/did your husband/partner know that you are/were using \${rec_cur_method_lab}?	○ Yes○ No○ Do not know○ No response
FFQ253. Did you talk with your partner about using your \${rec_cur_method_lab} before you started using, after you started using, or you have not talked about it?	○ Before○ After○ No discussion○ No response
FFQ254. Why have you not discussed your family planning use with your husband/partner? Select all that apply—do not read options aloud	☐ It does not concern him ☐ There might be negative consequences in telling him ☐ He doesn't know about FP ☐ Other ☐ No response
FFQ255. In the past 12 months, has your husband/partner:	
a. Made you feel bad or treated you badly for wanting to use a FP method to delay or prevent pregnancy?	○ Yes○ No○ No response
b. Tried to force or pressure you to become pregnant?	○ Yes○ No○ No response
c. Said he would leave you if you did not get pregnant?	○ Yes○ No○ No response
d. Told you he would have a baby with someone else if you did not get pregnant?	○ Yes○ No○ No response
e. Taken away your family planning or kept you from going to the clinic to get family planning?	○ Yes○ No○ No response





Section 6 - Sexual Activity

Now I'm going to ask you a few sensitive questions about sexual activity. You do not have to answer these questions if you do not want to. We can pause at any time. If you do not feel comfortable answering any of the questions, let me know and I will either move onto the next statement or skip this section entirely.

CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY.

FFQ277. You stated that you were not currently married, but are you currently in a relationship?	○ Yes○ No○ Do not know○ No response
FFQ278. How long have you been in a relationship with your current partner?	○ Months○ Years○ No response
Please enter the number of \${how_long_in_rshp_lab}	
FFQ279a. How old were you when you first had sexual intercourse? The respondent said she was \${last_dob_age} years old at her last birthday. She has had \${no_live_birth} live births. Enter the age in years. Enter -77 if she never had sex. Enter -88 if respondent does not know. Enter -99 for no response.	
FFQ279b. You have entered that the respondent was \${age_first_intercourse} years old when she first had sexual intercourse. Is this what she said? Go back and correct FFQ279a if it is not correct.	○ Yes ○ No
FFQ281. When was the last time you had sexual intercourse? If less than 12 months ago, answer must be recorded in months, weeks, or days. Enter 0 days for today. You will enter a number for X on the next screen. Enter -99 for no response	○ Days ago○ Weeks ago○ Months ago○ Years ago
Please enter the number of \${when_last_intercourse_lab}	
FFQ282. Sometimes conflict can occur in relationships. At any time during any of the following things to you:	your pregnancy, did your husband/partner do
A. Push you, shake you, or throw something at you?	○ Yes○ No○ No response
B. Slap you?	○ Yes○ No○ No response
C. Twist your arm or pull your hair?	○ Yes○ No○ No response
D. Punch you with his fist or with something that could hurt you?	○ Yes○ No○ No response



E. Kick you, drag you, or beat you up?	○ Yes○ No○ No response	
F. Try to choke you or burn you on purpose?	○ Yes○ No○ No response	
G. Threaten or attack you with a knife, gun, or other weapon?	○ Yes○ No○ No response	
H. Physically force you to have sexual intercourse with him when you did not want to?	○ Yes○ No○ No response	
I. Physically force you to perform any other sexual acts you did not want to?	○ Yes○ No○ No response	
J. Used threats or pressure to make you have sex when you didn't want to, but did not use physical force?	○ Yes○ No○ No response	
We understand that this interview may have raised some difficult issues. He questions? Would you like to speak with a trained care provider further? W follow-up care.		
END OF SURVEY Thank the respondent for her time The respondent is finished, but there are still 3 more questions for you to co	omplete outside the home	
Future Follow-up Consent (Cross-section only)		
801. Thank you for the time you have kindly granted us. Would you be willing to participate in another survey in the future?	○ Yes○ No○ No response	
802a. Do you own a phone? To select yes, the phone should be equipped with a mobile or fixed voice subscription.	○ Yes, Mobile○ Yes, Fixed○ No○ No response	
802b. Do you have access to a phone owned by members of your household or other people that you can be easily reached over the phone?	○ Yes, Mobile○ Yes, Fixed○ No○ No response	
802c. Would you please tell me your relationship to the owner of the phone? We are asking here only about the primary phone number.	 ◯ Husband/partner ◯ Son/Daughter/in-law ◯ Brother/Sister/in-law ◯ Parent/in-law ◯ Other relative ◯ Neighbor ◯ HEW/HDA ◯ PMA Field Guide/Translator 	



	○ other	
	○ No response	
803. Can I have your primary phone number in case we would like to follow up with you in the future? Enter an 10-digit number without the country code. Do not include spaces or dashes. Enter 0 for no response.		
804. Can you repeat the number again? Enter an 10-digit number without the country code. Do not include spaces or dashes. Enter 0 for no response.		
805. Can I have your secondary phone number in case we would like to follow up with you in the future? Enter an 10-digit number without the country code. Do not include spaces or dashes. Enter 0 for no response.		
806. Can you repeat the number again? Enter an 10-digit number without the country code. Do not include spaces or dashes.		
END OF SURVEY Thank the respondent for her time and update the ID ca	ard	
Questionnaire Result		
W. How many times have you visited this household to interview this female respondent?	○ 1st time○ 2nd time○ 3rd time	
X. What language was this interview conducted in? If you have used a translator while interviewing, please select the language that the respondent speaks.	 ○ English ○ Amharic ○ Afaan Oromo ○ Tigrigna ○ Sidamigna ○ Wolayitigna ○ Afar ○ Somali ○ Kefigna ○ Other 	
Y. Was a translator used for this interview?	○ Yes ○ No	
Z. Questionnaire result	 ○ Completed ○ Not at home ○ Postponed ○ Refused ○ Partly completed ○ Incapacitated ○ Respondent death ○ Respondent temporarily moved ○ Respondent permanently moved ○ Household moved ○ Interview date after eligibility window ○ Eprolled by mistake / unknown pregnancy 	





outcome

O Abortion/miscarriage happened before the baseline survey