

Nigeria – Oyo Round 1 Female-Questionnaire

	N empty_warn_grp \${unlinked} R
N empty_form_warning READ THIS WARNING: This female questionnaire is not linked to a household questionnaire. ONLY continue if there is no linked female questionnaire under the "Edit Saved Form" Menu.	note
N ok_continue Press OK to continue	select_one ok_list OK ok

N edit_saved_check Did you check the Edit Saved forms menu for a linked female questionnaire?	select_one yes_no_list Yes yes No no ({ok_continue} = 'ok') R
N acknowledge_unlinked Provide your signature to acknowledge that there is no linked female questionnaire.	image ({edit_saved_check} = 'yes') R
N close_exit Close and exit this form without saving. Look for a linked female questionnaire through the 'Edit Saved Forms' Menu.	text ({edit_saved_check} = 'no') R

	N geographic_info_unlinked ({edit_saved_check} = 'yes') and ({acknowledge_unlinked} != '') R
N level1_unlinked State	text
N level2_unlinked LGA	text
N level3_unlinked Locality	text
N EA_unlinked Enumeration Area:	text
N structure_unlinked Structure number: C	integer

(. > 0)	
N household_unlinked Household number: C (. > 0)	integer

N hh_confirmation 001a. Are you in the correct household? EA: \${EA} Structure #: \${structure} Household #: \${household} C (. = 'yes') M Go to the right household.	select_one yes_no_list Yes yes No no not(\${unlinked}) R
--	---

	N name_grp
N your_name 002. Your name:	text
N your_name_check Is this your name? C ((. = 'yes') and (\${your_name} != 'Name not found.')) or (. = 'no')	select_one yes_no_list Yes yes No no

N name_typed 002. Enter your name below. Please record your name	text (\${your_name_check} = 'no') R
---	--

	N date_group today() > date("2017-10-01") and today() < date("2018-10-01") R
N system_date 003a. Current date and time.	dateTime Jour: Mois: Année:
N system_date_check Is this date and time correct?	select_one yes_no_list Yes yes No no

N manual_date 003b. Record the correct date and time. C (. > date("2017-10-01")) and (. < date("2018-10-01"))	dateTime \${system_date_check} = 'no' or today() < date("2017-10-01") or today() > date("2018-10-01") R Jour:
---	---

M The date must be between 2017-10-01 and 2018-10-01.	Mois: Année:
--	-----------------

	N location_information
N location_prompt 004a. The following info is from the household questionnaire. Please review to make sure you are interviewing the correct respondent.	note not({unlinked}) R
N location_prompt_unlinked 004a. The following info is what you provided previously. Please review.	note {unlinked} R
N level1 State: {level1_unlinked}	text
N level2 LGA: {level2_unlinked}	text
N level3 Locality: {level3_unlinked}	text
N EA Enumeration Area: {EA_unlinked}	text
N structure Structure number: {structure_unlinked}	integer
N household Household number: {household_unlinked}	integer
N location_confirmation 004b. Is the above information correct? C (. = 'yes') M Go to the right household or update the Household Roster if needed.	select_one yes_no_list Yes yes No no

N name_check 005. CHECK: You should be attempting to interview {firstname}. Is that correct? <i>If misspelled, select "yes" and update the name in question "011." If this is the wrong person, you have two options: (1) exit and ignore changes to this form. Open the correct form. Or (2) find and interview the person whose name appears above.</i> C (. = 'yes') M You must interview the right person.	select_one yes_no_list not({unlinked}) R Yes yes No no
N	select_one yes_no_list

<p>available</p> <p>006. Is the respondent present and available to be interviewed today?</p>	<p>Yes <i>yes</i></p> <p>No <i>no</i></p>
<p>N</p> <p>aquainted</p> <p>007. How well acquainted are you with the respondent?</p>	<p>select_one acquainted_list \${available} = 'yes' and (not(\${unlinked}) or \${proceed_with_unlinked}) R</p> <p>Very well acquainted <i>very_well_acquainted</i></p> <p>Well acquainted <i>well_acquainted</i></p> <p>Not well acquainted <i>not_well_acquainted</i></p> <p>Not acquainted <i>not_acquainted</i></p>
<p>N</p> <p>previous_PMA</p> <p>008. Has the respondent previously participated in PMA 2020 surveys?</p>	<p>select_one yes_no_dnk_nr_list (\${available} = 'yes') and (not(\${unlinked}) or \${proceed_with_unlinked}) R</p> <p>Yes <i>yes</i></p> <p>No <i>no</i></p> <p>Do not know <i>-88</i></p> <p>No response <i>-99</i></p>
<p>N</p> <p>consent_start</p> <p>INFORMED CONSENT</p> <p><i>Find the woman between the age of 15-49 associated with this Female Respondent Questionnaire. The interview must have auditory privacy. Read the following greeting</i></p>	<p>note</p> <p>(\${available} = 'yes') and (not(\${unlinked}) or \${proceed_with_unlinked}) R</p>
<p>N</p> <p>consent</p> <p>Hello. My name is</p> <hr/> <p>and I am working for Center for Research, Evaluation Resources, and Development and the Centre for Advance Medical Research. We are conducting a local survey that asks women about various reproductive health issues, including knowledge, attitudes, and use of contraception and abortion. Some of these questions, in particular the abortion questions, have been added expressly for research purposes. We would very much appreciate your participation in this survey. This information will help us inform the government to better plan health services. The survey usually takes between 30 and 40 minutes to complete. Whatever information you provide will be kept strictly confidential and only fully de-identified data will be used when conducting analyses, presenting results, or sharing data.</p> <p>Participation in this survey, both the standard survey and the research questions, is entirely voluntary. If we should come to any question you don't want to answer, just let me know and I will go on to the next question. You can choose not to participate at all or you can stop the interview at any time. However, we hope that you will participate in this survey since your views are important.</p> <p>If you have any questions about the study and your right as a research participant, you may ask me now or you may also contact Dr. Elizabeth Omoluobi at Center for Research, Evaluation</p>	<p>note</p> <p>(\${available} = 'yes') and (not(\${unlinked}) or \${proceed_with_unlinked}) R</p>

Resources and Development in Ile-ife, Nigeria at +2348033816486. At this time, do you want to ask me anything about the survey? May I begin the interview now?	
N begin_interview 009a. May I begin the interview now?	select_one yes_no_list (\${available} = 'yes') and (not(\${unlinked}) or \${proceed_with_unlinked}) R Yes yes No no
N consent_warning WARNING: the respondent has not signed or checked the box, despite agreeing to be interviewed in the previous question. To conduct the survey, the respondent must sign or touch the checkbox. <i>You may go back to obtain a signature or check the box or you should go back to the previous question to indicate the respondent does not want to be interviewed.</i>	note (\${consent_obtained}=0) and (\${begin_interview} = 'yes') R
N witness_auto 010. Interviewer's name: \${your_name} <i>Mark your name as a witness to the consent process.</i>	select_one blank_list \${consent_obtained} and (\${your_name_check} = 'yes') R 1
N witness_manual 010. Interviewer's name Please record your name as a witness to the consent process. You previously entered "\${name_typed}." C (. = \${name_typed}) M That is not what you entered for your name earlier in this survey.	text \${consent_obtained} and (\${your_name_check} = 'no') R
N firstname_raw 011. Respondent's first name. <i>You may correct the spelling here if it is not correct, but you must be interviewing the person whose name appears below.</i>	text

Section 1 – Respondent's Background, Marital Status, Household characteristics

Now I would like to ask about your background and socioeconomic conditions.

	N birthdate_grp \${consent_obtained} R
N bday_note 101. In what month and year were you born? The age in the household roster is \${age}	note not(\${unlinked}) R

<p>If 102 is correct update the age on this screen to \${FQ_age}. Otherwise, return to the previous screen and enter the correct age.</p>	<pre>!= \${FQ_age}) and not(\${unlinked}) R</pre>
<p>N age_same The age in the roster agrees with the age in 102. Go to the next screen without changing the number on this screen.</p>	<pre>note \${FQ_age} = \${age} R</pre>
<p>N age ##### C ((. = \${FQ_age}) and (\${FQ_age} != '')) or (\${FQ_age} = '') M This screen must agree with the previous one. Enter the right number.</p>	<pre>integer</pre>

<p>N school 103. What is the highest level of school you attended? <i>Only record formal schooling. Do not record bible or koranic school or short courses.</i></p>	<pre>select_one school_list \${consent_obtained} R Never attended never Primary primary Secondary secondary Higher higher No response -99</pre>
<p>N marital_status 104. Are you currently married or living together with a man as if married? <i>Probe: If no, ask whether the respondent is divorced, separated, or widowed.</i></p>	<pre>select_one marital_status_list \${consent_obtained} R Yes, currently married currently_married Yes, living with a man currently_living_with_man Not currently in union: Divorced / separated divorced Not currently in union: Widow widow No, never in union never_married No response -99</pre>
<p>N marriage_history 105. Have you been married or lived with a man only once or more than once?</p>	<pre>select_one lived_list \${consent_obtained} and \${marital_status} != 'never_married' R Only once once More than once more_than_once No response -99</pre>

	<pre>N HCF (\${marriage_history} = 'more_than_once') R</pre>
<p>N hcf_note 106a. In what month and year did you start living with your FIRST husband / partner? <i>Select 'Do not know' for month and '2020' for year to indicate 'No Response'.</i></p>	<pre>note</pre>
<p>N hcf_m Month:</p>	<pre>select_one month_list January 0 February 1 March 2 April 3 May 4</pre>

<p>Select 'Do not know' for month and '2020' for year to indicate 'No Response'.</p> <p>N hcs_m Month:</p>	<p>select_one month_list</p> <p>January 0 February 1 March 2 April 3 May 4 June 5 July 6 August 7 September 8 October 9 November 10 December 11 Do not know -88</p>
<p>N hcs_y Year: C ((\${hcs_m} = -88) and (. = '2020-01-01')) or (. <= \${today}) M If entering '2020' for No Response, must select 'Do not know' for month. Cannot be in future.</p>	<p>date</p> <p>Année:</p>

<p>N hcs_future_error Date cannot be in the future. You entered: \${husband_cohabit_start_recent_lab} Today: \${today}</p>	<p>note (\${husband_cohabit_start_recent} != '2020-01-01') and (\${husband_cohabit_start_recent} != '') and ... R</p>
<p>N hcs_error_bb_ym Date of living with current / most recent husband/partner cannot be before respondent's birth. You entered: \${husband_cohabit_start_recent_lab} Respondent's birth: \${birthdate_lab}</p>	<p>note (\${husband_cohabit_start_recent} != '') and (\${birthdate} != '') and (\${hcs_m} != '-88') and (\${bi ... R</p>
<p>N hcs_error_bb_y Date of living with current / most recent husband/partner cannot be before respondent's birth. You entered: \${hcs_y_lab} Respondent's birth: \${birthdate_lab}</p>	<p>note ((\${hcs_m} = '-88') or (\${birthdate_m} = '-88')) and (\${hcs_y} != '2020-01-01') and (\${birthdate_y ... R</p>
<p>N hcs_errorlym Date of living with current / most recent husband/partner cannot be before date respondent started living with first partner. You entered: \${husband_cohabit_start_recent_lab} Date started living with first partner: \${husband_cohabit_start_first_lab}</p>	<p>note (\${husband_cohabit_start_recent} != '') and (\${hcs_m} != '-88') and (\${hcf_m} != '-88') and not(... R</p>
<p>N hcs_errorly</p>	<p>note</p>

<p>Year of living with current / most recent husband/partner cannot be before year respondent started living with first partner. You entered: $\{\text{hcs_y_lab}\}$ Year started living with first partner: $\{\text{hcf_y_lab}\}$</p>	$((\{\text{hcs_m}\} = '-88') \text{ or } (\{\text{hcf_m}\} = '-88')) \text{ and } (\{\text{hcs_y}\} \neq '2020-01-01') \text{ and } (\{\text{hcf_y}\} \neq '2020-...$ R
<p>N marriage_warning_recent 107b. CHECK: Based on the response you entered in 107a, the respondent was possibly 15 years old or younger at the time of her current or most recent marriage. Did you enter 107a correctly? C (. = 'yes')</p>	<p>select_one yes_no_list $\{\text{young_marriage_recent}\}$ R Yes yes No no</p>
<p>N other_wives 108. Does your husband / partner have other wives or does he live with other women as if married?</p>	<p>select_one yes_no_dnk_nr_list $\{\text{consent_obtained}\} \text{ and } ((\{\text{marital_status}\} = 'currently_married') \text{ or } (\{\text{marital_status}\} = 'curre ...$ R Yes yes No no Do not know -88 No response -99</p>

Section 2 – Reproduction, Pregnancy & Fertility Preferences

Now I would like to ask about all the births you have had during your life.

<p>N ever_birth 200. Now I would like to ask about all the births you have had during your life. Have you ever given birth?</p>	<p>select_one yes_no_nr_list $\{\text{consent_obtained}\}$ R Yes yes No no No response -99</p>
<p>N birth_events 201. How many times have you given birth? Enter -99 for no response. C $((. \geq 1) \text{ or } (. = -99)) \text{ and } (. < 36)$</p>	<p>integer $\{\text{ever_birth}\} = 'yes'$ R</p>

	<p>N FB $(\{\text{birth_events}\} > 1)$ R</p>
<p>N fb_note 205. When was your FIRST birth? Please record the date of the FIRST birth. The date should be found by calculating backwards from memorable events if needed. Select 'Do not know' for month and '2020' for year to indicate 'No Response'.</p>	<p>note</p>
<p>N fb_m Month:</p>	<p>select_one month_list January 0 February 1 March 2 April 3</p>

<p>C ((\${rb_m} = -88) and (. = '2020-01-01')) or (. <= \${today}) M If entering '2020' for No Response, must select 'Do not know' for month. Cannot be in future.</p>	
---	--

<p>N rb_future_error Date cannot be in the future. You entered: \${recent_birth_lab} Today: \${today}</p>	<p>note (\${recent_birth} != '2020-01-01') and (\${recent_birth} != '') and (\${recent_birth} > \${today}) R</p>
<p>N rb_error_b10 Date of most recent birth cannot be before respondent was 10 years of age. You entered: \${recent_birth_lab} Respondent's birth date: \${birthdate_lab}</p>	<p>note (\${recent_birth} != '') and (\${age} != '') and not((\${today} - \${recent_birth}) <= ((\${age} - 10) ... R</p>
<p>N rb_errorlym Date of most recent birth must be at least 6 months after the first birth. You entered: \${recent_birth_lab} First birth: \${first_birth_lab}</p>	<p>note (\${first_birth} != '') and (\${recent_birth} != '') and (\${fb_m} != '-88') and (\${rb_m} != '-88') ... R</p>
<p>N rb_errorly Year of most recent birth cannot be before first birth. You entered: \${rb_y_lab} Year of first birth: \${fb_y_lab}</p>	<p>note ((\${rb_m} = '-88') or (\${fb_m} = '-88')) and (\${rb_y} != '2020-01-01') and (\${fb_y} != '2020-01-01 ... R</p>
<p>N pregnant 210a. Are you pregnant now?</p>	<p>select_one yes_no_us_nr_list \${consent_obtained} R Yes yes No no Unsure -88 No response -99</p>

	<p>N MOP \${pregnant} = 'yes' R</p>
<p>N rbq 210b. How many months pregnant are you?</p>	<p>note</p>
<p>N rb_note The most recent birth was: \${rec_birth_date}</p>	<p>note \${recent_birth} != '' R</p>
<p>N months_pregnant ##### Please record the number of completed months. Enter -88 for do not know, -99 for No response. C ((. >= 0) and (. < 11) and if(\${month_calculation} != '', (. <= \${month_calculation}), true())) or ...</p>	<p>integer</p>

M	Value must be at least 0 and not more than 10. A current pregnancy must start after the most recent birth.
---	--

<p>N</p> <p>menstrual_period</p> <p>209. When did your last menstrual period start? If you select days, weeks, months, or years, you will enter a number for X on the next screen.</p>	<p>select_one menstrual_list \${consent_obtained} R</p> <p>X days ago days X weeks ago weeks X months ago months X years ago years Menopausal / Hysterectomy menopausal_hysterectomy Before last birth before_birth Never menstruated never No response -99</p>
<p>N</p> <p>menstrual_period_warning_1</p> <p>You entered "Never menstruated" in 209 but the respondent 206 indicates she previously gave birth. Is that what she said? If no, return to the previous screen and change the response.</p> <p>C (. = 'yes')</p> <p>M Invalid. Go back</p>	<p>select_one yes_no_list (\${menstrual_period} = 'never') and (\${ever_birth} = 'yes') R</p> <p>Yes yes No no</p>
<p>N</p> <p>menstrual_period_value</p> <p>209a. Enter \${menstrual_period_lab} Enter 0 days for today, not 0 weeks/months/years.</p> <p>C ((\${menstrual_period} = 'days') and (. >= 0)) or (. >= 1)</p> <p>M Must be 0 days or larger. Must be 1 week/month/year or larger.</p>	<p>integer</p> <p style="text-align: right;">(\${menstrual_period} = 'days') or (\${menstrual_period} = 'weeks') or (\${menstrual_period} = 'month ... R</p>
<p>N</p> <p>menstrual_period_warning_4</p> <p>You entered that the respondent is \${months_pregnant} months pregnant, but she said her last menstrual period started \${menstrual_period_value} (\${menstrual_period_lab}) ago. Is that what she said? If no, return to the previous screen and change the response.</p> <p>C (. = 'yes')</p> <p>M Invalid. Go back</p>	<p>select_one yes_no_list ((\${menstrual_period} = 'days') and (\${months_pregnant} >= (\${menstrual_period_value} div 30))) or ... R</p> <p>Yes yes No no</p>
<p>N</p> <p>menstrual_period_warning_2</p> <p>You entered "Never menstruated" in 209 but 210a indicates that the respondent is pregnant currently. Is that what she said? If no, return to the previous screen and change the response.</p> <p>C (. = 'yes')</p>	<p>select_one yes_no_list (\${menstrual_period} = 'never') and (\${pregnant} = 'yes') R</p> <p>Yes yes No no</p>

M Invalid. Go back	
	N PDE \${ever_birth} = 'yes' or \${pregnant} = 'yes' R
N birth_last_note 213a. Now I would like to ask a question about your last birth.	note (\${ever_birth} = 'yes') and (\${pregnant} != 'yes') R
N preg_curr_note 213b. Now I would like to ask a question about your current pregnancy.	note (\${pregnant} = 'yes') R
N birth_desired At the time you became pregnant, did you want to become pregnant then, did you want to wait until later, or did you not want to have any more children at all?	note (\${birth_events} > 1 and \${pregnant} != 'yes') or (\${ever_birth} = 'yes' and \${pregnant} = 'yes') R
N curr_desired At the time you became pregnant, did you want to become pregnant then, did you want to wait until later, or did you not want to have any children at all?	note (\${birth_events} = 1 and \${pregnant} != 'yes') or ((\$ever_birth} = 'no') and \${pregnant} = 'yes')) R
N pregnancy_desired #####	select_one pregnancy_desired_list Then then Later later Not at all not_at_all No response -99
N future_prompt Now I have some questions about the future.	note \${consent_obtained} R
N more_children_none 211a. Would you like to have a child or would you prefer not to have any children?	select_one children_none_list \${ever_birth} = 'no' and \${pregnant} != 'yes' and \${consent_obtained} R Have a child have_child Prefer no children no_children Says she can't get pregnant infertile Undecided / Don't know -88 No response -99
N more_children_some 211a. Would you like to have another child or would you prefer not to have any more children?	select_one children_some_list \${ever_birth} = 'yes' and \${pregnant} != 'yes' R Have another child have_child No more no_children Says she can't get pregnant infertile Undecided / Don't know -88 No response -99
N more_children_pregnant	select_one children_some_list \${pregnant} = 'yes' R

<p>211b. After the child you are expecting now, would you like to have another child or would you prefer not to have any more children?</p>	<p>Have another child <code>have_child</code> No more <code>no_children</code> Says she can't get pregnant <code>infertile</code> Undecided / Don't know <code>-88</code> No response <code>-99</code></p>
<p>N <code>wait_birth_none</code> 212a. How long would you like to wait from now before the birth of a child? <i>If you select months or years, you will enter a number for X on the next screen.</i> Select "Years" if more than 36 months. Please check that you correctly entered the value for months/years.</p>	<p><code>select_one wait_child_list</code> <code> \${more_children_none} = 'have_child' R</code> X months <code>months</code> X years <code>years</code> Soon/now <code>soon</code> Says she can't get pregnant <code>infertile</code> Other <code>other</code> Don't know <code>-88</code> No response <code>-99</code></p>
<p>N <code>wait_birth_some</code> 212a. How long would you like to wait from now before the birth of another child? <i>If you select months or years, you will enter a number for X on the next screen.</i> Select "Years" if more than 36 months. Please check that you correctly entered the value for months/years.</p>	<p><code>select_one wait_child_list</code> <code> \${more_children_some} = 'have_child' R</code> X months <code>months</code> X years <code>years</code> Soon/now <code>soon</code> Says she can't get pregnant <code>infertile</code> Other <code>other</code> Don't know <code>-88</code> No response <code>-99</code></p>
<p>N <code>wait_birth_pregnant</code> 212b. After the birth of the child you are expecting now, how long would you like to wait before the birth of another child? <i>If you select months or years, you will enter a number for X on the next screen.</i> Select "Years" if more than 36 months. Please check that you correctly entered the value for months/years.</p>	<p><code>select_one wait_child_list</code> <code> \${more_children_pregnant} = 'have_child' R</code> X months <code>months</code> X years <code>years</code> Soon/now <code>soon</code> Says she can't get pregnant <code>infertile</code> Other <code>other</code> Don't know <code>-88</code> No response <code>-99</code></p>
<p>N <code>wait_birth_value</code> 212c. Enter the number of <code>waitchild</code> you would like to wait: C . > 0 and ((<code>wait_birth_none</code>) = 'months' or <code>wait_birth_some</code> = 'months' or <code>wait_birth_preg ...</code> M Use years if more than 36 months.</p>	<p><code>integer</code> <code> \${wait_birth_none} = 'months' or</code> <code> \${wait_birth_some} = 'months' or</code> <code> \${wait_birth_pregnant} = 'mont ... R</code></p>

Section 3 – Contraception

Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy.

An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available.

<p>N <code>heard_female_sterilization</code></p>	<p><code>select_one yes_no_nr_list</code> <code> \${consent_obtained} R</code></p>
---	--

<p>301a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children.</p>	<p>Yes <i>yes</i> No <i>no</i> No response <i>-99</i></p>
<p>N heard_male_sterilization 301b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children.</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response <i>-99</i></p>
<p>N heard_implants 301c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in her upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [implant_150x300.png]</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response <i>-99</i></p>
<p>N heard_IUD 301d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IUD_150x300.png]</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response <i>-99</i></p>
<p>N heard_injectables 301e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [sayana_depo_150x300.jpg]</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response <i>-99</i></p>
<p>N heard_pill 301f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [pill_150x300.png]</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response <i>-99</i></p>
<p>N heard_emergency 301g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within three to five days to prevent pregnancy.</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response <i>-99</i></p>
<p>N heard_male_condoms 301h. Have you ever heard of condoms? PROBE: Men can put a rubber sheath on their penis before sexual intercourse. [male_condom_150x300.png]</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response <i>-99</i></p>
<p>N heard_female_condoms 301i. Have you ever heard of female condoms?</p>	<p>select_one yes_no_nr_list \${consent_obtained} R</p>

<p>PROBE: Women can put a sheath in their vagina before sexual intercourse. [female_condom_150x300.png]</p>	<p>Yes <i>yes</i> No <i>no</i> No response -99</p>
<p>N heard_diaphragm 301j. Have you ever heard of the diaphragm? PROBE: Women can place a thin flexible disk in their vagina before sexual intercourse. [diaphragm_150x300.png]</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response -99</p>
<p>N heard_gel 301k. Have you ever heard of foam or jelly as a contraceptive method? PROBE: Women can place a suppository, jelly, or cream in their vagina before sexual intercourse to prevent pregnancy. [spermicide_150x300.png]</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response -99</p>
<p>N heard_beads 301l. Have you ever heard of the standard days method or Cycle Beads? PROBE: A Woman can use a string of colored beads to know the days she can get pregnant. On the days she can get pregnant, she and her partner use a condom or do not have sexual intercourse. [SDM-beads_only.png]</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response -99</p>
<p>N heard_LAM 301m. Have you ever heard of the Lactational Amenorrhea Method or LAM?</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response -99</p>
<p>N heard_rhythm 301n. Have you ever heard of the rhythm method? PROBE: Women can avoid pregnancy by not having sexual intercourse on the days of the month they think they can get pregnant.</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response -99</p>
<p>N heard_withdrawal 301o. Have you ever heard of the withdrawal method? PROBE: Men can be careful and pull out before climax.</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response -99</p>
<p>N heard_other 301p. Have you ever heard of any other ways or methods that women or men can use to avoid pregnancy?</p>	<p>select_one yes_no_nr_list \${consent_obtained} R Yes <i>yes</i> No <i>no</i> No response -99</p>
<p>N current_user</p>	<p>select_one yes_no_nr_list \${pregnant} != 'yes' and \${consent_obtained} R</p>

302a. Are you or your partner currently doing something or using any method to delay or avoid getting pregnant?	Yes <i>yes</i> No <i>no</i> No response <i>-99</i>
---	--

	N current_method_grp \${current_user} = 'yes' R
N current_method 302b. Which method or methods are you using? PROBE: Anything else? <i>Select all methods mentioned. SCROLL TO THE BOTTOM to see all choices.</i> C (. = '-99') or not(selected(., '-99')) M You selected no response with another option.	select_multiple methods_list Female sterilization <i>female_sterilization</i> Male sterilization <i>male_sterilization</i> Implant <i>implants</i> IUD <i>IUD</i> Injectables <i>injectables</i> Pill <i>pill</i> Emergency Contraception <i>emergency</i> Male condom <i>male_condoms</i> Female condom <i>female_condoms</i> Diaphragm <i>diaphragm</i> Foam/Jelly <i>foam</i> Standard Days/Cycle beads <i>beads</i> LAM <i>LAM</i> Rhythm method <i>rhythm</i> Withdrawal <i>withdrawal</i> Other traditional method <i>other_traditional</i> No response <i>-99</i>
N current_method_check Check here to acknowledge you considered all options.	select_one blank_list 1

N ppp_current_method_label CALC_CM. CALCULATE: CURRENT METHOD THIS WILL NOT APPEAR ON THE SCREEN <i>ODK will identify the most effective method currently being used by the respondent by selecting the highest method in the choice list</i>	select_one methods_list Female sterilization <i>female_sterilization</i> Male sterilization <i>male_sterilization</i> Implant <i>implants</i> IUD <i>IUD</i> Injectables <i>injectables</i> Pill <i>pill</i> Emergency Contraception <i>emergency</i> Male condom <i>male_condoms</i> Female condom <i>female_condoms</i> Diaphragm <i>diaphragm</i> Foam/Jelly <i>foam</i> Standard Days/Cycle beads <i>beads</i> LAM <i>LAM</i> Rhythm method <i>rhythm</i> Withdrawal <i>withdrawal</i> Other traditional method <i>other_traditional</i> No response <i>-99</i>	0 R
---	--	-----

N injectable_probe_current LCL_301. PROBE: Was the injection administered via syringe or small needle?	select_one injectable_probe_list selected(\${current_method}, 'injectables') R
--	---

<p>Show the image to the respondent. [sayana_depo_150x300.jpg]</p>	<p>Syringe <code>syringe</code> Small needle (Sayana Press) <code>small_needle</code> No Response -99</p>
<p>N partner_know 302c. Does your husband/partner know that you are using <code>{current_method_label}</code>?</p>	<p>select_one yes_no_nr_list (<code>{current_method}</code> != '') and (<code>{current_method}</code> != '-99') and (<code>{current_method_most_effective}</code> ... R Yes <code>yes</code> No <code>no</code> No response -99</p>
<p>N partner_know_nr 302c. Does your husband/partner know that you are using family planning?</p>	<p>select_one yes_no_nr_list (<code>{current_method}</code> = '-99') R Yes <code>yes</code> No <code>no</code> No response -99</p>
<p>N sterlization_permanent_inform 303. Did the provider tell you or your partner that this method was permanent?</p>	<p>select_one yes_no_nr_list selected(<code>{current_method}</code>, 'female_sterilization') or selected(<code>{current_method}</code>, 'male_sterilizati ... R Yes <code>yes</code> No <code>no</code> No response -99</p>
<p>N future_user_not_current 305a. You said that you are not currently using a contraceptive method. Do you think you will use a contraceptive method to delay or avoid getting pregnant at any time in the future?</p>	<p>select_one yes_no_nr_list <code>{consent_obtained}</code> and (<code>{current_user}</code> != 'yes') and (<code>{pregnant}</code> != 'yes') R Yes <code>yes</code> No <code>no</code> No response -99</p>
<p>N future_user_pregnant 305b. Do you think you will use a contraceptive method to delay or avoid getting pregnant at any time in the future?</p>	<p>select_one yes_no_nr_list <code>{consent_obtained}</code> and (<code>{current_user}</code> != 'yes') and (<code>{pregnant}</code> = 'yes') R Yes <code>yes</code> No <code>no</code> No response -99</p>
<p>N recent_user 306a. In the last 12 months, have you ever done something or used a method to delay or avoid getting pregnant?</p>	<p>select_one yes_no_nr_list <code>{consent_obtained}</code> and (<code>{current_user}</code> != 'yes') R Yes <code>yes</code> No <code>no</code> No response -99</p>

	<p>N recent_method_grp <code>{recent_user}</code> = 'yes' R</p>
<p>N recent_method 306b. Which method did you use most recently? PROBE: Anything else? <i>Select most effective method (highest method in list). Scroll to bottom to see all choices.</i></p>	<p>select_one methods_short_list Implant <code>implants</code> IUD <code>IUD</code> Injectables <code>injectables</code> Pill <code>pill</code> Emergency Contraception <code>emergency</code> Male condom <code>male_condoms</code></p>

	Female condom <code>female_condoms</code> Diaphragm <code>diaphragm</code> Foam/Jelly <code>foam</code> Standard Days/Cycle beads <code>beads</code> LAM <code>LAM</code> Rhythm method <code>rhythm</code> Withdrawal <code>withdrawal</code> Other traditional method <code>other_traditional</code> No response <code>-99</code>
N <code>recent_method_check</code> Check here to acknowledge you considered all options.	<code>select_one blank_list</code> <code>1</code>

N <code>injectable_probe_recent</code> LCL_302. PROBE: Was the injection administered via syringe or small needle? <i>Show the image to the respondent.</i> <code>[sayana_depo_150x300.jpg]</code>	<code>select_one injectable_probe_list</code> <code>{recent_method} = 'injectables' R</code> Syringe <code>syringe</code> Small needle (Sayana Press) <code>small_needle</code> No Response <code>-99</code>
--	--

N <code>partner_decision</code> 307. Before you started using <code>{current_recent_label}</code> , had you discussed the decision to delay or avoid pregnancy with your husband/partner?	<code>select_one yes_no_dnk_nr_list</code> <code>{current_or_recent_user} R</code> Yes <code>yes</code> No <code>no</code> Do not know <code>-88</code> No response <code>-99</code>
---	---

N <code>partner_overall</code> 308. Would you say that using contraception is mainly your decision, mainly your husband/partner's decision or did you both decide together?	<code>select_one partner_overall_list</code> <code>{current_user} = 'yes' R</code> Mainly respondent <code>respondent</code> Mainly husband/partner <code>husband</code> Joint decision <code>joint</code> Other <code>other</code> No response <code>-99</code>
---	--

N <code>method_influences_pro</code> TCI_302. Besides you and your husband/partner, who else influences the decision to use a family planning method? PROBE: Anybody else? <i>Do not read options aloud. Select all that apply.</i> C <code>((. = '-99') or not(selected(., '-99')))</code> and <code>((. = '-77') or not(selected(., '-77')))</code> M Cannot select "no response" or "no one" with other options.	<code>select_multiple method_influences_list</code> <code>{current_or_recent_user} R</code> Mother <code>mother</code> Mother in law <code>mother_in_law</code> Sister(s) <code>sisters</code> Sister(s) in law <code>sisters_in_law</code> Grandmother <code>grandmother</code> Friend(s) <code>friend</code> Health worker <code>health_worker</code> Community leader <code>community_leader</code> Religious leader <code>religious_leader</code> Aunt <code>aunt</code> Other relatives <code>other_relatives</code> Other <code>other</code> No one <code>-77</code> No Response <code>-99</code>
---	--

N <code>method_recommendations_given_cc</code>	<code>select_one yes_no_dnk_nr_list</code> <code>{current_or_recent_user} R</code> Yes <code>yes</code> No <code>no</code>
---	---

TCI_302x. In the last 12 months, have you recommended any family planning method to your friends and/or relatives?	Do not know -88 No response -99
<p>N</p> <p>method_fees</p> <p>308a. The last time you received your <code>{current_recent_label}</code>, how much did you have to pay out of pocket, including any fees paid for the method, supplies or services, and transportation?</p> <p><i>Enter all prices in Naira. Zero is a possible answer. Enter -88 if respondent does not know, -99 for no response.</i></p> <p>C</p> <p>(. >= 0) or (. = '-99') or (. = '-88')</p>	<p>integer</p> <p>(<code>{current_or_recent_user}</code>) and (<code>{current_recent_method} != 'LAM'</code>) and (<code>{current_recent_method ... R</code></p>

	<p>N</p> <p>BUS</p> <p><code>{current_user} = 'yes' R</code></p>
<p>N</p> <p>bus_prompt</p> <p>309a. Since what month and year have you been using <code>{current_recent_label}</code> without stopping?</p> <p><i>Calculate backwards from memorable events if needed.</i></p>	<p>note</p>
<p>N</p> <p>bus_rec_birth</p> <p>Most Recent Birth: <code>{rec_birth_date}</code></p>	<p>note</p> <p><code>{recent_birth} != '' R</code></p>
<p>N</p> <p>bus_cur_marr</p> <p>Current Marriage: <code>{rec_husband_date}</code></p>	<p>note</p> <p><code>{husband_cohabit_start_recent} != '' R</code></p>
<p>N</p> <p>bus_m</p> <p>Month:</p>	<p>select_one month_list</p> <p>January 0</p> <p>February 1</p> <p>March 2</p> <p>April 3</p> <p>May 4</p> <p>June 5</p> <p>July 6</p> <p>August 7</p> <p>September 8</p> <p>October 9</p> <p>November 10</p> <p>December 11</p> <p>Do not know -88</p>
<p>N</p> <p>bus_y</p> <p>Year:</p> <p>C</p> <p>((<code>{bus_m} = -88</code>) and (. = '2020-01-01')) or (. <= <code>{today}</code>)</p> <p>M</p> <p>If entering '2020' for No Response, must select 'Do not know' for month. Cannot be in future.</p>	<p>date</p> <p>Année:</p>

<p>N bus_future_error Date cannot be in the future. You entered: $\{\text{begin_using_full_lab}\}$ Today: $\{\text{today}\}$</p>	<p>note $(\{\text{begin_using}\} \neq \text{'2020-01-01'})$ and $(\{\text{begin_using}\} \neq \text{''})$ and $(\{\text{begin_using}\} >$ $\{\text{today}\})$ R</p>
<p>N bus_error_b10 Date of starting $\{\text{current_recent_label}\}$ cannot be before 10 years of age. You entered: $\{\text{begin_using_full_lab}\}$ Respondent's birth date: $\{\text{birthdate_lab}\}$</p>	<p>note $(\{\text{begin_using}\} \neq \text{''})$ and $(\{\text{age}\} \neq \text{''})$ and $(\{\text{today}\} - \{\text{begin_using}\}) > 365 * (\{\text{age}\} - 10)$ R</p>
<p>N bus_errorlym Date of starting $\{\text{current_recent_label}\}$ without stopping cannot be before most recent birth. You entered: $\{\text{begin_using_full_lab}\}$ Most recent birth: $\{\text{recent_birth_lab}\}$</p>	<p>note $(\{\text{begin_using}\} \neq \text{''})$ and $(\{\text{recent_birth}\} \neq \text{''})$ and $(\{\text{bus_m}\} \neq \text{'-88'})$ and $(\{\text{rb_m}\} \neq \text{'-88'})$... R</p>
<p>N bus_errorly Date of starting $\{\text{current_recent_label}\}$ without stopping cannot be before most recent birth. You entered: $\{\text{bus_y_lab}\}$ Most recent birth: $\{\text{rb_y_lab}\}$</p>	<p>note $((\{\text{bus_m}\} = \text{'-88'})$ or $(\{\text{rb_m}\} = \text{'-88'}))$ and $(\{\text{bus_y}\} \neq \text{'2020-01-01'})$ and $(\{\text{rb_y}\} \neq \text{'2020-01-01'})$... R</p>

	<p>N SPU $\{\text{recent_user}\} = \text{'yes'}$ R</p>
<p>N spu_note 309b. When did you stop using $\{\text{current_recent_label}\}$? <i>Please record the date. The date should be found by calculating backwards from memorable events if needed.</i> <i>Select 'Do not know' for month and '2020' for year to indicate No Response.</i></p>	<p>note</p>
<p>N spu_m Month:</p>	<p>select_one month_list January 0 February 1 March 2 April 3 May 4 June 5 July 6 August 7 September 8 October 9 November 10 December 11 Do not know -88</p>
<p>N spu_y Year: C $((\{\text{spu_m}\} = -88)$ and $(. = \text{'2020-01-01'}))$ or $(.$ $\leq \{\text{today}\})$ M</p>	<p>date Année:</p>

<p>If entering '2020' for No Response, must select 'Do not know' for month. Cannot be in future.</p>	
<p>N spu_future_error Date cannot be in the future. You entered: \${stop_using_full_lab} Today: \${today}</p>	<p>note (\${stop_using} != '2020-01-01') and (\${stop_using} != '') and (\${stop_using} > \${today}) R</p>
<p>N spu_errorlym Date of stopping \${current_recent_label} must be within the last 12 months. Otherwise, the answer to 306a should be no. You entered: \${stop_using_full_lab} Today: \${today}</p>	<p>note (\${stop_using} != '') and (\${stop_using} != '2020- 01-01') and (\${spu_m} != '-88') and (\${today} - ... R</p>
<p>N spu_errorly Date of stopping \${current_recent_label} must be within the last 12 months. Otherwise, the answer to 306a should be no. You entered: \${spu_y_lab} Today: \${today}</p>	<p>note (\${spu_m} = '-88') and (\${thisyear} - \${spu_y_lab} > 1) R</p>
	<p>N SUS \${recent_user} = 'yes' R</p>
<p>N sus_prompt 309c. In what month and year had you started using \${current_recent_label} before stopping? <i>Calculate backwards from memorable events if needed.</i> <i>Select 'Do not know' for month and '2020' for year to indicate No Response.</i></p>	<p>note</p>
<p>N sus_rec_birth Most Recent Birth: \${rec_birth_date}</p>	<p>note \${recent_birth} != '' R</p>
<p>N sus_cur_marr Current Marriage: \${rec_husband_date}</p>	<p>note \${husband_cohabit_start_recent} != '' R</p>
<p>N sus_m Month:</p>	<p>select_one month_list January 0 February 1 March 2 April 3 May 4 June 5 July 6 August 7 September 8 October 9 November 10 December 11 Do not know -88</p>
<p>N</p>	<p>date</p>

<p>sus_y Year: C ((\${sus_m} = -88) and (. = '2020-01-01')) or (. <= \${today}) M If entering '2020' for No Response, must select 'Do not know' for month. Cannot be in future.</p>	Année:
---	--------

<p>N sus_future_error Date cannot be in the future. You entered: \${ante_start_using_full_lab} Today: \${today}</p>	<p>note (\${ante_start_using} != '2020-01-01') and (\${ante_start_using} != '') and (\${ante_start_using} > \$... R</p>
<p>N sus_error_b10 Date of starting \${current_recent_label} cannot be before 10 years of age. You entered: \${ante_start_using_full_lab} Respondent's birth date: \${birthdate_lab}</p>	<p>note (\${ante_start_using} != '') and (\${ante_start_using} != '2020-01-01') and (\${age} != '') and not(... R</p>
<p>N sus_errorlym Date of having stopped using \${current_recent_label} cannot be before start of usage. You entered: \${ante_start_using_full_lab} Date of stopping use: \${stop_using_full_lab}</p>	<p>note (\${ante_start_using} != '') and (\${stop_using} != ' ') and (\${sus_m} != '-88') and (\${spu_m} != '- ... R</p>
<p>N sus_errorly Year of having stopped using \${current_recent_label} cannot be before start of usage. You entered: \${sus_y_lab} Year of stopping use: \${spu_y_lab}</p>	<p>note ((\${sus_m} = '-88') or (\${spu_m} = '-88')) and (\${sus_m} != '2020-01-01') and (\${spu_m} != '2020- ... R</p>
<p>N recent_start_stop_check 309d. CHECK: Just to make sure I have this correct, you used \${current_recent_label} continuously between \${ante_start_using_full_lab} and \${stop_using_full_lab} without stopping, is that correct?</p>	<p>select_one yes_no_list (\${recent_user} = 'yes') and (\${begin_using} != '2020-01-01') and (\${stop_using} != '2020-01-01') R Yes yes No no</p>
<p>N recent_start_stop_warn GO BACK TO THE PREVIOUS SCREEN AND PROBE TO DETERMINE THE PERIOD OF MOST RECENT CONTINUOUS USE. <i>Suggested probes: - When was the last time you used [METHOD]? - How long had you been using [METHOD] without stopping</i></p>	<p>note \${recent_start_stop_check} = 'no' R</p>
<p>N stop_using_why 310. Why did you stop using \${current_recent_label}? C ((. = -99) or not(selected(. , '- 99'))) and ((. = -88) or not(selected(. , '-88')))</p>	<p>select_multiple whystop_list \${consent_obtained} and (\${recent_user} = 'yes') R Infrequent sex / husband away infrequent Became pregnant while using pregnant Wanted to become pregnant wanted_pregnant Husband / partner disapproved husband Wanted a more effective method more_effective</p>

<p>M</p> <p>Cannot select 'no response' or 'do not know' with other options.</p>	<p>No method available <code>no_method_available</code></p> <p>Health concerns <code>health_concerns</code></p> <p>Fear of side effects <code>side_effects</code></p> <p>Lack of access / too far <code>no_access</code></p> <p>Costs too much <code>cost</code></p> <p>Inconvenient to use <code>inconvenient</code></p> <p>Fatalistic <code>fatalistic</code></p> <p>Difficult to get pregnant / menopausal <code>difficult_to_conceive</code></p> <p>Interferes with body's processes <code>interferes_with_body</code></p> <p>Other <code>other</code></p> <p>Don't know -88</p> <p>No response -99</p>
--	---

	<p>N</p> <p><code>fp_provider_grp</code></p> <p><code>{current_or_recent_user}</code> and <code>{current_recent_method} != 'LAM'</code> and <code>{current_recent_method} != ...</code></p> <p>R</p>
<p>N</p> <p><code>fp_provider_rw</code></p> <p>311a. You first started using <code>{current_recent_label}</code> on <code>{start_date_lab}</code>. Where did you or your partner get it at that time? <i>Scroll to bottom to see all choices.</i></p>	<p><code>select_one providers_list</code></p> <p>Government Hospital <code>govt_hosp</code></p> <p>Government Health Center <code>govt_health_center</code></p> <p>Family planning clinic <code>FP_clinic</code></p> <p>Mobile clinic (public) <code>mobile_clinic_public</code></p> <p>TBA/Fieldworker (public) <code>fieldworker_public</code></p> <p>Private hospital/clinic <code>private_hospital</code></p> <p>Pharmacy <code>pharmacy</code></p> <p>Chemist/PMS Store <code>chemist</code></p> <p>Private doctor or nurse <code>private_doctor</code></p> <p>Mobile clinic (private) <code>mobile_clinic_private</code></p> <p>TBA/Fieldworker (private) <code>fieldworker_private</code></p> <p>Shop <code>shop</code></p> <p>FBO/Church <code>church</code></p> <p>Friend / relative <code>friend_relative</code></p> <p>NGO <code>ngo</code></p> <p>Market / hawking <code>market</code></p> <p>Other <code>other</code></p> <p>Do not know -88</p> <p>No response -99</p>
<p>N</p> <p><code>fp_provider_check</code></p> <p>Check here to acknowledge you considered all options.</p>	<p><code>select_one blank_list</code></p> <p>1</p>

<p>N</p> <p><code>fp_side_effects</code></p> <p>312a. When you obtained your <code>{current_recent_label}</code>, were you told by the provider about side effects or problems you might have with a method to delay or avoid pregnancy?</p>	<p><code>select_one yes_no_nr_list</code></p> <p><code>{fp_provider_rw} != ''</code> R</p> <p>Yes <code>yes</code></p> <p>No <code>no</code></p> <p>No response -99</p>
--	---

<p>N fp_side_effects_instructions 312b. Were you told what to do if you experienced side effects or problems?</p>	<pre>select_one yes_no_nr_list (fp_side_effects) = 'yes' R Yes yes No no No response -99</pre>
<p>N fp_told_other_methods_cc 313. At that time, were you told by the family planning provider about methods of family planning other than the {current_recent_label} that you could use?</p>	<pre>select_one yes_no_dnk_nr_list (fp_provider_rw) != '' R Yes yes No no Do not know -88 No response -99</pre>
<p>N fp_obtain_desired 314a. During that visit, did you obtain the method you wanted to delay or avoid getting pregnant?</p>	<pre>select_one yes_no_nr_list (fp_provider_rw) != '' R Yes yes No no No response -99</pre>
<p>N fp_obtain_desired_whynot 314c. Why didn't you obtain the method you wanted?</p>	<pre>select_one whynomethod_list (fp_obtain_desired) = 'no' R Method out of stock that day out_of_stock Method not available at all unavailable Provider not trained to provide the method untrained Provider recommended a different method different Not eligible for method ineligible Decided not to adopt a method decided_not_to_adopt Too costly cost Other other No response -99</pre>
<p>N fp_final_decision 315a. During that visit, who made the final decision about what method you got?</p>	<pre>select_one decision_list (fp_provider_rw) != '' R You alone you_alone Provider provider Partner partner You and provider you_and_provider You and partner you_and_partner Other other Do not know -88 No response -99</pre>
<p>N rhythm_final 315b. Who made the final decision to use rhythm?</p>	<pre>select_one decision_list (current_recent_method) = 'rhythm' R You alone you_alone Provider provider Partner partner You and provider you_and_provider You and partner you_and_partner Other other Do not know -88 No response -99</pre>
<p>N lam_final 315b. Who made the final decision to use LAM?</p>	<pre>select_one decision_list (current_recent_method) = 'LAM' R You alone you_alone Provider provider</pre>

	Partner <code>partner</code> You and provider <code>you_and_provider</code> You and partner <code>you_and_partner</code> Other <code>other</code> Do not know <code>-88</code> No response <code>-99</code>
N return_to_provider 316. Would you return to this provider? Provider: <code>{provider_label}</code>	select_one yes_no_dnk_nr_list (<code>{fp_provider_rw}</code> != '') and (<code>{fp_provider_rw}</code> != '-99') and (<code>{fp_provider_rw}</code> != 'friend_relat ... R Yes <code>yes</code> No <code>no</code> Do not know <code>-88</code> No response <code>-99</code>
N refer_to_relative 317. Would you refer your relative or friend to this provider / facility? Provider: <code>{provider_label}</code>	select_one yes_no_dnk_nr_list (<code>{fp_provider_rw}</code> != '') and (<code>{fp_provider_rw}</code> != '-99') and (<code>{fp_provider_rw}</code> != 'friend_relat ... R Yes <code>yes</code> No <code>no</code> Do not know <code>-88</code> No response <code>-99</code>
N penultimate_method_yn SW_1a. Right before you started using <code>{current_recent_label}</code> in <code>{current_recent_start}</code> , were you doing something or using any method to delay or avoid getting pregnant?	select_one yes_no_nr_list <code>{current_or_recent_user}</code> R Yes <code>yes</code> No <code>no</code> No response <code>-99</code>
N penultimate_method SW_1b. Which method were you using?	select_one methods_short_list <code>{penultimate_method_yn}</code> = 'yes' R Implant <code>implants</code> IUD <code>IUD</code> Injectables <code>injectables</code> Pill <code>pill</code> Emergency Contraception <code>emergency</code> Male condom <code>male_condoms</code> Female condom <code>female_condoms</code> Diaphragm <code>diaphragm</code> Foam/Jelly <code>foam</code> Standard Days/Cycle beads <code>beads</code> LAM <code>LAM</code> Rhythm method <code>rhythm</code> Withdrawal <code>withdrawal</code> Other traditional method <code>other_traditional</code> No response <code>-99</code>
N pp_method_yn PP_1. Since the birth of your child in <code>{rec_birth_date}</code> , have you ever done something or used any method to delay or avoid getting pregnant?	select_one yes_no_nr_list (<code>{recent_birth}</code> <= <code>{today}</code>) and ((<code>{today}</code> - <code>{recent_birth}</code>) < 2*366) and (<code>{current_user}</code> != ... R Yes <code>yes</code> No <code>no</code> No response <code>-99</code>

<p>N pp_method_units PP_2. How long after the birth in {rec_birth_date} did you start doing something or start using a method? <i>Enter 0 days for today. You will enter a number for X on the next screen.</i></p>	<pre>select_one dwmy_future_list ({pp_method_yn} = 'yes') or (({current_user} = 'yes') and ({recent_birth} <= {today}) and ({ ... R X days after days X weeks after weeks X months after months X years after years No response -99</pre>
<p>N pp_method_value PP_2. Enter {pp_method_lab}. <i>If today, enter zero days only, not zero weeks/months/years.</i> C if({pp_method_units} = 'days', . >= 0, . > 0) M Days must be greater or equal to 0. Weeks/months/years must be greater than 0.</p>	<pre>integer {pp_method_units} = 'days' or {pp_method_units} = 'weeks' or {pp_method_units} = 'months' or { ... R</pre>
<p>N pp_method_future_error Date of having started use {pp_method_lab} cannot be in the future. You entered: {pp_method_value}, {pp_method_units}. Most recent birth date: {rec_birth_date} Today: {today}</p>	<pre>note (({pp_method_units} = 'days') and ({today} < ({recent_birth} + {pp_method_value}))) or (({pp ... R</pre>
<p>N pp_method PP_3. What was the method?</p>	<pre>select_one methods_list {pp_method_units} = 'days' or {pp_method_units} = 'weeks' or {pp_method_units} = 'months' or { ... R Female sterilization female_sterilization Male sterilization male_sterilization Implant implants IUD IUD Injectables injectables Pill pill Emergency Contraception emergency Male condom male_condoms Female condom female_condoms Diaphragm diaphragm Foam/Jelly foam Standard Days/Cycle beads beads LAM LAM Rhythm method rhythm Withdrawal withdrawal Other traditional method other_traditional No response -99</pre>
<p>N pp_method_sterilize_warn The respondent answered 'female sterilization', but she did not say that is her current method. Go back and update the current method.</p>	<pre>note ({current_recent_method} != 'female_sterilization') and ({pp_method} = 'female_sterilization') R</pre>
<p>N injectable_probe_pp</p>	<pre>select_one injectable_probe_list {pp_method} = 'injectables' R</pre>

<p>getting pregnant in 321. Is this what the respondent said? <i>It may be that the answers to 201 and 321 are correct. This screen is a warning for verification.</i></p> <p>C . = 'yes'</p>	
---	--

	<p>N first_method_grp \${fp_ever_used} = 'yes' R</p>
<p>N first_method 322. Which method did you first use to delay or avoid getting pregnant? <i>Do not read the method choices. Scroll to bottom to see all choices.</i></p> <p>C not((. = 'female_sterilization') and (\${pregnant} = 'yes'))</p> <p>M You said you are currently pregnant.</p>	<p>select_one methods_list Female sterilization female_sterilization Male sterilization male_sterilization Implant implants IUD IUD Injectables injectables Pill pill Emergency Contraception emergency Male condom male_condoms Female condom female_condoms Diaphragm diaphragm Foam/Jelly foam Standard Days/Cycle beads beads LAM LAM Rhythm method rhythm Withdrawal withdrawal Other traditional method other_traditional No response -99</p>
<p>N first_method_check Check here to acknowledge you considered all options.</p>	<p>select_one blank_list 1</p>

<p>N first_method_sterilize_warn The respondent said she first used female sterilization, but she did not say that is her current method. Go back to 302a and 302b and update the selection for current method.</p>	<p>note (\${current_recent_method} != 'female_sterilization') and (\${first_method} = 'female_sterilization') R</p>
<p>N injectable_probe_first LCL_322a. PROBE: Was the injection administered via syringe or small needle? <i>Show the image to the respondent.</i> [sayana_depo_150x300.jpg]</p>	<p>select_one injectable_probe_list \${first_method} = 'injectables' R Syringe syringe Small needle (Sayana Press) small_needle No Response -99</p>
<p>N emergency_12mo_yn 322a. Have you used emergency contraception at any time in the last 12 months? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within three to five days to prevent pregnancy.</p>	<p>select_one yes_no_nr_list (\${current_recent_method} != 'emergency') and \${consent_obtained} R Yes yes No no No response -99</p>

	N
--	---

	<pre>why_not_using_grp (({current_user} = 'no')) and ((({more_children_none} = 'no_children') or ... R</pre>
<p>N want_none 323a. You said that you do not want a child soon and that you are not using a method to avoid pregnancy.</p>	<pre>note (({wait_birth_none} = 'months') or ({wait_birth_none} = 'years')) and ({more_children_none} = ' ... R</pre>
<p>N want_some 323a. You said that you do not want another child soon and that you are not using a method to avoid pregnancy.</p>	<pre>note (({wait_birth_none} = 'months') or ({wait_birth_none} = 'years')) and ({more_children_none} = ' ... R</pre>
<p>N nowant_none 323a. You said that you do not want any children and that you are not using a method to avoid pregnancy.</p>	<pre>note ({more_children_none} = 'no_children') and ({ever_birth} = 'no') R</pre>
<p>N nowant_some 323a. You said that you do not want any more children and that you are not using a method to avoid pregnancy.</p>	<pre>note ({more_children_some} = 'no_children') and ({ever_birth} = 'yes') R</pre>
<p>N why_not_using Can you tell me why you are not using a method to prevent pregnancy? PROBE: Any other reason? <i>RECORD ALL REASONS MENTIONED Cannot select "Not Married" if 104 is "Yes, currently married".</i> <i>Scroll to bottom to see all choices.</i> C ((. = '-99') or not(selected(., '-99'))) and ((. = '-88') or not(selected(., '-88'))) and not(select ... M Cannot select "Do not know" or "No response" with other options. Cannot select "Not Married" if 104 is "Yes, currently married".</p>	<pre>select_multiple whynot_list Not married not_married Infrequent sex / Not having sex infrequent_sex Menopausal / Hysterectomy menopausal_hysterectomy Subfecund / Infecund infecund Not menstruated since last birth not_menstruated Breastfeeding breastfeeding Husband away for multiple days husband_away Up to God / fatalistic fatalistic Respondent opposed respondent_opposed Husband / partner opposed partner_opposed Others opposed others_opposed Religious prohibition religion Knows no method no_knowledge Knows no source no_source_known Fear of side effects side_effects Health concerns health Lack of access / too far no_access Costs too much cost Preferred method not available preferred_unavailable No method available no_method_available Inconvenient to use inconvenient Interferes with body's processes</pre>

	interferes_with_body Other other Don't know -88 No response -99
N why_not_using_check Check here to acknowledge you considered all options.	select_one blank_list 1

N why_not_decision 323b. Would you say that not using contraception is mainly your decision, mainly your husband/partner's decision or did you both decide together?	select_one partner_overall_list ({current_user} != 'yes') and \${consent_obtained} and (\${pregnant} != 'yes') R Mainly respondent respondent Mainly husband/partner husband Joint decision joint Other other No response -99
--	--

N method_influences_con TCI_304. Besides you and your husband/partner, who else influences the decision not to use a family planning method? PROBE: Any other reasons? Do not read options aloud. Select all that apply. C ((. = '-99') or not(selected(., '-99')) and ((. = '-77') or not(selected(., '-77')))) M Cannot select "no response" " no one" with other options.	select_multiple method_influences_list not(\${current_or_recent_user}) and \${consent_obtained} R Mother mother Mother in law mother_in_law Sister(s) sisters Sister(s) in law sisters_in_law Grandmother grandmother Friend(s) friend Health worker health_worker Community leader community_leader Religious leader religious_leader Aunt aunt Other relatives other_relatives Other other No one -77 No Response -99
--	---

N method_recommendations_received TCI_304x. In the last 12 months, has a friend and/or relative recommended that you use a family planning method?	select_one yes_no_nr_list not(\${current_or_recent_user}) and \${consent_obtained} R Yes yes No no No response -99
--	---

N visited_by_health_worker 324. In the last 12 months, were you visited by a community health worker who talked to you about family planning?	select_one yes_no_nr_list \${consent_obtained} R Yes yes No no No response -99
---	--

N visited_fac_none 325a. In the last 12 months, have you visited a health facility or camp for care for yourself? For any health services.	select_one yes_no_nr_list not(\${ever_birth} = 'yes') and \${consent_obtained} R Yes yes No no No response -99
---	---

N	select_one yes_no_nr_list
---	---------------------------

<p>visited_fac_some</p> <p>325a. In the last 12 months, have you visited a health facility or camp for care for yourself or your children? <i>For any health services.</i></p>	<p style="text-align: right;">\${ever_birth} = 'yes' R</p> <p>Yes yes No no No response -99</p>
<p>N</p> <p>facility_fp_discussion</p> <p>325b. Did any staff member at the health facility speak to you about family planning methods?</p>	<p>select_one yes_no_nr_list (\${visited_fac_none} = 'yes') or (\${visited_fac_some} = 'yes') R</p> <p>Yes yes No no No response -99</p>
<p>N</p> <p>community_event_attended</p> <p>TCI_305. Have you attended a community event in the last year where family planning was favorably discussed?</p>	<p>select_one yes_no_nr_list \${consent_obtained} R</p> <p>Yes yes No no No response -99</p>
<p>N</p> <p>personal_perception_neg</p> <p>TCI_306. Do you think there are some people within this community who will call you bad names or avoid your company if they knew that you were using a family planning method?</p>	<p>select_one yes_no_dnk_nr_list \${consent_obtained} R</p> <p>Yes yes No no Do not know -88 No response -99</p>
<p>N</p> <p>personal_perception_pos</p> <p>TCI_307. Do you think there are some people within this community who will praise, encourage, or talk favorably about you if they knew that you were using a family planning method?</p>	<p>select_one yes_no_dnk_nr_list \${consent_obtained} R</p> <p>Yes yes No no Do not know -88 No response -99</p>
<p>N</p> <p>public_leader_influence_pro</p> <p>TCI_308. In the past 12 months, have you heard any of the following people speaking publicly in FAVOR of family planning? <i>Read all options out loud and select all that apply.</i></p> <p>C ((. = '-99') or not(selected(., '-99')) and ((. = '-77') or not(selected(., '-77'))))</p> <p>M Cannot select "None of the above" or "No response" with other options.</p>	<p>select_multiple public_leader_influence_list \${consent_obtained} R</p> <p>Government official (national level) govt_official_national State, LGA, or local leaders leader_local_or_regional Religious leader leader_religious None of the above -77 No Response -99</p>
<p>N</p> <p>public_leader_influence_con</p> <p>TCI_309. In the past 12 months, have you heard any of the following people speaking publicly AGAINST family planning? <i>Read all options out loud and select all that apply.</i></p> <p>C ((. = '-99') or not(selected(., '-99')) and ((. = '-77') or not(selected(., '-77'))))</p> <p>M Cannot select "None of the above" or "No response" with other options.</p>	<p>select_multiple public_leader_influence_list \${consent_obtained} R</p> <p>Government official (national level) govt_official_national State, LGA, or local leaders leader_local_or_regional Religious leader leader_religious None of the above -77 No Response -99</p>

<p>N usage_perception TCI_309x. How many of your close friends and relatives do you think use family planning: none, some, most, or all?</p>	<p>select_one nsm_list None none Some some Most most All all Do not know -88 No Response -99 \${consent_obtained} R</p>
--	---

	<p>N fp_ad_grp \${consent_obtained} R</p>			
<p>N fp_ad_prompt 326. In the last few months have you:</p>	<p>note</p>			
<p>326a. Heard about family planning on the radio? fp_ad_radio 326b. Seen anything about family planning on the television? fp_ad_tv 326c. Read about family planning in a newspaper or magazine? fp_ad_magazine 326d. Received a voice or text message about family planning on a mobile phone? fp_ad_call TCI_310. Read about family planning in a brochure, leaflet, or flyer? fp_ad_brochure_leaflet_flyer TCI_311. Seen a poster or billboard with a family planning message? fp_ad_poster_billboard</p>	<table border="1"> <tr> <td data-bbox="812 651 998 1167"> <p>Yes yes</p> </td> <td data-bbox="998 651 1141 1167"> <p>No no</p> </td> <td data-bbox="1141 651 1526 1167"> <p>No response -99</p> </td> </tr> </table>	<p>Yes yes</p>	<p>No no</p>	<p>No response -99</p>
<p>Yes yes</p>	<p>No no</p>	<p>No response -99</p>		

Section 4 – Sexual Activity

CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY.

<p>N sexual_activity_note Now I would like to ask some questions about sexual activity in order to gain a better understanding of some important life issues. Let me assure you again that your answers are completely confidential and will not be told to anyone. If we should come to any question that you don't want to answer, just let me know and we will go to the next question.</p>	<p>note \${consent_obtained} R</p>
--	---

	<p>N AFS \${consent_obtained} R</p>
<p>N afsq 401a. How old were you when you first had sexual intercourse?</p>	<p>note</p>

N age_note Current age: \${age}	note
N birth_note Number of live births: \${birth_events}	note \${birth_events} > 0 R
N preg_note The respondent is pregnant	note \${pregnant} = 'yes' R
N age_at_first_sex Enter the age in years. <i>Enter -77 if she has never had sex. Enter -99 for no response. Enter -88 for do not know.</i> C (. = -88) or (. = -99) or (. = -77) or (0 <= . and . <= \${age}) M Answer must agree with the current age and date of first birth.	integer

N age_at_first_sex_check_1 WARNING: you entered -77, but the respondent is currently pregnant or has given birth before. Go back and fix. <i>The timing of the number of births should agree with 401a</i>	note (\${age_at_first_sex} = -77) and ((\${ever_birth} = 'yes') or (\${pregnant} = 'yes')) R
N age_at_first_sex_check_2 WARNING: the respondent gave birth \${birth_events} times, but first had sex at the age of \${age_at_first_sex}, only \${years_since_first_sex} years ago. Is that correct? <i>The timing of the number of births should agree with 401a.</i> C . = 'yes' M You must reconcile 401a with the respondent's pregnancy history.	select_one yes_no_list \${years_since_first_sex} < (0.75*\${birth_events}) R Yes yes No no
N age_at_first_sex_check_3 You entered that the respondent was \${age_at_first_sex} years old the first time she had sexual intercourse. Is that what she said? <i>Go back and change 401a if it is not correct.</i> C . = 'yes' M Invalid. Go back	select_one yes_no_list (\${age_at_first_sex} >= 0) and (\${age_at_first_sex} < 10) R Yes yes No no
N age_at_first_sex_check_4 You entered that the respondent's age at first sex was \${age_at_first_sex}. Previously the	select_one yes_no_list (\${age_at_first_sex} > \${age_first_birth}) and (\${ever_birth} = 'yes') R

<p>respondent said she has given birth at an earlier age: $\{age_first_birth\}$. Is that correct? <i>Go back and change "age at first sex" if it is not correct</i></p> <p>C $. = 'yes'$</p> <p>M You must reconcile 401a with the respondent's pregnancy history.</p>	<p>Yes yes No no</p>
---	---

	<p>N LTS $((\{age_at_first_sex\} \geq 0) \text{ or } (\{age_at_first_sex\} = -88) \text{ or } (\{age_at_first_sex\} = -99))$ R</p>
<p>N ltsq 402. When was the last time you had sexual intercourse?</p>	<p>note</p>
<p>N mos_preg Respondent is $\{months_pregnant\}$ months pregnant.</p>	<p>note $\{months_pregnant\} \geq 0$ R</p>
<p>N nomos_preg Answer must be in days or weeks up to 4 weeks or 30 days</p>	<p>note $\{months_pregnant\} = 0$ R</p>
<p>N last_time_sex ##### <i>If less than 12 months ago, answer must be recorded in months, weeks, or days. Enter 0 days for today. You will enter a number for X on the next screen.</i></p> <p>C $((\{pregnant\} = 'yes') \text{ and } (. != 'years'))$ $\text{and } ((\{months_pregnant\}=0) \text{ and } (. != 'months'))$... M Must agree with the pregnancy status.</p>	<p>select_one dwmy_list X days ago days X weeks ago weeks X months ago months X years ago years No response -99</p>

<p>N last_time_sex_value 402. Enter $\{last_time_sex_lab\}$. <i>If today, enter zero days only, not zero weeks/months/years. Must agree with the age of first sexual intercourse and the pregnancy status.</i></p> <p>C $\text{if}(\{last_time_sex\} = 'days', . \geq 0, . > 0)$</p> <p>M Days must be greater or equal to 0. Weeks/months/years must be greater than 0.</p>	<p>integer $\{last_time_sex\} = 'days' \text{ or } \{last_time_sex\} = 'weeks' \text{ or } \{last_time_sex\} = 'months' \text{ or } \{last_t$... R</p>
---	---

<p>N last_time_sex_error1 The respondent is pregnant. The time since last sex must not be earlier than one month prior to the start of pregnancy. If number of months pregnant is unknown, then the time since last sex must be less than 11 months.</p>	<p>note $((\{months_pregnant\} = -88) \text{ and } (\{months_last_sex\} \geq 11)) \text{ or } ((\{months_pregnant\} \geq 0) \text{ and } (\{m$... R</p>
---	--

<p>((. = '-99') or not(selected(., '-99')) and ((. = '-77') or not(selected(., '-77'))))</p> <p>M</p> <p>Cannot select 'no response' or 'none of the above' with other options.</p>	<p>None of the above -77</p> <p>No response -99</p>
<p>N</p> <p>mhm_materials</p> <p>603. During your last menstrual period, what did you use to collect or absorb your menstrual blood?</p> <p>PROBE: Anything else?</p> <p><i>Do not read options aloud. Select all that apply.</i></p> <p>C</p> <p>((. = '-99') or not(selected(., '-99')) and ((. = '-77') or not(selected(., '-77'))))</p> <p>M</p> <p>Cannot select 'no response' or 'no materials used' with other options.</p>	<p>select_multiple mhm_materials_list</p> <p>Disposable sanitary pad (commercial) pad_once</p> <p>Reusable sanitary pad pad_multi</p> <p>New cloth new_cloth</p> <p>Old cloth old_cloth</p> <p>Cotton wool cotton_wool</p> <p>Diaper diaper</p> <p>Tampons tampons</p> <p>Toilet paper toilet_paper</p> <p>Underwear alone undies</p> <p>Bucket bucket</p> <p>Other other</p> <p>No materials used -77</p> <p>No response -99</p>
<p>N</p> <p>mhm_reuse</p> <p>604a. Did you wash and reuse pads, cloths, or other sanitary materials during your last menstrual period?</p>	<p>select_one yes_no_nr_list</p> <p>selected({mhm_materials}, 'old_cloth') or selected({mhm_materials}, 'pad_multi') or selected({m ... R</p> <p>Yes yes</p> <p>No no</p> <p>No response -99</p>
<p>N</p> <p>mhm_dry</p> <p>604b. During your last menstrual period, were the sanitary materials that you washed and reused completely dried before each reuse?</p>	<p>select_one yes_no_nr_list</p> <p>({mhm_reuse} = 'yes') R</p> <p>Yes yes</p> <p>No no</p> <p>No response -99</p>
<p>N</p> <p>mhm_private_disposal</p> <p>605. You mentioned that you used {mhm_materials_joined} during your last menstrual period. Where did you dispose of these materials after use?</p> <p>PROBE: Anywhere else?</p> <p><i>Do not read options aloud. Select all that apply.</i></p> <p>C</p> <p>((. = '-99') or not(selected(., '-99')))</p>	<p>select_multiple mhm_disposal_list</p> <p>selected({mhm_reuse} = 'no') or selected({mhm_materials}, 'pad_once') or selected({mhm_materials}, 'tam ... R</p> <p>Flush toilet flush_toilet</p> <p>Latrine latrine</p> <p>Waste bin/trash bag waste_bin</p> <p>Burning burning</p> <p>Bush/field bush</p> <p>Other other</p> <p>No response -99</p>
<p>N</p> <p>mhm_work_yn</p> <p>606a. Aside from your own housework, have you done any work in the last month?</p>	<p>select_one yes_no_nr_list</p> <p>Yes yes</p> <p>No no</p> <p>No response -99</p>
<p>N</p> <p>mhm_work_missed</p> <p>606b. Due to your last menstrual period, were there any work days in the last month that you did not attend?</p>	<p>select_one yes_no_nr_list</p> <p>{mhm_work_yn} = 'yes' R</p> <p>Yes yes</p> <p>No no</p> <p>No response -99</p>

<p>N mhm_school_yn 607a. Did you attend school at any time in the past 12 months?</p>	<pre>select_one yes_no_nr_list (\${school} != 'never') and (\${age} < 25) R Yes yes No no No response -99</pre>
<p>N mhm_school_missed 607b. Due to your menstrual period, were there any school days in the past 12 months that you did not attend?</p>	<pre>select_one yes_no_nr_list \${mhm_school_yn} = 'yes' R Yes yes No no No response -99</pre>

Section 7.1 – Confidantes

<p>N friend_count 701. Now I want to ask some questions about your closest female friends or relatives. These are women whom you share very personal information with and who also share their very personal information with you. How many female friends or relatives like this do you have in Nigeria who are between the ages of 15 and 49? <i>Enter -88 for do not know, -99 for no response.</i></p> <p>C (. = -99) or (. = -88) or ((0 <= .) and (. <= 87))</p> <p>M Friend limit set to 87.</p>	<pre>integer \${consent_obtained} R</pre>
<p>N friend1_name 702a. Please picture your closest female friend or relative in Nigeria. Again, this is a woman between the ages of 15 and 49 with whom you share very personal information and who also shares her very personal information with you. For ease of referencing this woman, please provide a fake name.</p>	<pre>text \${friend_count} > 0 R</pre>
<p>N friend1_age 703a. How old was \${friend1_name} at her last birthday? <i>Enter -88 for do not know, -99 for no response.</i></p> <p>C (. = -99) or (. = -88) or ((15 <= .) and (. <= 49))</p> <p>M Age must be between 15 and 49.</p>	<pre>integer \${friend_count} > 0 R</pre>
<p>N friend1_school 704a. What is the highest level of school \${friend1_name} has ever attended?</p>	<pre>select_one school_list \${friend_count} > 0 R Never attended never Primary primary Secondary secondary Higher higher No response -99</pre>

<p>N</p> <p>friend2_name</p> <p>702b. Please picture your next closest female friend or relative in Nigeria. Again, this is a woman between the ages of 15 and 49 with whom you share very personal information and who also shares very personal information with you. For ease of referencing this woman, please provide a fake name.</p>	<p>text</p> <p style="text-align: right;">\${friend_count} > 1 R</p>
<p>N</p> <p>friend2_age</p> <p>703b. How old was \${friend2_name} at her last birthday?</p> <p><i>Enter -88 for do not know, -99 for no response.</i></p> <p>C (. = -99) or (. = -88) or ((15 <= .) and (. <= 49))</p> <p>M Age must be between 15 and 49.</p>	<p>integer</p> <p style="text-align: right;">\${friend_count} > 1 R</p>
<p>N</p> <p>friend2_school</p> <p>704b. What is the highest level of school \${friend2_name} has ever attended?</p>	<p>select_one school_list</p> <p style="text-align: right;">\${friend_count} > 1 R</p> <p>Never attended never Primary primary Secondary secondary Higher higher No response -99</p>

Section 7.2 – Abortion

CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY.

<p>N</p> <p>abt_sect_preamble</p> <p>The next series of questions are about things women in your community do to remove a pregnancy. This is a common experience in Nigeria and we simply want to better understand what women do to remove a pregnancy. I want to remind you that this survey is completely confidential and anonymous and your responses will not be shared with anyone. If we should come to any question that you don't want to answer, just let me know and I will skip to the next question.</p> <p><i>Press OK to continue.</i></p>	<p>select_multiple ok_list</p> <p style="text-align: right;">\${consent_obtained} R</p> <p>OK ok</p>
<p>N</p> <p>abt_common</p> <p>705. Sometimes women are worried they are pregnant or get pregnant when they do not want to be and they do something to remove the pregnancy. How common is this in the community where you currently live?</p> <p><i>Read response options aloud.</i></p>	<p>select_one common_4_top_list</p> <p style="text-align: right;">\${consent_obtained} R</p> <p>Very common very_common Somewhat common common Not very common uncommon Not at all common not_common Do not know -88 No response -99</p>
<p>N</p> <p>abt_ways</p>	<p>select_multiple abortion_ways_list</p> <p style="text-align: right;">\${consent_obtained} R</p>

<p>706. In the community where you currently live, what are the ways a woman who is pregnant or worried that she is pregnant can remove a pregnancy? Anything else?</p> <p><i>Do not read options aloud. Select all that apply.</i></p> <p>C ((. = '-99') or not(selected(., '-99')) and ((. = '-88') or not(selected(., '-88'))))</p> <p>M Cannot select 'no response' or 'do not know' with other options.</p>	<p>Surgical procedure <i>surgery</i></p> <p>Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear <i>pills_abortion</i></p> <p>Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine <i>pills_fever</i></p> <p>Emergency contraception pills, for example Postinor <i>pills_ec</i></p> <p>Other pills <i>pills_oth</i></p> <p>Injection <i>injection</i></p> <p>Traditional methods, like herbs <i>herbs</i></p> <p>Alcohol <i>alcohol</i></p> <p>Salt, potash, maggi, or kanwa <i>salt</i></p> <p>Lemon or lime <i>lemon</i></p> <p>Cough syrup <i>cough</i></p> <p>Insert materials into the vagina <i>insert</i></p> <p>Other <i>other</i></p> <p>Do not know -88</p> <p>No response -99</p>
<p>N abt_ways_main</p> <p>707. Which of these ways is the most common?</p>	<pre>select_one abortion_ways_list count-selected(\${abt_ways}) > 1 R</pre> <p>Surgical procedure <i>surgery</i></p> <p>Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear <i>pills_abortion</i></p> <p>Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine <i>pills_fever</i></p> <p>Emergency contraception pills, for example Postinor <i>pills_ec</i></p> <p>Other pills <i>pills_oth</i></p> <p>Injection <i>injection</i></p> <p>Traditional methods, like herbs <i>herbs</i></p> <p>Alcohol <i>alcohol</i></p> <p>Salt, potash, maggi, or kanwa <i>salt</i></p> <p>Lemon or lime <i>lemon</i></p> <p>Cough syrup <i>cough</i></p> <p>Insert materials into the vagina <i>insert</i></p> <p>Other <i>other</i></p> <p>Do not know -88</p> <p>No response -99</p> <pre>selected(\${abt_ways}, filter) or (filter = 'always') F</pre>
<p>N abt_surg_where</p> <p>708. Where do women go for a surgical procedure to remove a pregnancy? Anywhere else?</p> <p><i>Do not read options aloud. Select all that apply.</i></p> <p>C ((. = '-99') or not(selected(., '-99')) and ((. = '-88') or not(selected(., '-88'))))</p> <p>M Cannot select 'no response' or 'do not know' with other options.</p>	<pre>select_multiple providers_list (selected(\${abt_ways}, 'surgery')) R</pre> <p>Government Hospital <i>govt_hosp</i></p> <p>Government Health Center <i>govt_health_center</i></p> <p>Family planning clinic <i>FP_clinic</i></p> <p>Mobile clinic (public) <i>mobile_clinic_public</i></p> <p>TBA/Fieldworker (public) <i>fieldworker_public</i></p> <p>Private hospital/clinic <i>private_hospital</i></p> <p>Pharmacy <i>pharmacy</i></p> <p>Chemist/PMS Store <i>chemist</i></p> <p>Private doctor or nurse <i>private_doctor</i></p> <p>Mobile clinic (private) <i>mobile_clinic_private</i></p> <p>TBA/Fieldworker (private) <i>fieldworker_private</i></p> <p>Shop <i>shop</i></p> <p>FBO/Church <i>church</i></p> <p>Friend / relative <i>friend_relative</i></p> <p>NGO <i>ngo</i></p>

	<p>Market / hawking market Other other Do not know -88 No response -99</p>
<p>N abt_surg_where_main 709. Which of these places is the most common?</p>	<pre>select_one providers_list count-selected({abt_surg_where}) > 1 R Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99 selected({abt_surg_where}, filter) or (filter = 'always') F</pre>
<p>N abt_meds_where 710. Where do women get the medicines to remove a pregnancy? Anywhere else? C ((. = '-99') or not(selected(., '-99')) and ((. = '-88') or not(selected(., '-88')))) M Cannot select 'no response' or 'do not know' with other options.</p>	<pre>select_multiple providers_list (selected({abt_ways}, 'pills_abortion')) or (selected({abt_ways}, 'pills_fever')) or (selected(\$... R Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</pre>
<p>N abt_meds_where_main 711. Which of these sources is the most common?</p>	<pre>select_one providers_list count-selected({abt_meds_where}) > 1 R Government Hospital govt_hosp Government Health Center govt_health_center</pre>

	<p>Family planning clinic <code>FP_clinic</code> Mobile clinic (public) <code>mobile_clinic_public</code> TBA/Fieldworker (public) <code>fieldworker_public</code> Private hospital/clinic <code>private_hospital</code> Pharmacy <code>pharmacy</code> Chemist/PMS Store <code>chemist</code> Private doctor or nurse <code>private_doctor</code> Mobile clinic (private) <code>mobile_clinic_private</code> TBA/Fieldworker (private) <code>fieldworker_private</code> Shop <code>shop</code> FBO/Church <code>church</code> Friend / relative <code>friend_relative</code> NGO <code>ngo</code> Market / hawking <code>market</code> Other <code>other</code> Do not know <code>-88</code> No response <code>-99</code></p> <p style="text-align: right;"><code>selected({ab_t_meds_where}, filter) or (filter = 'always') F</code></p>
<p>N <code>friend1_abt_yn</code> 712a.i. Now I want to ask some more questions about <code>{friend1_name}</code>. Has she ever done something to remove a pregnancy when she was pregnant or worried she was pregnant? <i>Probe to confirm whether the pregnancy removal was successful. If not, select 'no.'</i></p>	<p><code>select_one yes_uc_no_dnk_nr_list</code> Yes, I am certain <code>yes</code> Yes, I think so <code>likely</code> No <code>no</code> Do not know <code>-88</code> No response <code>-99</code></p>
<p>N <code>friend1_abt_year</code> 713a.i. In what year did this last happen? <i>If indicates happened more than once, specify most recent time.</i> <i>Enter 2020 for 'Do not know' or 'No response'.</i> C <code>((. > (today() - ({friend1_age} * 365))) and (. <= today())) or (. = '2020-01-01')</code> M Cannot be in the future or before friend's approximate birth.</p>	<p><code>date</code> <code>({friend1_abt_yn} = 'yes') or ({friend1_abt_yn} = 'likely') R</code> Année:</p>
<p>N <code>friend1_abt_mult_yn</code> 714a.i. Women sometimes do many things to stop a pregnancy from continuing. Did <code>{friend1_name}</code> do more than one thing to try to remove the pregnancy?</p>	<p><code>select_one yes_uc_no_dnk_nr_list</code> <code>({friend1_abt_yn} = 'yes') or ({friend1_abt_yn} = 'likely') R</code> Yes, I am certain <code>yes</code> Yes, I think so <code>likely</code> No <code>no</code> Do not know <code>-88</code> No response <code>-99</code></p>
<p>N <code>friend1_abt_first</code> 715a.i. What was the first thing she did to try to remove the pregnancy?</p>	<p><code>select_one abortion_ways_list</code> <code>({friend1_abt_mult_yn} = 'yes') or ({friend1_abt_mult_yn} = 'likely') R</code> Surgical procedure <code>surgery</code> Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear <code>pills_abortion</code> Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine <code>pills_fever</code></p>

	<p>Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</p>
<p>N friendl_abt_only 715a.i. What did she do that removed the pregnancy?</p>	<pre>select_one abortion_ways_list (friendl_abt_mult_yn = 'no') or (friendl_abt_mult_yn = '-88') R</pre> <p>Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</p>
<p>N friendl_abt_where 716a.i. Where did she go for the procedure?</p>	<pre>select_one providers_list (friendl_abt_first = 'surgery') or (friendl_abt_only = 'surgery') R</pre> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>

<p>N friendl_abt_meds 717a.i. Where did she get the medicines?</p>	<pre>select_one providers_list (friendl_abt_first = 'pills_abortion') or (friendl_abt_only = 'pills_abortion') or (friend ... R</pre> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N friendl_abt_last 718a.i. What was the last thing she did that ultimately removed the pregnancy?</p>	<pre>select_one abortion_ways_list (friendl_abt_mult_yn = 'yes') or (friendl_abt_mult_yn = 'likely') R</pre> <p>Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</p>
<p>N friendl_abt_last_where 719a.i. Where did she go for the procedure?</p>	<pre>select_one providers_list friendl_abt_last = 'surgery' R</pre> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor</p>

	<p>Mobile clinic (private) <code>mobile_clinic_private</code> TBA/Fieldworker (private) <code>fieldworker_private</code> Shop <code>shop</code> FBO/Church <code>church</code> Friend / relative <code>friend_relative</code> NGO <code>ngo</code> Market / hawking <code>market</code> Other <code>other</code> Do not know -88 No response -99</p>
<p>N <code>friendl_abt_last_meds</code> 720a.i. Where did she get the medicines?</p>	<p><code>select_one providers_list</code> <code>(\${friendl_abt_last} = 'pills_abortion') or</code> <code>(\${friendl_abt_last} = 'pills_fever') or</code> <code>(\${friendl_ab ... R</code></p> <p>Government Hospital <code>govt_hosp</code> Government Health Center <code>govt_health_center</code> Family planning clinic <code>FP_clinic</code> Mobile clinic (public) <code>mobile_clinic_public</code> TBA/Fieldworker (public) <code>fieldworker_public</code> Private hospital/clinic <code>private_hospital</code> Pharmacy <code>pharmacy</code> Chemist/PMS Store <code>chemist</code> Private doctor or nurse <code>private_doctor</code> Mobile clinic (private) <code>mobile_clinic_private</code> TBA/Fieldworker (private) <code>fieldworker_private</code> Shop <code>shop</code> FBO/Church <code>church</code> Friend / relative <code>friend_relative</code> NGO <code>ngo</code> Market / hawking <code>market</code> Other <code>other</code> Do not know -88 No response -99</p>
<p>N <code>friendl_abt_issues</code> 721a.i. Did <code>\${friend1_name}</code> have any issues and go to a health facility for treatment in the process of removing the pregnancy? <i>If the respondent already reported the friend went to a health facility in the process of removing the pregnancy, we are interested in whether the friend went back to a health facility on a separate occasion to treat complications that she may have experienced.</i></p>	<p><code>select_one yes_uc_no_dnk_nr_list</code> <code>(\${friendl_abt_yn} = 'yes') or (\${friendl_abt_yn}</code> <code>= 'likely') R</code></p> <p>Yes, I am certain <code>yes</code> Yes, I think so <code>likely</code> No <code>no</code> Do not know -88 No response -99</p>
<p>N <code>friendl_reg_yn_1</code> 712a.ii. Besides this event, has <code>\${friend1_name}</code>, ever done something to regulate her period when she was worried she was pregnant? <i>Probe to confirm whether the period regulation was successful. If not, select 'no.'</i></p>	<p><code>select_one yes_uc_no_dnk_nr_list</code> <code>\${friendl_abt_yn} = 'yes' R</code></p> <p>Yes, I am certain <code>yes</code> Yes, I think so <code>likely</code> No <code>no</code> Do not know -88 No response -99</p>
<p>N <code>friendl_reg_yn_2</code> 712a.ii. Has <code>\${friend1_name}</code> ever done something to regulate her period when she was worried she was pregnant?</p>	<p><code>select_one yes_uc_no_dnk_nr_list</code> <code>\${friendl_abt_yn} != 'yes' R</code></p> <p>Yes, I am certain <code>yes</code> Yes, I think so <code>likely</code> No <code>no</code></p>

<p>Probe to confirm whether the period regulation was successful. If not, select 'no.'</p>	<p>Do not know -88 No response -99</p>
<p>N friend1_reg_year 713a.ii. In what year did this last happen? If indicates happened more than once, specify most recent time. Enter 2020 for 'Do not know' or 'No response'. C ((. > (today() - ({friend1_age} * 365))) and (. <= today())) or (. = '2020-01-01') M Cannot be in the future or before friend's approximate birth.</p>	<p>date ({friend1_reg_yn} = 'yes') or ({friend1_reg_yn} = 'likely') R Année:</p>
<p>N friend1_reg_mult_yn 714a.ii. Women sometimes do many things to regulate their period. Did {friend1_name} do more than one thing to try to regulate her period?</p>	<p>select_one yes_uc_no_dnk_nr_list ((({friend1_reg_year} > {friend1_abt_year}) or ({friend1_abt_year} = '')) and (({friend1_reg_yn} ... R Yes, I am certain yes Yes, I think so likely No no Do not know -88 No response -99</p>
<p>N friend1_reg_first 715a.ii. What was the first thing she did to try to regulate her period?</p>	<p>select_one abortion_ways_list ((({friend1_reg_year} > {friend1_abt_year}) or ({friend1_abt_year} = '')) and (({friend1_reg_mu} ... R Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</p>
<p>N friend1_reg_only 715a.ii. What did she do that regulated her period?</p>	<p>select_one abortion_ways_list ((({friend1_reg_year} > {friend1_abt_year}) or ({friend1_abt_year} = '')) and (({friend1_reg_mu} ... R Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec</p>

	<p>Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</p>
<p>N friendl_reg_where 716a.ii. Where did she go for the procedure?</p>	<pre>select_one providers_list ((\${friendl_reg_year} > \${friendl_abt_year}) or (\${friendl_abt_year} = '')) and ((\${friendl_reg_fi ... R</pre> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N friendl_reg_meds 717a.ii. Where did she get the medicines?</p>	<pre>select_one providers_list ((\${friendl_reg_year} > \${friendl_abt_year}) or (\${friendl_abt_year} = '')) and ((\${friendl_reg_fi ... R</pre> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other</p>

	<p>Do not know -88 No response -99</p>
<p>N friendl_reg_last 718a.ii. What was the last thing she did that ultimately caused her period to return?</p>	<pre>select_one abortion_ways_list ((\${friendl_reg_year} > \${friendl_abt_year}) or (\${friendl_abt_year} = '')) and ((\${friendl_reg_mu ... R</pre> <p>Surgical procedure <i>surgery</i> Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear <i>pills_abortion</i> Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine <i>pills_fever</i> Emergency contraception pills, for example Postinor <i>pills_ec</i> Other pills <i>pills_oth</i> Injection <i>injection</i> Traditional methods, like herbs <i>herbs</i> Alcohol <i>alcohol</i> Salt, potash, maggi, or kanwa <i>salt</i> Lemon or lime <i>lemon</i> Cough syrup <i>cough</i> Insert materials into the vagina <i>insert</i> Other <i>other</i> Do not know -88 No response -99</p>
<p>N friendl_reg_last_where 719a.ii. Where did she go for the procedure?</p>	<pre>select_one providers_list ((\${friendl_reg_year} > \${friendl_abt_year}) or (\${friendl_abt_year} = '')) and (\${friendl_reg_la ... R</pre> <p>Government Hospital <i>govt_hosp</i> Government Health Center <i>govt_health_center</i> Family planning clinic <i>FP_clinic</i> Mobile clinic (public) <i>mobile_clinic_public</i> TBA/Fieldworker (public) <i>fieldworker_public</i> Private hospital/clinic <i>private_hospital</i> Pharmacy <i>pharmacy</i> Chemist/PMS Store <i>chemist</i> Private doctor or nurse <i>private_doctor</i> Mobile clinic (private) <i>mobile_clinic_private</i> TBA/Fieldworker (private) <i>fieldworker_private</i> Shop <i>shop</i> FBO/Church <i>church</i> Friend / relative <i>friend_relative</i> NGO <i>ngo</i> Market / hawking <i>market</i> Other <i>other</i> Do not know -88 No response -99</p>
<p>N friendl_reg_last_meds 720a.ii. Where did she get the medicines?</p>	<pre>select_one providers_list ((\${friendl_reg_year} > \${friendl_abt_year}) or (\${friendl_abt_year} = '')) and ((\${friendl_reg_la ... R</pre> <p>Government Hospital <i>govt_hosp</i> Government Health Center <i>govt_health_center</i> Family planning clinic <i>FP_clinic</i> Mobile clinic (public) <i>mobile_clinic_public</i></p>

	<p>TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N friend1_reg_issues 721a.ii. Did \${friend1_name} have any issues and go to a health facility for treatment in the process of regulating her period? <i>If the respondent already reported the friend went to a health facility in the process of regulating her period, we are interested in whether the friend went back to a health facility on a separate occasion to treat complications that she may have experienced.</i></p>	<p>select_one yes_uc_no_dnk_nr_list ((\${friend1_reg_year} > \${friend1_abt_year}) or (\${friend1_abt_year} = ' ')) and ((\${friend1_reg_yn} ... R Yes, I am certain yes Yes, I think so likely No no Do not know -88 No response -99</p>
<p>N friend2_abt_yn 712b.i. Now I want to ask some more questions about \${friend2_name}. Has she ever done something to remove a pregnancy when she was pregnant or worried she was pregnant? <i>Probe to confirm whether the pregnancy removal was successful. If not, select 'no.'</i></p>	<p>select_one yes_uc_no_dnk_nr_list Yes, I am certain yes Yes, I think so likely No no Do not know -88 No response -99</p>
<p>N friend2_abt_year 713b.i. In what year did this last happen? <i>If indicates happened more than once, specify most recent time.</i> Enter 2020 for 'Do not know' or 'No response'. C ((. > (today() - (\${friend2_age} * 365))) and (. <= today())) or (. = '2020-01-01') M Cannot be in the future or before friend's approximate birth.</p>	<p>date (\${friend2_abt_yn} = 'yes') or (\${friend2_abt_yn} = 'likely') R Année:</p>
<p>N friend2_abt_mult_yn 714b.i. Women sometimes do many things to stop a pregnancy from continuing. Did \${friend2_name} do more than one thing to try to remove the pregnancy?</p>	<p>select_one yes_uc_no_dnk_nr_list (\${friend2_abt_yn} = 'yes') or (\${friend2_abt_yn} = 'likely') R Yes, I am certain yes Yes, I think so likely No no Do not know -88 No response -99</p>
<p>N friend2_abt_first</p>	<p>select_one abortion_ways_list</p>

<p>715b.i. What was the first thing she did to try to remove the pregnancy?</p>	<pre> ({\$friend2_abt_mult_yn} = 'yes') or ({\$friend2_abt_mult_yn} = 'likely') R Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99 </pre>
<p>N friend2_abt_only 715b.i. What did she do that removed the pregnancy?</p>	<pre> select_one abortion_ways_list ({\$friend2_abt_mult_yn} = 'no') or ({\$friend2_abt_mult_yn} = '-88') R Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99 </pre>
<p>N friend2_abt_where 716b.i. Where did she go for the procedure?</p>	<pre> select_one providers_list ({\$friend2_abt_first} = 'surgery') or ({\$friend2_abt_only} = 'surgery') R Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church </pre>

	<p>Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N friend2_abt_meds 717b.i. Where did she get the medicines?</p>	<p>select_one providers_list ({friend2_abt_first} = 'pills_abortion') or ({friend2_abt_only} = 'pills_abortion') or ({friend ... R</p> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N friend2_abt_last 718b.i. What was the last thing she did that ultimately removed the pregnancy?</p>	<p>select_one abortion_ways_list ({friend2_abt_mult_yn} = 'yes') or ({friend2_abt_mult_yn} = 'likely') R</p> <p>Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</p>
<p>N friend2_abt_last_where 719b.i. Where did she go for the procedure?</p>	<p>select_one providers_list \${friend2_abt_last} = 'surgery' R</p> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic</p>

	<p>Mobile clinic (public) <code>mobile_clinic_public</code> TBA/Fieldworker (public) <code>fieldworker_public</code> Private hospital/clinic <code>private_hospital</code> Pharmacy <code>pharmacy</code> Chemist/PMS Store <code>chemist</code> Private doctor or nurse <code>private_doctor</code> Mobile clinic (private) <code>mobile_clinic_private</code> TBA/Fieldworker (private) <code>fieldworker_private</code> Shop <code>shop</code> FBO/Church <code>church</code> Friend / relative <code>friend_relative</code> NGO <code>ngo</code> Market / hawking <code>market</code> Other <code>other</code> Do not know <code>-88</code> No response <code>-99</code></p>
<p>N friend2_abt_last_meds 720b.i. Where did she get the medicines?</p>	<pre>select_one providers_list ({friend2_abt_last} = 'pills_abortion') or ({friend2_abt_last} = 'pills_fever') or ({friend2_ab ... R</pre> <p>Government Hospital <code>govt_hosp</code> Government Health Center <code>govt_health_center</code> Family planning clinic <code>FP_clinic</code> Mobile clinic (public) <code>mobile_clinic_public</code> TBA/Fieldworker (public) <code>fieldworker_public</code> Private hospital/clinic <code>private_hospital</code> Pharmacy <code>pharmacy</code> Chemist/PMS Store <code>chemist</code> Private doctor or nurse <code>private_doctor</code> Mobile clinic (private) <code>mobile_clinic_private</code> TBA/Fieldworker (private) <code>fieldworker_private</code> Shop <code>shop</code> FBO/Church <code>church</code> Friend / relative <code>friend_relative</code> NGO <code>ngo</code> Market / hawking <code>market</code> Other <code>other</code> Do not know <code>-88</code> No response <code>-99</code></p>
<p>N friend2_abt_issues 721b.i. Did <code>{friend2_name}</code> have any issues and go to a health facility for treatment in the process of removing the pregnancy? <i>If the respondent already reported the friend went to a health facility in the process of removing the pregnancy, we are interested in whether the friend went back to a health facility on a separate occasion to treat complications that she may have experienced.</i></p>	<pre>select_one yes_uc_no_dnk_nr_list ({friend2_abt_yn} = 'yes') or ({friend2_abt_yn} = 'likely') R</pre> <p>Yes, I am certain <code>yes</code> Yes, I think so <code>likely</code> No <code>no</code> Do not know <code>-88</code> No response <code>-99</code></p>
<p>N friend2_reg_yn_1 712b.ii. Besides this event. Has <code>{friend2_name}</code> ever done something to regulate her period when she was worried she was pregnant? <i>Probe to confirm whether the period regulation was successful. If not, select 'no.'</i></p>	<pre>select_one yes_uc_no_dnk_nr_list {friend2_abt_yn} = 'yes' R</pre> <p>Yes, I am certain <code>yes</code> Yes, I think so <code>likely</code> No <code>no</code></p>

<p>715b.ii. What did she do that regulated her period?</p>	<pre>((\${friend2_reg_year} > \${friend2_abt_year}) or (\${friend2_abt_year} = '')) and ((\${friend2_reg_mu ... R</pre> <p>Surgical procedure <i>surgery</i> Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear <i>pills_abortion</i> Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine <i>pills_fever</i> Emergency contraception pills, for example Postinor <i>pills_ec</i> Other pills <i>pills_oth</i> Injection <i>injection</i> Traditional methods, like herbs <i>herbs</i> Alcohol <i>alcohol</i> Salt, potash, maggi, or kanwa <i>salt</i> Lemon or lime <i>lemon</i> Cough syrup <i>cough</i> Insert materials into the vagina <i>insert</i> Other <i>other</i> Do not know -88 No response -99</p>
<p>N friend2_reg_where 716b.ii. Where did she go for the procedure?</p>	<pre>select_one providers_list ((\${friend2_reg_year} > \${friend2_abt_year}) or (\${friend2_abt_year} = '')) and ((\${friend2_reg_fi ... R</pre> <p>Government Hospital <i>govt_hosp</i> Government Health Center <i>govt_health_center</i> Family planning clinic <i>FP_clinic</i> Mobile clinic (public) <i>mobile_clinic_public</i> TBA/Fieldworker (public) <i>fieldworker_public</i> Private hospital/clinic <i>private_hospital</i> Pharmacy <i>pharmacy</i> Chemist/PMS Store <i>chemist</i> Private doctor or nurse <i>private_doctor</i> Mobile clinic (private) <i>mobile_clinic_private</i> TBA/Fieldworker (private) <i>fieldworker_private</i> Shop <i>shop</i> FBO/Church <i>church</i> Friend / relative <i>friend_relative</i> NGO <i>ngo</i> Market / hawking <i>market</i> Other <i>other</i> Do not know -88 No response -99</p>
<p>N friend2_reg_meds 717b.ii. Where did she get the medicines?</p>	<pre>select_one providers_list ((\${friend2_reg_year} > \${friend2_abt_year}) or (\${friend2_abt_year} = '')) and ((\${friend2_reg_fi ... R</pre> <p>Government Hospital <i>govt_hosp</i> Government Health Center <i>govt_health_center</i> Family planning clinic <i>FP_clinic</i> Mobile clinic (public) <i>mobile_clinic_public</i> TBA/Fieldworker (public) <i>fieldworker_public</i> Private hospital/clinic <i>private_hospital</i> Pharmacy <i>pharmacy</i> Chemist/PMS Store <i>chemist</i></p>

	<p>Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N friend2_reg_last 718b.ii. What was the last thing she did that ultimately caused her period to return?</p>	<pre>select_one abortion_ways_list ((\${friend2_reg_year} > \${friend2_abt_year}) or (\${friend2_abt_year} = '')) and ((\${friend2_reg_mu ... R</pre> <p>Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</p>
<p>N friend2_reg_last_where 719b.ii. Where did she go for the procedure?</p>	<pre>select_one providers_list ((\${friend2_reg_year} > \${friend2_abt_year}) or (\${friend2_abt_year} = '')) and (\${friend2_reg_las ... R</pre> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>

<p>N</p> <p>friend2_reg_last_meds</p> <p>720b.ii. Where did she get the medicines?</p>	<pre>select_one providers_list ((\${friend2_reg_year} > \${friend2_abt_year}) or (\${friend2_abt_year} = '')) and ((\${friend2_reg_la ... R</pre> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N</p> <p>friend2_reg_issues</p> <p>721b.ii. Did \${friend2_name} have any issues and go to a health facility for treatment in the process of regulating her period?</p> <p><i>If the respondent already reported the friend went to a health facility in the process of regulating her period, we are interested in whether the friend went back to a health facility on a separate occasion to treat complications that she may have experienced.</i></p>	<pre>select_one yes_uc_no_dnk_nr_list ((\${friend2_reg_year} > \${friend2_abt_year}) or (\${friend2_abt_year} = '')) and ((\${friend2_reg_yn ... R</pre> <p>Yes, I am certain yes Yes, I think so likely No no Do not know -88 No response -99</p>
<p>N</p> <p>self_abt_yn</p> <p>722a. Now I would like to ask about your own experience. Have you ever done something to remove a pregnancy when you were pregnant or worried you were pregnant?</p> <p><i>Probe to confirm whether the pregnancy removal was successful. If not, select 'no.'</i></p>	<pre>select_one yes_no_nr_list</pre> <p>Yes yes No no No response -99</p>
<p>N</p> <p>self_abt_year</p> <p>723a. In what year did this last happen?</p> <p><i>If indicates happened more than once, specify most recent time.</i></p> <p><i>Enter 2020 for 'Do not know' or 'No response'.</i></p> <p>C</p> <p>((. > \${birthdate}) and (. <= today())) or (. = '2020-01-01')</p> <p>M</p> <p>Cannot be in the future or before respondent's birth.</p>	<p>date</p> <p>(\${self_abt_yn} = 'yes') R</p> <p>Année:</p>
<p>N</p> <p>self_abt_mult_yn</p> <p>724a. Did you do more than one thing to try to remove the pregnancy?</p>	<pre>select_one yes_no_nr_list (\${self_abt_yn} = 'yes') R</pre>

	<p>Yes <i>yes</i> No <i>no</i> No response <i>-99</i></p>
<p>N self_abt_first 725a. What did you first do?</p>	<p>select_one abortion_ways_list ({self_abt_mult_yn} = 'yes') R</p> <p>Surgical procedure <i>surgery</i> Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear <i>pills_abortion</i> Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine <i>pills_fever</i> Emergency contraception pills, for example Postinor <i>pills_ec</i> Other pills <i>pills_oth</i> Injection <i>injection</i> Traditional methods, like herbs <i>herbs</i> Alcohol <i>alcohol</i> Salt, potash, maggi, or kanwa <i>salt</i> Lemon or lime <i>lemon</i> Cough syrup <i>cough</i> Insert materials into the vagina <i>insert</i> Other <i>other</i> Do not know <i>-88</i> No response <i>-99</i></p>
<p>N self_abt_only 725a. What did you do?</p>	<p>select_one abortion_ways_list ({self_abt_mult_yn} = 'no') R</p> <p>Surgical procedure <i>surgery</i> Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear <i>pills_abortion</i> Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine <i>pills_fever</i> Emergency contraception pills, for example Postinor <i>pills_ec</i> Other pills <i>pills_oth</i> Injection <i>injection</i> Traditional methods, like herbs <i>herbs</i> Alcohol <i>alcohol</i> Salt, potash, maggi, or kanwa <i>salt</i> Lemon or lime <i>lemon</i> Cough syrup <i>cough</i> Insert materials into the vagina <i>insert</i> Other <i>other</i> Do not know <i>-88</i> No response <i>-99</i></p>
<p>N self_abt_where 726a. Where did you go for the procedure?</p>	<p>select_one providers_list ({self_abt_first} = 'surgery') or ({self_abt_only} = 'surgery') R</p> <p>Government Hospital <i>govt_hosp</i> Government Health Center <i>govt_health_center</i> Family planning clinic <i>FP_clinic</i> Mobile clinic (public) <i>mobile_clinic_public</i> TBA/Fieldworker (public) <i>fieldworker_public</i> Private hospital/clinic <i>private_hospital</i> Pharmacy <i>pharmacy</i> Chemist/PMS Store <i>chemist</i> Private doctor or nurse <i>private_doctor</i> Mobile clinic (private) <i>mobile_clinic_private</i></p>

	<p>TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N self_abt_meds 727a. Where did you get the medicines?</p>	<pre>select_one providers_list (self_abt_first = 'pills_abortion') or (self_abt_only = 'pills_abortion') or (self_abt_fir ... R</pre> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N self_abt_last 728a. What was the last thing you did that ultimately removed the pregnancy?</p>	<pre>select_one abortion_ways_list (self_abt_mult_yn = 'yes') R</pre> <p>Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</p>
<p>N self_abt_last_where 729a. Where did you go for the procedure?</p>	<pre>select_one providers_list self_abt_last = 'surgery' R</pre>

	<p>Government Hospital <code>govt_hosp</code> Government Health Center <code>govt_health_center</code> Family planning clinic <code>FP_clinic</code> Mobile clinic (public) <code>mobile_clinic_public</code> TBA/Fieldworker (public) <code>fieldworker_public</code> Private hospital/clinic <code>private_hospital</code> Pharmacy <code>pharmacy</code> Chemist/PMS Store <code>chemist</code> Private doctor or nurse <code>private_doctor</code> Mobile clinic (private) <code>mobile_clinic_private</code> TBA/Fieldworker (private) <code>fieldworker_private</code> Shop <code>shop</code> FBO/Church <code>church</code> Friend / relative <code>friend_relative</code> NGO <code>ngo</code> Market / hawking <code>market</code> Other <code>other</code> Do not know -88 No response -99</p>
<p>N self_abt_last_meds 730a. Where did you get the medicines?</p>	<pre>select_one providers_list (\${self_abt_last} = 'pills_abortion') or (\${self_abt_last} = 'pills_fever') or (\${self_abt_last} = ... R</pre> <p>Government Hospital <code>govt_hosp</code> Government Health Center <code>govt_health_center</code> Family planning clinic <code>FP_clinic</code> Mobile clinic (public) <code>mobile_clinic_public</code> TBA/Fieldworker (public) <code>fieldworker_public</code> Private hospital/clinic <code>private_hospital</code> Pharmacy <code>pharmacy</code> Chemist/PMS Store <code>chemist</code> Private doctor or nurse <code>private_doctor</code> Mobile clinic (private) <code>mobile_clinic_private</code> TBA/Fieldworker (private) <code>fieldworker_private</code> Shop <code>shop</code> FBO/Church <code>church</code> Friend / relative <code>friend_relative</code> NGO <code>ngo</code> Market / hawking <code>market</code> Other <code>other</code> Do not know -88 No response -99</p>
<p>N self_abt_issues 731a. Did you have any issues and go to a health facility for treatment in the process of removing the pregnancy? <i>If the respondent already reported she went to a health facility in the process of removing the pregnancy, we are interested in whether she went back to a health facility on a separate occasion to treat complications that she may have experienced.</i></p>	<pre>select_one yes_no_dnk_nr_list (\${self_abt_yn} = 'yes') R</pre> <p>Yes <code>yes</code> No <code>no</code> Do not know -88 No response -99</p>
<p>N self_abt_confidant 732a. Did you tell any of the following people about this experience?</p>	<pre>select_multiple self_abt_reg_confidant_list (\${self_abt_yn} = 'yes') R</pre>

<p>Read the answer choices aloud. Select all that apply.</p> <p>C ((. = '-99') or not(selected(., '-99')) and ((. = '-88') or not(selected(., '-88'))))</p> <p>M Cannot select 'no response' or 'do not know' with other options.</p>	<p>Husband/male partner <code>partner</code></p> <p>Sister <code>sister</code></p> <p>Brother <code>brother</code></p> <p>Mother <code>mother</code></p> <p>Father <code>father</code></p> <p>Other relative <code>other_relative</code></p> <p>Friend 1: <code>{friend1_name}</code> <code>friend1</code></p> <p>Friend 2: <code>{friend2_name}</code> <code>friend2</code></p> <p>Other friend <code>other_friend</code></p> <p>Other <code>other</code></p> <p>Do not know <code>-88</code></p> <p>No response <code>-99</code></p> <p><code>({friend1_name} != '' and {friend1_name} != '-99' and filter = 'friend1') or ({friend2_name} != '' and {friend2_name} != '-99' and filter = 'friend2') or (filter = 'always')</code> F</p>
<p>N</p> <p><code>self_reg_yn_1</code></p> <p>722b. Besides this event, have you ever done something to regulate your period when you were worried you were pregnant?</p> <p><i>Probe to confirm whether the period regulation was successful. If not, select 'no.'</i></p>	<p><code>select_one yes_no_nr_list</code></p> <p><code>{self_abt_yn} = 'yes'</code> R</p> <p>Yes <code>yes</code></p> <p>No <code>no</code></p> <p>No response <code>-99</code></p>
<p>N</p> <p><code>self_reg_yn_2</code></p> <p>722b. Have you ever done something to regulate your period when you were worried you were pregnant?</p> <p><i>Probe to confirm whether the period regulation was successful. If not, select 'no.'</i></p>	<p><code>select_one yes_no_nr_list</code></p> <p><code>{self_abt_yn} != 'yes'</code> R</p> <p>Yes <code>yes</code></p> <p>No <code>no</code></p> <p>No response <code>-99</code></p>
<p>N</p> <p><code>self_reg_year</code></p> <p>723b. In what year did this last happen?</p> <p><i>If indicates happened more than once, specify most recent time.</i></p> <p><i>Enter 2020 for 'Do not know' or 'No response'.</i></p> <p>C <code>((. > {birthdate}) and (. <= today())) or (. = '2020-01-01')</code></p> <p>M Cannot be in the future or before respondent's birth.</p>	<p><code>date</code></p> <p><code>({self_reg_yn} = 'yes')</code> R</p> <p>Année:</p>
<p>N</p> <p><code>self_reg_mult_yn</code></p> <p>724b. Did you do more than one thing to try to regulate your period?</p>	<p><code>select_one yes_no_nr_list</code></p> <p><code>(({self_reg_year} > {self_abt_year}) or ({self_abt_year} = '')) and (({self_reg_yn} = 'yes'))</code> R</p> <p>Yes <code>yes</code></p> <p>No <code>no</code></p> <p>No response <code>-99</code></p>
<p>N</p> <p><code>self_reg_first</code></p> <p>725b. What did you first do?</p>	<p><code>select_one abortion_ways_list</code></p> <p><code>(({self_reg_year} > {self_abt_year}) or ({self_abt_year} = '')) and (({self_reg_mult_yn} = 'ye ...</code> R</p> <p>Surgical procedure <code>surgery</code></p> <p>Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear <code>pills_abortion</code></p> <p>Pills you take when you have a fever like antibiotics or anti-malarial</p>

	<p>medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</p>
<p>N self_reg_only 725b. What did you do?</p>	<pre>select_one abortion_ways_list ((\${self_reg_year} > \${self_abt_year}) or (\${self_abt_year} = '')) and ((\${self_reg_mult_yn} = 'no ... R</pre> <p>Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</p>
<p>N self_reg_where 726b. Where did you go for the procedure?</p>	<pre>select_one providers_list ((\${self_reg_year} > \${self_abt_year}) or (\${self_abt_year} = '')) and ((\${self_reg_first} = 'surg ... R</pre> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other</p>

	<p>Do not know -88 No response -99</p>
<p>N self_reg_meds 727b. Where did you get the medicines?</p>	<pre>select_one providers_list ((\${self_reg_year} > \${self_abt_year}) or (\${self_abt_year} = '')) and ((\${self_reg_first} = 'pill ... R Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</pre>
<p>N self_reg_last 728b. What was the last thing you did that ultimately caused your period to return?</p>	<pre>select_one abortion_ways_list ((\${self_reg_year} > \${self_abt_year}) or (\${self_abt_year} = '')) and ((\${self_reg_mult_yn} = 'ye ... R Surgical procedure surgery Pills called mifepristone or misoprostol, for example Mariprist, Mifepak, Cytotec, Miso-Fem, or Misoclear pills_abortion Pills you take when you have a fever like antibiotics or anti-malarial medicine, for example quinine pills_fever Emergency contraception pills, for example Postinor pills_ec Other pills pills_oth Injection injection Traditional methods, like herbs herbs Alcohol alcohol Salt, potash, maggi, or kanwa salt Lemon or lime lemon Cough syrup cough Insert materials into the vagina insert Other other Do not know -88 No response -99</pre>
<p>N self_reg_last_where 729b. Where did you go for the procedure?</p>	<pre>select_one providers_list ((\${self_reg_year} > \${self_abt_year}) or (\${self_abt_year} = '')) and (\${self_reg_last} = 'surger ... R Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public</pre>

	<p>TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N self_reg_last_meds 730b. Where did you get the medicines?</p>	<pre>select_one providers_list ((\${self_reg_year} > \${self_abt_year}) or (\${self_abt_year} = '')) and ((\${self_reg_last} = 'pills ... R</pre> <p>Government Hospital govt_hosp Government Health Center govt_health_center Family planning clinic FP_clinic Mobile clinic (public) mobile_clinic_public TBA/Fieldworker (public) fieldworker_public Private hospital/clinic private_hospital Pharmacy pharmacy Chemist/PMS Store chemist Private doctor or nurse private_doctor Mobile clinic (private) mobile_clinic_private TBA/Fieldworker (private) fieldworker_private Shop shop FBO/Church church Friend / relative friend_relative NGO ngo Market / hawking market Other other Do not know -88 No response -99</p>
<p>N self_reg_issues 731b. Did you have any issues and go to a health facility for treatment in the process of regulating your period? <i>If the respondent already reported she went to a health facility in the process of regulating her period, we are interested in whether she went back to a health facility on a separate occasion to treat complications that she may have experienced.</i></p>	<pre>select_one yes_no_dnk_nr_list ((\${self_reg_year} > \${self_abt_year}) or (\${self_abt_year} = '')) and ((\${self_reg_yn} = 'yes')) R</pre> <p>Yes yes No no Do not know -88 No response -99</p>
<p>N self_reg_confidant 732b. Did you tell any of the following people about this experience? <i>Read the answer choices aloud. Select all that apply.</i> C</p>	<pre>select_multiple self_abt_reg_confidant_list ((\${self_reg_year} > \${self_abt_year}) or (\${self_abt_year} = '')) and ((\${self_reg_yn} = 'yes')) R</pre> <p>Husband/male partner partner Sister sister Brother brother Mother mother</p>

<pre>((. = '-99') or not(selected(., '-99')) and ((. = '-88') or not(selected(., '-88'))))</pre> <p>M Cannot select 'no response' or 'do not know' with other options.</p>	<p>Father <code>father</code> Other relative <code>other_relative</code> Friend 1: <code>\${friend1_name}</code> <code>friend1</code> Friend 2: <code>\${friend2_name}</code> <code>friend2</code> Other friend <code>other_friend</code> Other <code>other</code> Do not know <code>-88</code> No response <code>-99</code></p> <p><code>(\${friend1_name} != '' and \${friend1_name} != '-99' and filter = 'friend1') or (\${friend2_name} != '' and \${friend2_name} != '-99' and filter = 'friend2') or (filter = 'always') F</code></p>
--	---

	<p>N ABT_NORMS \${consent_obtained} R</p>
<p>N <code>abt_norms_preamble</code> Now we want to ask you some general questions about removing a pregnancy. Please provide your responses in the form of: strongly agree, agree, neither agree nor disagree, disagree, strongly disagree. <i>Check box to confirm scrolled to bottom.</i></p>	<p>note</p>
<p>N <code>abt_norms_ok</code> Press OK to continue.</p>	<p><code>select_one ok_list</code> OK <code>ok</code></p>

<p>N <code>abt_health_risk</code> 733. It is okay for a woman to remove a pregnancy if continuing the pregnancy puts her health at risk.</p>	<p><code>select_one agree_5_top_list</code> \${consent_obtained} R</p> <p>Strongly agree <code>much_agree</code> Agree <code>agree</code> Neither agree nor disagree <code>neutral</code> Disagree <code>disagree</code> Strongly disagree <code>much_disagree</code> No response <code>-99</code></p>
<p>N <code>abt_rape</code> 734. It is okay for a woman to remove a pregnancy if the pregnancy is a result of rape.</p>	<p><code>select_one agree_5_top_list</code> \${consent_obtained} R</p> <p>Strongly agree <code>much_agree</code> Agree <code>agree</code> Neither agree nor disagree <code>neutral</code> Disagree <code>disagree</code> Strongly disagree <code>much_disagree</code> No response <code>-99</code></p>
<p>N <code>abt_afford</code> 735. It is okay for a woman to remove a pregnancy if she cannot afford to raise another child.</p>	<p><code>select_one agree_5_top_list</code> \${consent_obtained} R</p> <p>Strongly agree <code>much_agree</code> Agree <code>agree</code> Neither agree nor disagree <code>neutral</code> Disagree <code>disagree</code> Strongly disagree <code>much_disagree</code> No response <code>-99</code></p>
<p>N <code>abt_unwanted</code></p>	<p><code>select_one agree_5_top_list</code> \${consent_obtained} R</p>

<p>736. It is okay for a woman to remove a pregnancy if she does not want to have a child.</p>	<p>Strongly agree <code>much_agree</code> Agree <code>agree</code> Neither agree nor disagree <code>neutral</code> Disagree <code>disagree</code> Strongly disagree <code>much_disagree</code> No response <code>-99</code></p>
<p>N <code>abt_shame</code> 737. A woman who removes a pregnancy brings shame to her family.</p>	<p><code>select_one agree_5_top_list</code> <code>#{consent_obtained}</code> R</p> <p>Strongly agree <code>much_agree</code> Agree <code>agree</code> Neither agree nor disagree <code>neutral</code> Disagree <code>disagree</code> Strongly disagree <code>much_disagree</code> No response <code>-99</code></p>
<p>N <code>abt_silence</code> 738. A woman who removes a pregnancy should not tell anyone.</p>	<p><code>select_one agree_5_top_list</code> <code>#{consent_obtained}</code> R</p> <p>Strongly agree <code>much_agree</code> Agree <code>agree</code> Neither agree nor disagree <code>neutral</code> Disagree <code>disagree</code> Strongly disagree <code>much_disagree</code> No response <code>-99</code></p>

Follow-up Consent

<p>N <code>flw_willing</code> FLW_801. Thank you for the time you have kindly granted us. We are very interested in hearing more about your pregnancy removal or period regulation experience, including your decision making around what method to use and where to go for services, among other things. Would you be willing to meet with another woman from the project at a later date to talk about this experience?</p>	<p><code>select_one yes_no_nr_list</code> <code>#{self_abt_yn} = 'yes'</code> or <code>#{self_reg_yn} = 'yes'</code> R</p> <p>Yes <code>yes</code> No <code>no</code> No response <code>-99</code></p>
<p>N <code>flw_number_yn</code> FLW_802. Do you own a phone?</p>	<p><code>select_one yes_no_nr_list</code> <code>#{flw_willing} = 'yes'</code> R</p> <p>Yes <code>yes</code> No <code>no</code> No response <code>-99</code></p>
<p>N <code>flw_number_typed</code> FLW_803. Can I have your primary phone number in case we would like to follow up with you in the future? <i>Enter an 11-digit number without the country code. Do not include spaces or dashes. Enter 0 for no response.</i> C <code>(string-length(.) = 11) or (. = '0')</code> M Invalid number of digits.</p>	<p><code>text</code> <code>#{flw_number_yn} = 'yes'</code> R</p>

<p>N flw_number_confirm FLW_804. Can you repeat the number again? <i>Enter an 11-digit number without the country code. Do not include spaces or dashes. Enter 0 for no response.</i></p> <p>C . = \${flw_number_typed}</p> <p>M Number entered must match previously entered number.</p>	<p>text</p> <p>(\${flw_number_typed} != '') and (\${flw_number_typed} != '0') R</p>
<p>N thankyou Thank the respondent for her time. <i>The respondent is finished, but there are still more questions for you to complete outside the home.</i></p>	<p>note</p> <p>\${available} = 'yes' R</p>
<p>N thankyou_non_avail Thank you. <i>There are still more questions for you to complete outside the home.</i></p>	<p>note</p> <p>\${available} != 'yes' R</p>

Location and Questionnaire result

<p>N location 095. Location <i>Take a GPS point near the entrance to the household. Record location when the accuracy is smaller than 6 m.</i></p>	<p>geopoint</p>
<p>N times_visited 096. How many times have you visited this household to interview this female respondent?</p>	<p>select_one visits_list not(\${unlinked}) or \${proceed_with_unlinked} R 1st time 1 2nd time 2 3rd time 3</p>
<p>N survey_language 097. In what language was this interview conducted?</p>	<p>select_one language_list \${consent_obtained} R English english Hausa hausa Igbo igbo Yoruba yoruba Pidgin pidgin Other other</p>
<p>N FRS_result 098. Questionnaire result <i>Record the result of the female respondent survey</i></p> <p>C ((. = 'completed') and \${consent_obtained}) or ((. = 'not_at_home') and (\${available} = 'no')) or ...</p> <p>M Check answer to 006 and consent.</p>	<p>select_one FRS_result_list Completed completed Not at home not_at_home Postponed postponed Refused refused Partly completed partly_completed Incapacitated incapacitated</p>