



PMA Democratic Republic of Congo Phase 1 Female Questionnaire

READ THIS WARNING: This female questionnaire is not linked to a household questionnaire. ONLY continue if there is no linked female questionnaire under the "Edit Saved Form" Menu.	
Press OK to continue	Оок
Did you check the Edit Saved forms menu for a linked female questionnaire?	○ Yes ○ No
Provide your signature to acknowledge that there is no linked female questionnaire.	
Close and exit this form without saving. Look for a linked female questionnaire through the 'Edit Saved Forms' Menu.	
Province:	
Kongo Central - District OR Kinshasa - Zone de Santé:	
Kongo Central - Aire de Santé OR Kinshasa - Quartier:	
Kongo Central - Village OR Kinshasa - Localité / rue:	
Enumeration Area:	
Structure number:	
Household number:	
001a. Are you in the correct household? EA: \${EA} Structure #: \${structure} Household #: \${household}	○ Yes ○ No
002. Your ID:	
Is this your ID?	○ Yes ○ No
002. Enter your ID below. Please record your ID	
003a. Current date and time.	Day: Month: Year:
Is this date and time correct?	○ Yes ○ No



003b. Record the correct date and time.	Day: Month: Year:
004a. The following info is from the household questionnaire. Please review to make sure you are interviewing the correct respondent.	
004a. The following info is what you provided previously. Please review.	
Province: \${level1_unlinked}	
Kongo Central - District OR Kinshasa - Health Zone: \${level2_unlinked}	
Kongo Central - Aire de Santé OR Kinshasa - Quartier: \${level3_unlinked}	
Kongo Central - Village OR Kinshasa - Localité / rue: \${level4_unlinked}	
Enumeration Area: \${EA_unlinked}	
Structure number: \${structure_unlinked}	
Household number: \${household_unlinked}	
004b. Is the above information correct?	○ Yes ○ No
2005. CHECK: You should be attempting to interview {firstname}. Is that correct? If misspelled, select "yes" and update the name in question (010." If this is the wrong person, you have two options: (1) exit and ignore changes to this form. Open the correct form. Or (2) find and interview the person whose name appears above.	○ Yes ○ No
006. Is the respondent present and available to be nterviewed today?	○ Yes ○ No
007. How well acquainted are you with the respondent?	Very well acquaintedWell acquaintedNot well acquaintedNot acquainted
NFORMED CONSENT	
Find the woman between the ages of 15-49 associated with this Female Questionnaire. The interview must have auditory privacy. Administer the consent procedures.	
Hello. My name is and I am working for Kinshasa School of Public Health in collaboration with the Ministry of Health. We are conducting a local survey that asks women about various	





reproductive health issues. We would very much appreciate your participation in this survey. This information will help us inform the government to better plan health services. The survey usually takes between 15 and 20 minutes to complete. Whatever information you provide will be kept strictly confidential and will not be shown to anyone other than members of our survey team. Participation in this survey is voluntary, and if we should come to any question you don't want to answer, just let me know and I will go on to the next question; or you can stop the interview at any time. However, we hope that you will participate in this survey since your views are important. At this time, do you want to ask me anything about the survey?	
008a. Provide a paper copy of the Consent Form to the respondent and read it. Then, ask: May I begin the interview now?	○ Yes ○ No
008b. Respondent's signature Please ask the respondent to sign or check the box in agreement of their participation.	
Checkbox	0
WARNING: The respondent has not signed or checked the box, despite agreeing to be interviewed. To conduct the survey, the respondent must sign or touch the checkbox. You may go back to obtain a signature or check the box or you should go back to question H to indicate the respondent does not want to be interviewed.	
009. Interviewer's ID: \${your_name} Mark your ID as a witness to the consent process.	0
009. Interviewer's ID Please record your ID as a witness to the consent process. You previously entered "\${name_typed}."	
010. Respondent's first name. You may correct the spelling here if it is not correct, but you must be interviewing the person whose name appears below.	
Section 1 – Respondent's Backgro Employment, and Mi	
Now I would like to ask about your background	and socioeconomic conditions.
101. In what month and year were you born? The age in the household roster is \${age}.	
101 In what month and year were you born?	l l





Month:	 ○ January ○ February ○ March ○ April ○ May ○ June ○ July ○ August ○ September ○ October ○ November ○ December ○ Do not know
Year:	Year:
02. How old were you at your last birthday?	
	Age in the Household Roster:
WARNING: The age you entered for 102 is \${FQ_age}, which makes her ineligible for interview. She must be at least 15 years old and not more than 49 years old. If that age is correct, update her age on this screen, hit the back key, and save changes to exit the interview. This form will be deleted automatically upon saving it. If that age is not correct, go back to the previous screen and enter the correct age.	
WARNING: The age you entered for 102 is \${FQ_age}. This does not agree with the household roster, but she is still eligible to be interviewed. If 102 is correct update the age on this screen to \${FQ_age}. Otherwise, return to the previous screen and enter the correct age.	
The age in the roster agrees with the age in 102. Go to the next screen without changing the number on this screen.	
#####	
03. What is the highest level of school you attended? Only record formal schooling. Do not record bible or koranic school or short courses.	Never attendedPrimarySecondaryTertiaryNo response
04. What is the highest [GRADE/ FORM / STANDARD / YEAR] you completed at that level? Enter -99 for no response.	





105. Are you still attending school?	○ Yes○ No○ No response
106. How old were you when you left school?	
107. What was the main reason for stopping your education?	 ○ Finished education ○ Failed exams ○ Did not enjoy school ○ School was too far ○ Wanted to start working ○ Got married ○ Got pregnant ○ Parents did not want you to continue ○ Economic reasons ○ Menstruation / period ○ Illness ○ Other ○ No response
108. Are you currently enrolled in any training program?	○ Yes○ No○ No response
109. Are you currently married or living together with a man as if married? Probe: If no, ask whether the respondent is divorced, separated, or widowed.	 Yes, currently married Yes, living with a man Not currently in union: Divorced / separated Not currently in union: Widow No, never in union No response
110. How much were you involved in the decision to get married – very much, not very much or not at all?	○ Very much○ Not very much○ Not at all○ No response
111. How much do you think you will be involved in the decision to get married – very much, not very much or not at all?	Very muchNot very muchNot at allNo response
112. Have you ever had a partner / boyfriend?	○ Yes○ No○ No response
113. How old were you the first time you had a boyfriend or partner?	





114. Do you currently have a boyfriend or partner?	○ Yes○ No○ No response
115. How many times have you been married or lived with a man as if married? Enter -99 for no response.	
116. In what month and year did you start living with your FIRST husband / partner? Select 'Do not know' for month and '2030' for year to indicate 'No Response'.	
Month:	 January February March April May June July August September October November December Do not know
Year:	Year:
Date cannot be in the future. You entered: \${husband_cohabit_start_first_lab} Today: \${today}	
Date of first living with husband/partner cannot be before respondent's birth. You entered: \${husband_cohabit_start_first_lab} Respondent's birth: \${birthdate_lab}	
Date of first living with husband/partner cannot be before respondent's birth. You entered: \${hcf_y_lab} Respondent's birth: \${birthdate_lab}	
l16a. CHECK: Based on the response you entered in 116, the respondent was possibly 15 years old or younger at the time of her first marriage. Did you enter 116 correctly?	○ Yes ○ No
117. Now I would like to ask about when you started living with your CURRENT or MOST RECENT husband / partner. In what month and year was that? Select 'Do not know' for month and '2030' for year to indicate 'No Response'.	





Month:	 January February March April May June July August September October November December Do not know
Year:	Year:
Date cannot be in the future. You entered: \${husband_cohabit_start_recent_lab} Today: \${today}	
Date of living with current / most recent husband/partner cannot be before respondent's birth. You entered: \${husband_cohabit_start_recent_lab} Respondent's birth: \${birthdate_lab}	
Date of living with current / most recent husband/partner cannot be before respondent's birth. You entered: \${hcs_y_lab} Respondent's birth: \${birthdate_lab}	
Date of living with current / most recent husband/partner cannot be before date respondent started living with first partner. You entered: \${husband_cohabit_start_recent_lab} Date started living with first partner: \${husband_cohabit_start_first_lab}	
Year of living with current / most recent husband/partner cannot be before year respondent started living with first partner. You entered: \${hcs_y_lab} Year started living with first partner: \${hcf_y_lab}	
117a. CHECK: Based on the response you entered in 117, the respondent was possibly 15 years old or younger at the time of her current or most recent marriage. Did you enter 117 correctly?	○ Yes ○ No
117b. RETURN TO 107A TO CORRECT BEFORE CONTINUING	
118. Does your husband / partner have other wives or does he live with other women as if married?	○ Yes ○ No





	O Do not know
	○ No response
119. How long have you been living continuously in [NAME OF CURRENT PLACE OF RESIDENCE]?	
Enter answer in years.	
Enter 0 if less than 1 year. Enter -95 for always. Enter -96 for visitor. Enter -99 for no response.	
120. How long have you been living continuously in this particular house / structure?	
Enter answer in years. Enter 0 if less than 1 year. Enter -95 for always. Enter -96 for visitor. Enter -99 for no response.	
121. In the last 12 months, for how many nights have you slept away from your community? PROBE: Community is the area where you are currently living Enter -99 for no response.	
122. In the last 12 months, for how many nights has your husband/partner slept away from your community? PROBE: Community is the area where you are currently living Enter -99 for no response.	
MIG_1. Please tell me how many locations you have lived in for six (6) months or more after age 15 or after your first marriage (if you were younger than 15 years of age when you first got married). Probe: Location means a community, village, or neighborhood. Enter -99 for no response.	
Respondent said she has lived in \${locations_lived} locations, is that correct? If no, return to the previous screen and change the response.	○ Yes ○ No
I am now going to ask you some questions about the places you have lived starting with the place you lived before this place.	
Residential history gro	pup
MIG_2. What is the name of the place you lived before this place?	
MIG_3. Is \${place_lived} located in DRC or in another country?	DRCAnother countryNo response
MIG_4. In which provinc eis \${place_lived}?	○ Bas Uélé○ Equateur○ Haut Katanga○ Haut Lomami○ Haut Uélé



	○ Ituri
	○ Kasai
	○ Kasai Central
	○ Kasai Oriental
	Kinshasa
	○ Kongo central
	○ Kwango
	○ Kwilu
	O Lomami
	○ Lualaba
	○ Maindombe
	○ Maniema
	○ Mongala
	Nord Kivu
	Nord Rivu Nord ubangi
	Sankuru
	Sud Kivu
	○ Sud ubangi
	○ Tanganika
	○ Tshopo
	○ Tshuapa
	O Pas de réponse
	○ City
MIG_5. Was \${place_lived} a city, a town, or a rural	○ Town
area?	Rural
	○ No response
MIG_6. How old were you when you moved to \${place_lived}?	
Enter -99 for no response.	
	☐ Looking for a job
	☐ Seasonal work
	☐ Work (non-seasonal)
	☐ Want to change jobs
	☐ Family or village conflict
	☐ To attend school
	☐ Move after completed school
MIG_7. For what reason did you move to	☐ Join spouse after marriage
\${place_lived}?	☐ Co-reside with boy/girlfriend
Select all that apply.	☐ Divorce/widowhood
	☐ Hospitalization/health problem
	☐ Better access to health service
	☐ Caring for sick relative
	☐ Followed spouse to job
	☐ Better land for farming
	☐ Better education for children
	☐ Other social reasons





		□ Other □ No response	
•	MIG_8. Now I will ask you about the place you lived before \${place_lived}.		
Wol Wol the	Aside from your own housework, have you done any rk in the last seven days? rk is not always paid and can include things like work on family farm or in the family business, selling things at the rket, or running a small business.	○ Yes○ No○ No response	
Wol Wol the	Aside from your own housework, have you done any rk in the last 12 months? The kis not always paid and can include things like work on family farm or in the family business, selling things at the rket, or running a small business.	○ Yes○ No○ No response	
not Rec food	Are you paid in cash or kind for this work or are you paid at all? eiving a regular salary only is CASH, receiving lodging and donly is IN-KIND, receiving food and money is CASH AND KIND, not being paid - like work on the family farm - is NOT D	○ Cash○ Cash and kind○ In-kind○ Not paid○ No response	
hοι	Who usually makes decisions about making large usehold purchases: you, your husband/partner, you d your husband/partner jointly, or someone else?	Respondent Husband/partner Respondent and husband/partne Someone else No response	er
hou hus	Who usually makes decisions about making usehold purchases for daily needs: you, your sband/partner, you and your husband/partner jointly, someone else?	Respondent Husband/partner Respondent and husband/partne Someone else No response	ər
trea	. Who usually makes decisions about getting medical atment for yourself: you, your husband/partner, you your husband/partner jointly, or someone else?	Respondent Husband/partner Respondent and husband/partne Someone else No response	ər
clot	P_1. Who usually makes decisions about buying hes for yourself: you, your husband/partner, you and Ir husband/partner jointly, or someone else?	Respondent Husband/partner Respondent and husband/partne Someone else No response	ər
ear	P_2. Who usually makes decisions about how your nings will be used: you, your husband/partner, you d your husband/partner jointly, or someone else?	 Respondent Husband/partner Respondent and husband/partner Someone else No response 	er





EMP_3. Who usually makes decisions about how your husband/partner's earnings will be used: you, your husband/partner, you and your husband/partner jointly, or someone else?	RespondentHusband/partnerRespondent and husband/partnerSomeone elseNo response
EMP_4. Do you own any land, either jointly or by yourself? PROBE: This does not include land owned only by your husband.	○ Yes○ No○ No response
EMP_5. Would you say that the money that you earn is more than what your husband/partner earns, less than what he earns, or about the same?	○ More○ Less○ Same○ No response
EMP_6. Did you take part in any of these activities over the past 30 days? Read each option aloud and select if yes.	□ Agricultural work □ Raising poultry / livestock □ Producing ghee / cheese / butter □ Collecting fuel / wood-cutting □ Preparing food □ Sewing / embroidery / crocheting □ Producing straw products / carpets / textile / ropes □ Offering services for others in a house, shop, or hotel □ Independent paid work □ Buying / selling goods in the market / the street / at home □ Helping in construction work □ Learning a skill □ None of the above □ No Response
FIN_1. Do you currently have any savings for the future, such as a bank account, savings group, or cash?	○ Yes○ No○ No response
FIN_2. Do you currently have any mobile money accounts (e.g. Mpesa, Orange Money, Airtel-Money)?	○ Yes○ No○ No response
FIN_3. When it comes to managing your money and financial matters, what is your level of knowledge?	 Not knowledgeable at all Not very knowledgeable Somewhat knowledgeable Very knowledgeable No response
FIN_4. Do you know where to go for financial information or advice?	○ Yes○ No○ No response





FIN_5. Do you have financial goals toward which you are working?	○ Yes
PROBE: These are specific financial goals you have setup for yourself.	○ No○ No response
Section 2 – Reproduction, Pregnancy	y & Fertility Preferences
201. Now I would like to ask about all the births you have had during your life. Have you ever given birth?	○ Yes○ No○ No response
202. How many times have you given birth? Enter -99 for no response.	
203. When was your FIRST birth? Please record the date of the first live birth. Date should be found by calculating forward or backward from memorable events if needed.	
Select 'Do not know' for month and '2030' for year to indicate 'No Response'. CALENDAR: If the birth was after \${cc_start_date_lab} enter the birth and duration of pregnancy in the calendar.	
Month:	 January February March April May June July August September October November December Do not know
Year:	Year:
 Date cannot be in the future. You entered: \${first_birth_lab} Today: \${today}	
First birth cannot be before respondent was 10 years of age. You entered: \${first_birth_lab} Respondent's birth date: \${birthdate_lab}	
CALENDAR: Add a "birth" annotation next to the month \${first_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
204. When was your MOST RECENT birth?	





Please record the date of the first live birth. Date should be found by calculating forward or backward from memorable events if needed. Select 'Do not know' for month and '2030' for year to indicate 'No Response'. CALENDAR: If the birth was after \${cc_start_date_lab} enter the birth and duration of pregnancy in the calendar.	
Month:	 January February March April May June July August September October November December Do not know
Year:	Year:
Date cannot be in the future. You entered: \${recent_birth_lab} Today: \${today}	
Date of most recent birth cannot be before respondent was 10 years of age. You entered: \${recent_birth_lab} Respondent's birth date: \${birthdate_lab}	
Date of most recent birth must be at least 6 months after the first birth. You entered: \${recent_birth_lab} First birth: \${first_birth_lab}	
Year of most recent birth cannot be before first birth. You entered: \${rb_y_lab} Year of first birth: \${fb_y_lab}	
CALENDAR: Add a "birth" annotation next to the month \${recent_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
205. Have you had any other births since \${cc_start_date_lab}?	○ Yes○ No○ No response
206. When was that birth? CALENDAR: Enter the birth and duration of pregnancy in the calendar. Select 'Do not know' for month and '2030' for year to indicate 'No Response'.	





Month:	 ◯ January ◯ February ◯ March ◯ April ◯ May ◯ June ◯ July ◯ August ◯ September ◯ October ◯ November ◯ December ◯ Do not know
Year:	Year:
206 ERROR Go back and correct entry. Entry must be no earlier than: \${cc_start_date_lab} Date entered: \${other_birth_lab} CALENDAR: Add a "birth" annotation next to the month	
\${other_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
207. Have you ever had a pregnancy that miscarried, was aborted, or ended in a stillbirth since \${cc_start_date_lab}?	○ Yes○ No○ No response
208. When did that pregnancy end? CALENDAR: Enter the termination and duration of pregnancy in the calendar. Select 'Do not know' for month and '2030' for year to indicate 'No Response'.	
Month:	 January February March April May June July August September October November December Do not know





Year:	Year:
 208 ERROR Go back and correct entry. Entry must be no earlier than: \${cc_start_date_lab} Date entered: \${pregnancy_end_lab}	
CALENDAR: Add a "termination" annotation next to the month \${pregnancy_end_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
209. Are you pregnant now?	○ Yes○ No○ Unsure○ No response
210. How many months pregnant are you?	
The most recent birth was: \${rec_birth_date}	
##### Please record the number of completed months. Enter -88 for do not know, -99 for No response. CALENDAR: Enter number of months pregnant in the calendar.	
Add a "pregnant" annotation next to the current date \${today_ym} in the contraceptive calendar paper aid.	
Add a "pregnant" annotation next to the most recent \${months_pregnant} months, including in \${today_ym}, in the contraceptive calendar paper aid.	
211. When did your last menstrual period start? If you select days, weeks, months, or years, you will enter a number for X on the next screen. Enter 0 days for today, not 0 weeks/months/years.	 X days ago X weeks ago X months ago X years ago Menopausal / Hysterectomy Before last birth Never menstruated No response
You entered "Never menstruated" in 211 but the respondent 204 indicates she previously gave birth. Is that what she said? If no, return to the previous screen and change the response.	○ Yes ○ No
211. Enter \${menstrual_period_lab} Enter 0 days for today, not 0 weeks/months/years.	
You entered that the respondent is \${months_pregnant} months pregnant, but she said her last menstrual period	○ Yes ○ No





started \${menstrual_period_value} (\${menstrual_period_lab}) ago. Is that what she said? If no, return to the previous screen and change the response.	
You entered "Never menstruated" in 211 but 209 indicates that the respondent is pregnant currently. Is that what she said? If no, return to the previous screen and change the response.	○ Yes ○ No
212. How old were you at the time you experienced your first menstruation? Enter -88 for do not know, Enter -99 for no response.	
213a. Now I would like to ask a question about your last birth.	
213b. Now I would like to ask a question about your current pregnancy.	
At the time you became pregnant, did you want to become pregnant then, did you want to wait until later, or did you not want to have any more children at all?	
At the time you became pregnant, did you want to become pregnant then, did you want to wait until later, or did you not want to have any children at all?	
#####	○ Then○ Later○ Not at all○ No response
Now I have some questions about the future.	
214a. Would you like to have a child or would you prefer not to have any children?	 ○ Have a child ○ Prefer no children ○ Says she can't get pregnant ○ Undecided / Do not know ○ No response
214a. Would you like to have another child or would you orefer not to have any more children?	 ○ Have another child ○ No more ○ Says she can't get pregnant ○ Undecided / Do not know ○ No response
214b. After the child you are expecting now, would you ike to have another child or would you prefer not to have any more children?	 ○ Have another child ○ No more ○ Says she can't get pregnant ○ Undecided / Do not know ○ No response
215a. How long would you like to wait from now before the birth of a child?	○ X months ○ X vears





If you select months or years, you will enter a number for X on the next screen. Select "Years" if more than 36 months. Please check that you correctly entered the value for months/years.	Soon/nowSays she can't get pregnantOtherDo not knowNo response
215a. How long would you like to wait from now before the birth of another child? If you select months or years, you will enter a number for X on the next screen. Select "Years" if more than 36 months. Please check that you correctly entered the value for months/years.	 ○ X months ○ X years ○ Soon/now ○ Says she can't get pregnant ○ Other ○ Do not know ○ No response
215b. After the birth of the child you are expecting now, how long would you like to wait before the birth of another child? If you select months or years, you will enter a number for X on the next screen. Select "Years" if more than 36 months. Please check that you correctly entered the value for months/years.	 ○ X months ○ X years ○ Soon/now ○ Says she can't get pregnant ○ Other ○ Do not know ○ No response
212c. Enter the number of \${waitchild} you would like to wait:	
216a. When you found out you were pregnant, how did you feel?	 Very happy Sort of happy Mixed happy and unhappy Sort of unhappy Very unhappy No response
216b. If you got pregnant now, how would you feel?	 Very happy Sort of happy Mixed happy and unhappy Sort of unhappy Very unhappy No response
Section 3 – Contrac	eption
Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy.	
An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available.	





301a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children.	○ Yes○ No○ No response
301b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children.	○ Yes○ No○ No response
301c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in her upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [implant_150x300.png]	○ Yes○ No○ No response
301d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IUD_150x300.png]	○ Yes○ No○ No response
301e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [sayana_depo_150x300.jpg]	○ Yes○ No○ No response
301f. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [pill_150x300.png]	○ Yes○ No○ No response
301g. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent pregnancy.	○ Yes○ No○ No response
301h. Have you ever heard of male condoms? PROBE: Men can put a rubber sheath on their penis before sexual intercourse. [male_condom_150x300.png]	○ Yes○ No○ No response
301i. Have you ever heard of female condoms? PROBE: Women can put a sheath in their vagina before sexual intercourse. [female_condom_150x300.png]	○ Yes○ No○ No response
301j. Have you ever heard of the diaphragm? PROBE: Women can place a thin flexible disk in their vagina before sexual intercourse. [diaphragm_150x300.png]	○ Yes○ No○ No response
301k. Have you ever heard of foam or jelly as a contraceptive method? PROBE: Women can place a suppository, jelly, or cream in their vagina before sexual intercourse to prevent pregnancy. [spermicide_150x300.png]	○ Yes○ No○ No response





	- 1
301l. Have you ever heard of the standard days method or Cycle Beads? PROBE: A Woman can use a string of colored beads to know the days she can get pregnant. On the days she can get pregnant, she and her partner use a condom or do not have sexual intercourse. [SDM-beads_only.png]	○ Yes○ No○ No response
301m. Have you ever heard of the Lactational Amenorrhea Method or LAM?	○ Yes○ No○ No response
301n. Have you ever heard of the rhythm method? PROBE: Women can avoid pregnancy by not having sexual intercourse on the days of the month they think they can get pregnant.	○ Yes○ No○ No response
301o. Have you ever heard of the withdrawal method? PROBE: Men can be careful and pull out before climax.	○ Yes○ No○ No response
301p. Have you ever heard of any other ways or methods that women or men can use to avoid pregnancy?	○ Yes○ No○ No response
302. Are you or your partner currently doing something or using any method to delay or avoid getting pregnant?	○ Yes○ No○ No response
303. Which method or methods are you using? PROBE: Anything else? Select all methods mentioned. SCROLL TO THE BOTTOM to see all choices.	☐ Female sterilization ☐ Male sterilization ☐ Implant ☐ IUD ☐ Injectables ☐ Pill ☐ Emergency Contraception ☐ Male condom ☐ Female condom ☐ Diaphragm ☐ Foam/Jelly ☐ Standard Days/Cycle beads ☐ LAM ☐ Rhythm method ☐ Withdrawal ☐ Other traditional method ☐ No response
Check here to acknowledge you considered all options.	0
CALC_CM. CALCULATE: CURRENT METHOD THIS WILL NOT APPEAR ON THE SCREEN	Female sterilization Male sterilization





ODK will identify the most effective method currently being used by the respondent by selecting the highest method in the choice list.	 ☐ Implant ☐ IUD ☐ Injectables ☐ Pill ☐ Emergency Contraception ☐ Male condom ☐ Female condom ☐ Diaphragm ☐ Foam/Jelly ☐ Standard Days/Cycle beads ☐ LAM ☐ Rhythm method ☐ Withdrawal ☐ Other traditional method ☐ No response
LCL_301. PROBE: Was the injection administered via syringe or small needle? Show the image to the respondent. [sayana_depo_150x300.jpg]	○ Syringe○ Small needle (Sayana Press)○ No Response
LCL_302. Did you inject it yourself or did a healthcare provider do it for you?	○ Self○ Provider○ No response
304. Does your husband/partner know that you are using \${current_method_label}?	○ Yes○ No○ No response
304. Does your husband/partner know that you are using family planning?	○ Yes○ No○ No response
LCL_303. Did the provider tell you or your partner that this method was permanent?	○ Yes○ No○ No response
305. If you needed family planning, where would you go?	 ○ National hospital ○ Family planning clinic ○ Health center/Poste de sante ○ Maternity ○ Community health volunteer ○ Regional hospital ○ Private hospital/clinic ○ pharmacy ○ NGO ○ Private health center ○ Private practice ○ Private doctor ○ Mobile nurse ○ Community health worker (ASC)





	 ○ Community-based medical student ○ Boutique ○ Religious instituteion ○ Friend / Relative ○ Bar / Night club ○ Ligablo / Kiosk ○ Chayeur ○ Other ○ Don't know ○ No Response
306. Why would you choose this location?	☐ Close to home ☐ Discreet location ☐ Know confidentiality will be respected ☐ Have the method that I want ☐ Providers have a good reputation ☐ Recommend by friend/relative ☐ Method available for low cost/free ☐ Other ☐ Do not know ☐ No response
307. Please tell me if you agree or disagree with the following statement: I would feel too shy or embarrassed to get family planning at a clinic, health center or physician's office if needed. PROBE: This question is specifically about your feelings.	○ Agree○ Disagree○ No response
308. Please tell me if you agree or disagree with the following statement: I would feel too shy or embarrassed to get family planning at the pharmacy or chemist if needed. PROBE: This question is specifically about your feelings.	○ Agree○ Disagree○ No response
309. You said that you are not currently using a contraceptive method. Do you think you will use a contraceptive method to delay or avoid getting pregnant at any time in the future?	○ Yes○ No○ Do not know○ No response
310. Do you think you will use a contraceptive method to delay or avoid getting pregnant at any time in the future?	○ Yes○ No○ Do not know○ No response
311. When do you think you will start using a method?	X monthsX yearsSoon/nowAfter the birth of this child



	○ Do not know○ No response
	○ No response
Enter \${fp_start_lab}:	
312. What method do you think you will use?	Female sterilization Male sterilization Implant IUD Injectables Pill Emergency Contraception Male condom Female condom Diaphragm Foam/Jelly Standard Days/Cycle beads LAM Rhythm method Withdrawal Other traditional method No response
313. Would your husband/partner be supportive of you using family planning?	○ Yes○ No○ Do not know○ No response
314. Before you started using \${current_method_label}, had you discussed the decision to delay or avoid pregnancy with your husband/partner?	○ Yes○ No○ Do not know○ No response
315. Would you say that using contraception is mainly your decision, mainly your husband/partner's decision or did you both decide together?	Mainly respondentMainly husband/partnerJoint decisionOtherNo response
316. Since what month and year have you been using \${current_method_label} without stopping? Calculate backwards from memorable events if needed. CALENDAR: Enter episode of contraceptive use in the calendar.	
Most Recent Birth: \${rec_birth_date}	
Current Marriage: \${rec_husband_date}	
Month:	○ January○ February○ March





	 ○ April ○ May ○ July ○ August ○ September ○ October ○ November ○ December ○ Do not know
Year:	Year:
Date cannot be in the future. You entered: \${begin_using_full_lab} Today: \${today} Date of starting \${current_method_label} cannot be before 10 years of age. You entered: \${begin_using_full_lab}	
Respondent's birth date: \${birthdate_lab} Date of starting \${current_method_label} without stopping cannot be before most recent birth. You entered: \${begin_using_full_lab} Most recent birth: \${recent_birth_lab}	
Date of starting \${current_method_label} without stopping cannot be before most recent birth. You entered: \${bus_y_lab} Most recent birth: \${rb_y_lab}	
Add an annotation for \${current_method_label} next to the current date \${today_ym} in the contraceptive calendar paper aid.	
Add an annotation for \${current_method_label} from \${ccal_start_date_label} to the current date \${today_ym} in the contraceptive calendar paper aid.	
317. You first started using \${current_method_label} on \${start_date_lab}. Where did you or your partner get it at that time? Scroll to bottom to see all choices.	 National hospital Family planning clinic Health center/Poste de sante Maternity Community health volunteer Regional hospital Private hospital/clinic pharmacy NGO Private health center Private practice Private doctor





	 ○ Mobile nurse ○ Community health worker (ASC) ○ Community-based medical student ○ Boutique ○ Religious instituteion ○ Friend / Relative ○ Bar / Night club ○ Ligablo / Kiosk ○ Chayeur ○ Other ○ Don't know ○ No Response
317. Where did you or your partner get \${current_method_label} when you first started using it? Scroll to bottom to see all choices.	 ○ National hospital ○ Family planning clinic ○ Health center/Poste de sante ○ Maternity ○ Community health volunteer ○ Regional hospital ○ Private hospital/clinic ○ pharmacy ○ NGO ○ Private health center ○ Private practice ○ Private doctor ○ Mobile nurse ○ Community health worker (ASC) ○ Community-based medical student ○ Boutique ○ Religious instituteion ○ Friend / Relative ○ Bar / Night club ○ Ligablo / Kiosk ○ Chayeur ○ Other ○ Don't know ○ No Response
Check here to acknowledge you considered all options.	0
	_
318. When you obtained your \${current_method_label}, were you told by the provider about side effects or problems you might have with a method to delay or avoid pregnancy?	○ Yes○ No○ No response





319. Were you told what to do if you experienced side effects or problems?	○ Yes○ No○ No response
320. At that time, were you told by the family planning provider about methods of family planning other than the \${current_method_label} that you could use?	○ Yes○ No○ No response
321. At that time, were you told that you could switch to a different method in the future?	○ Yes○ No○ No response
322. During that visit, did you obtain the method you wanted to delay or avoid getting pregnant?	○ Yes○ No○ Did not have a preference○ No response
323. Why didn't you obtain the method you wanted?	 Method out of stock that day Method not available at all Provider not trained to provide the method Provider recommended a different method Not eligible for method Decided not to adopt a method Too costly Other Do not know No response
324a. During that visit, who made the final decision about what method you got?	 You alone Provider Partner You and provider You and partner Other Do not know No response
324b. Who made the final decision to use rhythm?	 You alone Provider Partner You and provider You and partner Other Do not know No response
324b. Who made the final decision to use LAM?	○ You alone○ Provider○ Partner



	You and providerYou and partnerOtherDo not knowNo response
325. Would you return to this provider? Provider: \${provider_label}	YesNoDo not knowNo response
326. Would you refer your relative or friend to this provider / facility? Provider: \${provider_label}	○ Yes○ No○ Do not know○ No response
327. Have you ever done anything or tried in any way to delay or avoid getting pregnant?	○ Yes○ No○ No response
328. How old were you when you first used a method to delay or avoid getting pregnant? The respondent said she was \${age} years old at her last birthday. Enter the age in years. Enter -88 if the respondent does not know. Enter -99 if there is no response. Cannot be younger than 9.	
Check: You entered that the respondent first used family planning at the age of \${age_at_first_use}. Is that what she said? Go back and change 328 if that is not correct.	○ Yes ○ No
329. How many living children did you have at that time, if any? Note: the respondent said that she gave birth \${birth_events} times in 202. Enter -99 for no response.	
WARNING: you entered that the respondent gave birth \${birth_events} times in 202, and you entered that the respondent had \${age_at_first_use_children} children alive at the time she first used a method to delay or avoid getting pregnant in 329. Is this what the respondent said? It may be that the answers to 202 and 329 are correct. This screen is a warning for verification.	○ Yes ○ No
330. Have you used emergency contraception at any time in the last 12 months? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent pregnancy.	○ Yes○ No○ No response





331. You said that you do not want a child soon and that you are not using a method to avoid pregnancy.	
331. You said that you do not want another child soon and that you are not using a method to avoid pregnancy.	
331. You said that you do not want any children and that you are not using a method to avoid pregnancy.	
331. You said that you do not want any more children and that you are not using a method to avoid pregnancy.	
Can you tell me why you are not using a method to prevent pregnancy? PROBE: Any other reason? RECORD ALL REASONS MENTIONED Cannot select "Not Married" if 109 is "Yes, currently married". Scroll to bottom to see all choices.	□ Not married □ Infrequent sex / Not having sex □ Menopausal / Hysterectomy □ Subfecund / Infecund □ Not menstruated since last birth □ Breastfeeding □ Husband away for multiple days □ Up to God / fatalistic □ Respondent opposed □ Others opposed □ Others opposed □ Religious prohibition □ Knows no method □ Knows no source □ Fear of side effects □ Health concerns □ Lack of access / too far □ Costs too much □ Preferred method not available □ Inconvenient to use □ Interferes with body's processes □ Other □ Do not know □ No response
Check here to acknowledge you considered all options.	0
332. Would you say that not using contraception is mainly your decision, mainly your husband/partner's decision or did you both decide together? 333. In the last 12 months, were you visited by a	Mainly respondentMainly husband/partnerJoint decisionOtherNo responseYes
community health worker who talked to you about family planning?	○ No ○ No response





334. In the last 12 months, have you visited a health facility or camp for care for yourself? For any health services.		○ Yes○ No○ No response				
·· ·· · · · · · · · · · · · · · · ·		○ Yes○ No○ No response				
335. Did any staff member at the health facility speak to you about family planning methods?		○ Yes○ No○ No response				
336. In the last 12 months have you: 1 = Yes 0 = No -99 = No Response						
	1	,	0			-99
336a. Heard about family planning on the radio?	\circ		С)		\bigcirc
336b. Seen anything about family planning on the television?	0		С)		\bigcirc
336c. Read about family planning in a newspaper or magazine?	0		С)		\bigcirc
336d. Received a voice or text message about family planning on a mobile phone?	0			0		
336e. Seen anything on social media about family planning that is Facebook, Viber, Twitter, WhatsApp or others?	0				\circ	
337. People have different opinions about family planning. In your community, would you say me people, some people or few people have the fol opinions about family planning: 1 = Most 2 = Some 3 = Few -99 = No Response	ost					
	1		2	3		-99
337a. Adolescents who use family planning are promiscuous.	\circ		\bigcirc	\circ		\bigcirc
337b. Family planning is only for women who are married.	\circ		\bigcirc	\circ		\bigcirc
337c. Family planning is only for women who don't want any more children.	\circ		\bigcirc	\circ		\bigcirc
337d. People who use family planning have a better quality of life.	0		\circ	0		\bigcirc
338. Now, we would now like to know about you personal opinions about these issues. Do you st						





gree, agree, disagree, strongly disagree with the ollowing statements?			_			
4 = Strongly agree 3 = Agree 2 = Disagree 1 = Strongly -99 = No response	⁄ disag	ree				
	4		3	2	1	-99
338a. Adolescents who use family planning are promiscuous.	\circ		\bigcirc	\bigcirc	\circ	0
338b. Family planning is only for women who are married.	\circ		\circ	\bigcirc	\circ	0
338c. Family planning is only for women who don't want any more children.	\circ		\bigcirc	\bigcirc	\circ	0
338d. People who use family planning have a better quality of life.	0		\circ	\circ	0	0
339. How important is it for you to achieve the fin the next two years: 1 = Very important 2 = Somewhat important 3 = Not i -99 = No Response						
	1	2	3	ı	No Respo	nse
339a. Complete secondary school / technical school / vocation school	0	\circ		0		
339b. Attend university / tertiary institution	\circ	\circ				
339c. Have a good job	\circ	\circ	\circ	0		
339d. Start a business	\circ	0	\circ			
339e. Find a partner	\circ	0	\circ	\circ		
339f. Get married	\circ	\circ	\circ	0 0		
339g. Have children	\circ	\circ				
340. How important is it to your parents / guard you achieve the following in the next two years: 1 = Very important 2 = Somewhat important 3 = Not i -99 = No Response						
	1	2	3	!	No Respo	nse
340a. Complete secondary school / technical school / vocation school	0	0	0		\bigcirc	
340b. Attend university / tertiary institution	\circ	0	\circ		\bigcirc	
340c. Have a good job	0	0	\circ		\bigcirc	
340d. Start a business	0	0	\circ		\bigcirc	
340e. Find a partner	\circ	0	\circ		\bigcirc	





				<u> </u>
340f. Get married	\bigcirc	\bigcirc	0	0
340g. Have children	\circ	\bigcirc	\circ	0
341. Do you have any health insurance or are you member of a mutual health organization?	а		○ Yes ○ No ○ No r	esponse
342. What type of health insurance do you have? RECORD ALL MENTIONED			(NHIS) Hea employ Mut organiz health Othe comme	ual health zation/Community-based insurance er privately purchased ercial health insurance
Section 4 – Sectio	FORE (CONT		
Now I would like to ask some questions about se activity in order to gain a better understanding o important life issues. Let me assure you again the answers are completely confidential and will not to anyone. If we should come to any question the don't want to answer, just let me know and we wathe next question.	of some at your be told at you	d		
401. How old were you when you first had sexua intercourse?	al			
Current age: \${age}				
Number of live births: \${birth_events}				
The respondent is pregnant				
Enter the age in years. Enter -77 if she has never had sex. Enter -99 for no re Enter -88 for do not know.	sponse.			
WARNING: you entered -77, but the respondent is currently pregnant or has given birth before. Go and fix. The timing of the number of births should agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a company of the number of births agree with a	back			





WARNING: the respondent gave birth \${birth_events} times, but first had sex at the age of \${age_at_first_sex}, only \${years_since_first_sex} years ago. Is that correct? The timing of the number of births should agree with 401.	○ Yes ○ No
You entered that the respondent was \${age_at_first_sex} years old the first time she had sexual intercourse. Is that what the she said? Go back and change 401 if it is not correct.	○ Yes ○ No
You entered that the respondent's age at first sex was \${age_at_first_sex}. Previously the respondent said she has given birth at an earlier age: \${age_first_birth}. Is that correct? Go back and change "age at first sex" if it is not correct	○ Yes ○ No
402. Looking back to the first time you had sexual intercourse, do you think you would have preferred to: have waited longer before having sex with anyone, not have waited so long, or was it the right time?	○ Waited longer○ Not have waited so long○ It was the right time○ No response
403. The first time you had sexual intercourse, would you say you and your partner were both equally willing to have sexual intercourse was one of you more willing than the other?	Equally willingRespondent more willingPartner more willingNo response
404. Which of these applied to you at the first time you had sex? Read each option aloud and select if yes.	☐ I was curious ☐ I was carried away ☐ I was under the influence of a substance ☐ I was doing what was expected of me ☐ I was forced against my will ☐ None of the above ☐ No response
405. How much do you think you will be involved in the decision to have sex for the first time – very much, not very much or not at all?	○ Very much○ Not very much○ Not at all○ No response
406. Did you and your partner want to avoid a pregnancy the first time you had sexual intercourse?	○ Yes○ No○ No response
407. Did you or your partner do something or use any method to delay or avoid getting pregnant?	○ Yes○ No○ No response
408. When was the last time you had sexual intercourse?	
Respondent is \${months_pregnant} months pregnant.	





Answer must be in days or weeks up to 4 weeks or 30 days	
##### If less than 12 months ago, answer must be recorded in months, weeks, or days. Enter 0 days for today. You will enter a number for X on the next screen.	X days agoX weeks agoX months agoX years agoNo response
408. Enter \${last_time_sex_lab}. If today, enter zero days only, not zero weeks/months/years. Must agree with the age of first sexual intercourse and the pregnancy status.	
The respondent is pregnant. The time since last sex must not be earlier than one month prior to the start of pregnancy. If number of months pregnant is unknown, then the time since last sex must be less than 11 months. Months pregnant: \${months_pregnant} Last time sex units: \${last_time_sex} Last time sex value: \${last_time_sex_value}	
The respondent cannot enter a time since last sex that would be before her age at first sex. Age at first sex: \${age_at_first_sex} Current age: \${age} Last time sex units: \${last_time_sex} Last time sex value: \${last_time_sex_value}	
409. The last time you had sex did you or your partner use any method to avoid or prevent a pregnancy?	○ Yes○ No○ No response
410. What method did you or your partner use?	 ○ Female sterilization ○ Male sterilization ○ Implant ○ IUD ○ Injectables ○ Pill ○ Emergency Contraception ○ Male condom ○ Female condom ○ Diaphragm ○ Foam/Jelly ○ Standard Days/Cycle beads ○ LAM ○ Rhythm method ○ Withdrawal ○ Other traditional method ○ No response



ill. Whose choice was it to use that method?		RespondentRespondent and partnerPartnerSomeone elseNo response		
WGE_1. At the last time you had sex, did any of t following happen? 1 = Yes 0 = No -99 = No Response	he			
	1		0	-99
WGE_1a. I did not want to have sex at that time	\bigcirc		0	\circ
WGE_1b. I felt pressured by my husband / partner to have sex then	\bigcirc		\circ	\circ
WGE_1c. I did not consent (was forced) to have sex then	\circ		\circ	0
WGE_1d. I felt at risk of physical violence if I declined to have sex at that time	\circ	0		0
Now I'm going to ask you a series of st contraception. Please indicate how much you by indicating how strongly you agree seem similar but we would like you to con- at any time. If you do not feel comfortable know and I will move or	you think or disagr sider eac answeri	k the ree v ch or ing c	ese statemen with the state ne as differen any of the sta	ts could apply to ement. Some will t. We can pause
501. If I use family planning, my husband/partner seek another sexual partner.	may		Strongly disagr Disagree (2) Neither agree r Agree (4) Strongly agree Do not know No response	nor disagree (3)
502. If I use family planning, I may have trouble go pregnant the next time I want to.	etting		Strongly disagr Disagree (2) Neither agree r Agree (4) Strongly agree Do not know No response	nor disagree (3)
503a. There could be conflict in my relationship/n if I use family planning.	narriage		Strongly disagr Disagree (2)	ree (1)





	 Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
503b. There will be conflict in my relationship/marriage if I use family planning.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
504. If I use family planning, my children may not be born normal.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
505. If I use family planning, my body may experience side effects that will disrupt my relations with my husband/partner.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_2. I can decide to switch from one family planning method to another if I want to.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_3. I feel confident telling my provider what is important for me when selecting a family planning method.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
Now I'm going to ask you a series of statements about pregnancy and childbearing. Please indicate how much you think these statements could apply to you by indicating how strongly you agree or disagree with the statement. Some will seem similar but we would like you	





to consider each one as different. We can pause at any time. If you do not feel comfortable answering any of the statements, let me know and I will move onto the next statement.	
WGE_4a. I want to complete my education before I have a child.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_4b. I wanted to complete my education before I had a child.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_5. If I rest between pregnancies, I can take better care of my family.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_6a. I can decide when I want to start having children.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_6b. I could decide when I wanted to start having children.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_7. I feel confident discussing with my husband/partner when to start having children.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5)





	○ Do not know○ No response
WGE_8. I can decide when to have another child.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_9a. I will be able to negotiate with my husband/partner when to stop having children.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_9b. I can negotiate with my husband/partner when to stop having children.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
Now I'm going to ask you a series of statements about sexual activity. Please indicate how much you think these statements could apply to you by indicating how strongly you agree or disagree with the statement. If you are not now living with a husband/partner, you can refer to your situation with your last husband/partner. Some will seem similar but we would like you to consider each one as different. We can pause at any time. If you do not feel comfortable answering any of the statements, let me know and I will move onto the next statement.	
WGE_10. If I refuse sex with my husband/partner, he may stop supporting me.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_11. If I refuse sex with my husband/partner, he may force me to have sex.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5)



	O Do not know No response
WGE_12. If I refuse sex with my husband/partner, he may physically hurt me.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_13. If I show my husband/partner that I want to have sex, he may consider me promiscuous.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_14. I am confident I can tell my husband/partner when I want to have sex.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_15. I am able to decide when to have sex.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_16. If I do not want to have sex, I can tell my husband/partner.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response
WGE_17. If I do not want to have sex, I am capable of avoiding it with my husband/partner.	 Strongly disagree (1) Disagree (2) Neither agree nor disagree (3) Agree (4) Strongly agree (5) Do not know No response



Follow-up Consent	
801. Thank you for the time you have kindly granted us. Would you be willing to participate in another survey one year from now?	○ Yes○ No○ No response
802. Do you own a phone?	○ Yes○ No○ No response
803. Can I have your primary phone number in case we would like to follow up with you in the future? Enter an 9-digit number without the country code. Do not include spaces or dashes. Enter 0 for no response.	
804. Can you repeat the number again? Enter an 9-digit number without the country code. Do not include spaces or dashes. Enter 0 for no response.	
805. Can I have your secondary phone number in case we would like to follow up with you in the future? Enter an 9-digit number without the country code. Do not include spaces or dashes. Enter 0 for no response.	
806. Can you repeat the number again? Enter an 9-digit number without the country code. Do not include spaces or dashes. Enter 0 for no response.	
Thank the respondent for her time. The respondent is finished, but there are still more questions for you to complete outside the home.	
Thank you. There are still more questions for you to complete outside the home.	
Location and Questionr	naire result
095. Location Take a GPS point near the entrance to the household. Record location when the accuracy is smaller than 6 m.	
096. How many times have you visited this household to interview this female respondent?	○ 1st time○ 2nd time○ 3rd time
097. In what language was this interview conducted?	 ○ French ○ Lingala ○ Kikongo ○ Tshiluba ○ Swahili ○ Kintandu ○ Manianga ○ Kiyombe





	○ Kindibu
	○ Kilemfu
	Other
	O Completed
	O Not at home
098. Questionnaire Result	Opostponed
Record the result of the questionnaire.	Refused
	O Partly completed
	○ Incapacitated
	•
	please enter answers from visual paper
	pupe.
2020: ENTER VALUE FROM COL. 1	
	○ B. Births
	O P. Pregnancies
	○ T. Terminations
	0. No method used
	1. Female Sterilization
	2. Male Sterilization
	3. Implant
	4. IUD
	5. Injectables
Enter Value December 2020	○ 7. Pill
	8. Emergency Contraception
	○ 9. Male Condom
	10. Female Condom
	◯ 11. Diaphragm
	○ 12. Foam / Jelly
	○ 13. Std Days / Cycle beads
	○ 14. LAM
	○ 30. Rhythm method
	31. Withdrawal
	39. Other traditional methods
	(B. Births
	P. Pregnancies
	T. Terminations
	0. No method used
Enter Value November 2020	
Enter value November 2020	1. Female Sterilization
	2. Male Sterilization
	3. Implant
	4. IUD
	○ 5. Injectables





	 7. Pill 8. Emergency Contraception 9. Male Condom 10. Female Condom 11. Diaphragm 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value October 2020	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value September 2020	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm





	 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value August 2020	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method ○ 31. Withdrawal ○ 39. Other traditional methods
Enter Value July 2020	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method





	○ 31. Withdrawal○ 39. Other traditional methods
Enter Value June 2020	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value May 2020	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value April 2020	○ B. Births○ P. Pregnancies○ T. Terminations





	 0. No method used 1. Female Sterilization 2. Male Sterilization 3. Implant 4. IUD 5. Injectables 7. Pill 8. Emergency Contraception 9. Male Condom 10. Female Condom 11. Diaphragm 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value March 2020	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value February 2020	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD





	 5. Injectables 7. Pill 8. Emergency Contraception 9. Male Condom 10. Female Condom 11. Diaphragm 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value January 2020	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Please verify your inputs for 2020. Are they correct?	○ Yes ○ No
2019: ENTER VALUE FROM COL. 1	
2019. ENTER VALUE PROMICOL. I	<u> </u>
Enter Value December 2019	 B. Births P. Pregnancies T. Terminations 0. No method used 1. Female Sterilization 2. Male Sterilization 3. Implant 4. IUD



	 5. Injectables 7. Pill 8. Emergency Contraception 9. Male Condom 10. Female Condom 11. Diaphragm 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value November 2019	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value October 2019	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom





	 □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value September 2019	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value August 2019	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method



	31. Withdrawal 39. Other traditional methods
Enter Value July 2019	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value June 2019	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method ○ 31. Withdrawal ○ 39. Other traditional methods
Enter Value May 2019	○ B. Births○ P. Pregnancies○ T. Terminations



	 0. No method used 1. Female Sterilization 2. Male Sterilization 3. Implant 4. IUD 5. Injectables 7. Pill 8. Emergency Contraception 9. Male Condom 10. Female Condom 11. Diaphragm 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value April 2019	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value March 2019	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD



	 ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method ○ 31. Withdrawal ○ 39. Other traditional methods
Enter Value February 2019	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value January 2019	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom





	🔾 11. Diaphragm
	🔘 12. Foam / Jelly
	○ 13. Std Days / Cycle beads
	○ 14. LAM
	○ 30. Rhythm method
	◯ 31. Withdrawal
	○ 39. Other traditional methods
Please verify your inputs for 2019. Are they correct?	○Yes
ricuse verify your imputs for 2015. Are they correct.	○ No
2018: ENTER VALUE FROM COL. 1	
	○ B. Births
	O P. Pregnancies
	○ T. Terminations
	○ 0. No method used
	○ 1. Female Sterilization
	○ 2. Male Sterilization
	◯ 3. Implant
	◯ 5. Injectables
	7. Pill
Enter Value December 2018	8. Emergency Contraception
	9. Male Condom
	10. Female Condom
	11. Diaphragm
	11. Diaprilagiti 12. Foam / Jelly
	○ 13. Std Days / Cycle beads ○ 14. LAM
	_
	30. Rhythm method
	31. Withdrawal
	○ 39. Other traditional methods
	O B. Births
	O P. Pregnancies
	○ T. Terminations
Enter Value November 2018	○ 0. No method used
	○ 1. Female Sterilization
	○ 2. Male Sterilization
	3. Implant
	○ 4. IUD
	◯ 5. Injectables
	7. Pill
	8. Emergency Contraception
	9. Male Condom
	10. Female Condom
	O 10.1 CITIBLE CONDOIN





	 ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method ○ 31. Withdrawal ○ 39. Other traditional methods
Enter Value October 2018	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value September 2018	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method



	31. Withdrawal 39. Other traditional methods
Enter Value August 2018	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value July 2018	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value June 2018	○ B. Births○ P. Pregnancies○ T. Terminations





	 0. No method used 1. Female Sterilization 2. Male Sterilization 3. Implant 4. IUD 5. Injectables 7. Pill 8. Emergency Contraception 9. Male Condom 10. Female Condom 11. Diaphragm 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value May 2018	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value April 2018	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD



	 ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method ○ 31. Withdrawal ○ 39. Other traditional methods
Enter Value March 2018	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value February 2018	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom





	 11. Diaphragm 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value January 2018	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Please verify your inputs for 2018. Are they correct?	○ Yes○ No
2017: ENTER VALUE FROM COL. 1	
Enter Value December 2017	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom





	 11. Diaphragm 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value November 2017	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value October 2017	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method



	○ 31. Withdrawal○ 39. Other traditional methods
Enter Value September 2017	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value August 2017	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method ○ 31. Withdrawal ○ 39. Other traditional methods
Enter Value July 2017	○ B. Births○ P. Pregnancies○ T. Terminations





	 0. No method used 1. Female Sterilization 2. Male Sterilization 3. Implant 4. IUD 5. Injectables 7. Pill 8. Emergency Contraception 9. Male Condom 10. Female Condom 11. Diaphragm 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value June 2017	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value May 2017	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD





	 ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method ○ 31. Withdrawal ○ 39. Other traditional methods
Enter Value April 2017	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value March 2017	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom



	 11. Diaphragm 12. Foam / Jelly 13. Std Days / Cycle beads 14. LAM 30. Rhythm method 31. Withdrawal 39. Other traditional methods
Enter Value February 2017	 □ B. Births □ P. Pregnancies □ T. Terminations □ 0. No method used □ 1. Female Sterilization □ 2. Male Sterilization □ 3. Implant □ 4. IUD □ 5. Injectables □ 7. Pill □ 8. Emergency Contraception □ 9. Male Condom □ 10. Female Condom □ 11. Diaphragm □ 12. Foam / Jelly □ 13. Std Days / Cycle beads □ 14. LAM □ 30. Rhythm method □ 31. Withdrawal □ 39. Other traditional methods
Enter Value January 2017	 ○ B. Births ○ P. Pregnancies ○ T. Terminations ○ 0. No method used ○ 1. Female Sterilization ○ 2. Male Sterilization ○ 3. Implant ○ 4. IUD ○ 5. Injectables ○ 7. Pill ○ 8. Emergency Contraception ○ 9. Male Condom ○ 10. Female Condom ○ 11. Diaphragm ○ 12. Foam / Jelly ○ 13. Std Days / Cycle beads ○ 14. LAM ○ 30. Rhythm method





	○ 31. Withdrawal ○ 39. Other traditional methods
Please verify your inputs for 2017. Are they correct?	○ Yes ○ No
Look for COL. 2 on the visual aid paper	
2020: ENTER VALUE FROM COL. 2	
Enter Value December 2020	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value November 2020	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value October 2020	1. Infrequent sex / husband away2. Became pregnant while using3. Wanted to become pregnant





	 ↓ 4. Husband / partner disapproved ↓ 5. Wanted more effective method ♠ 6. Side effects / health concerns ♠ 7. Lack of access / too far ♠ 8. Costs too much ♠ 9. Inconvenient to use ♠ 10. Up to god / fatalistic ♠ 11. Difficult to get pregnant / menopausal ♠ 12. Marital dissolution / separation ♠ 96. Other
Enter Value September 2020	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value August 2020	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution /



	separation
Enter Value July 2020	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value June 2020	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value May 2020	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use



	 ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value April 2020	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value March 2020	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value February 2020	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method





	 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value January 2020	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
2019: ENTER VALUE FROM COL. 2	
Enter Value December 2019	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other





Enter Value November 2019	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value October 2019	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value September 2019	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant /





	menopausal 12. Marital dissolution / separation 96. Other
Enter Value August 2019	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value July 2019	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value June 2019	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far





	 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value May 2019	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value April 2019	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value March 2019	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved





	 ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value February 2019	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value January 2019	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other



2018: ENTER VALUE FROM COL. 2	
Enter Value December 2018	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value November 2018	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value October 2018	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use



	 ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value September 2018	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value August 2018	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value July 2018	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method





	 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value June 2018	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value May 2018	 □ 1. Infrequent sex / husband away □ 2. Became pregnant while using □ 3. Wanted to become pregnant □ 4. Husband / partner disapproved □ 5. Wanted more effective method □ 6. Side effects / health concerns □ 7. Lack of access / too far □ 8. Costs too much □ 9. Inconvenient to use □ 10. Up to god / fatalistic □ 11. Difficult to get pregnant / menopausal □ 12. Marital dissolution / separation □ 96. Other
Enter Value April 2018	○ 1. Infrequent sex / husband away○ 2. Became pregnant while using





	 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value March 2018	 1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value February 2018	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution /





	separation
Enter Value January 2018	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
2017: ENTER VALUE FROM COL. 2	
Enter Value December 2017	1. Infrequent sex / husband away 2. Became pregnant while using 3. Wanted to become pregnant 4. Husband / partner disapproved 5. Wanted more effective method 6. Side effects / health concerns 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value November 2017	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns





	 7. Lack of access / too far 8. Costs too much 9. Inconvenient to use 10. Up to god / fatalistic 11. Difficult to get pregnant / menopausal 12. Marital dissolution / separation 96. Other
Enter Value October 2017	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value September 2017	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value August 2017	1. Infrequent sex / husband away2. Became pregnant while using3. Wanted to become pregnant





	 ↓ 4. Husband / partner disapproved ↓ 5. Wanted more effective method ♠ 6. Side effects / health concerns ♠ 7. Lack of access / too far ♠ 8. Costs too much ♠ 9. Inconvenient to use ♠ 10. Up to god / fatalistic ♠ 11. Difficult to get pregnant / menopausal ♠ 12. Marital dissolution / separation ♠ 96. Other
Enter Value July 2017	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value June 2017	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution /



	separation
Enter Value May 2017	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value April 2017	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value March 2017	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use



	 ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value February 2017	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Enter Value January 2017	 ○ 1. Infrequent sex / husband away ○ 2. Became pregnant while using ○ 3. Wanted to become pregnant ○ 4. Husband / partner disapproved ○ 5. Wanted more effective method ○ 6. Side effects / health concerns ○ 7. Lack of access / too far ○ 8. Costs too much ○ 9. Inconvenient to use ○ 10. Up to god / fatalistic ○ 11. Difficult to get pregnant / menopausal ○ 12. Marital dissolution / separation ○ 96. Other
Take picture of contraceptive calendar visual aid	