



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider (N = 455)	Percent who would refer relative/friend (N = 455)	Percent who would return and refer friend/relative (N = 455)
Total			
All	88.4	80.4	75.2
Age Group			
15-19	<i>87.5</i>	<i>69.4</i>	<i>67.2</i>
20-24	91.5	87.1	84.3
25-29	86.8	82.4	74.6
30-34	81.4	74.0	67.2
35-39	92.9	84.5	79.3
40-44	<i>90.0</i>	<i>73.4</i>	<i>66.1</i>
45-49	--	--	--
Marital Status			
Married, or in union	88.5	80.5	75.2
Unmarried, sexually active	--	--	--
Parity			
0-1 children	85.9	78.4	76.0
2-3 children	90.9	84.9	78.9
4+ children	87.5	78.3	72.8
Residence			
Urban	85.3	77.2	70.4
Rural	89.7	81.8	77.2
Education			
Never	88.3	80.6	75.8
Primary	87.0	75.4	69.9
Secondary	89.7	83.7	77.1
Tertiary	<i>92.1</i>	<i>88.9</i>	<i>84.3</i>
Wealth Quintile			
Lowest	<i>89.2</i>	<i>81.3</i>	<i>79.0</i>
Middle	87.9	74.3	71.2
Highest	88.5	83.8	76.4
Region			
Niamey	83.4	78.7	71.2
Other urban	86.7	76.0	69.8
Rural areas	89.7	81.8	77.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(3017)	(2488)	(3017)	(2488)	(3017)	(2488)
All	6.4	7.2	20.4	23.8	23.3	27.0
Age Group						
15-19	3.5	5.4	8.5	14.2	10.4	17.1
20-24	8.9	9.4	25.8	29.0	29.7	33.0
25-29	4.7	4.9	24.4	25.4	26.1	27.1
30-34	9.1	9.4	26.9	27.9	31.6	32.7
35-39	8.4	8.7	28.9	30.2	31.4	32.7
40-44	4.8	5.1	13.5	14.4	16.6	17.6
45-49	6.9	6.1	12.2	11.6	15.7	15.6
Marital Status						
Married, or in union	7.2	na	23.8	na	27.0	na
Unmarried, sexually active	0.0	na	8.9	na	8.9	na
Parity						
0-1 children	4.6	7.1	8.9	14.5	11.8	18.8
2-3 children	7.9	7.9	28.2	28.9	31.4	32.2
4+ children	6.8	6.8	23.8	24.3	26.5	27.0
Residence						
Urban	2.2	2.4	19.0	26.6	20.7	28.4
Rural	7.5	8.1	20.8	23.2	24.0	26.7
Education						
Never	7.3	7.9	19.9	21.3	23.5	25.1
Primary	5.9	5.9	25.6	31.1	27.4	32.3
Secondary	4.0	4.8	17.3	30.9	18.8	32.9
Tertiary	0.7	0.0	14.9	26.3	15.2	26.3
Wealth Quintile						
Lowest	8.3	9.0	18.9	21.2	23.0	25.7
Middle	6.5	7.2	21.3	24.1	23.7	26.7
Highest	4.7	5.3	21.0	26.0	23.2	28.6
Region						
Niamey	2.7	2.8	19.1	29.4	21.3	31.6
Other urban	1.8	2.1	18.9	24.4	20.2	26.0
Rural areas	7.5	8.1	20.8	23.2	24.0	26.7

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1750	1154	2904
Households Occupied	1694	1142	2836
Households Interviewed	1653	1131	2784
Household Response Rate ¹	97.58%	99.04%	98.17%
Interviews with Women			
Number of Eligible Women ²	2012	1103	3115
Number of Eligible Women Interviewed	1948	1072	3020
Eligible Woman Response Rate ³	96.82%	97.19%	96.95%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.152	0.017	0.122	0.189	0.181	0.021	0.143	0.226
Currently using a traditional method	0.007	0.002	0.004	0.014	0.008	0.003	0.004	0.016
Currently using any contraceptive method	0.159	0.017	0.128	0.196	0.189	0.021	0.150	0.234
Currently using DMPA-IM	0.051	0.009	0.037	0.071	0.062	0.010	0.045	0.085
Currently using DMPA-SC	0.009	0.003	0.005	0.017	0.011	0.004	0.006	0.021
Currently using condoms	0.005	0.004	0.001	0.020	0.001	0.001	0.000	0.003
Currently using implants	0.027	0.004	0.020	0.036	0.031	0.005	0.022	0.042
Chose method by self or jointly in past 12 months	0.953	0.012	0.922	0.972	0.956	0.012	0.924	0.974
Paid fees for family planning services in past 12 months	0.128	0.023	0.089	0.181	0.124	0.023	0.085	0.177
Informed by provider about other methods	0.731	0.028	0.671	0.784	0.739	0.029	0.677	0.792
Informed by provider about side effects	0.477	0.041	0.396	0.559	0.484	0.042	0.402	0.568
Satisfied with provider: Would return and refer friend/relative to provider	0.747	0.031	0.680	0.804	0.747	0.031	0.680	0.804
Visited by health worker who talked about family planning in past 12 months	0.064	0.012	0.044	0.094	0.072	0.015	0.048	0.107

¹ Married includes married women and those who are living with a man